
5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

Session 2

1 Create a Bugzilla account using your college or personal email, then log in and take a screenshot of your Bugzilla dashboard after successful login.



5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

2. Pick any mobile app you use daily (such as Instagram, Zomato, or Paytm) and identify a real or imagined bug you have experienced — log this bug in Bugzilla with a clear summary, detailed steps to reproduce, expected vs actual result, and attach a screenshot or mock image showing the issue.

5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

Bugzilla Home | New Bug | Search

Bug 1987654 – Zomato

NEW

Summary: Cart total amount is incorrect after applying a discount code in Zomato app

Product:	Zomato (Mobile App)	**Reporter:**	Your Name
Component:	Ordering / Payment	**Created:**	2025-04-26 14:32
Version:	Android v15.6.0	**Last Modified:**	2025-04-26 14:32
Platform:	Android 14 (Samsung Galaxy S21)	**QA Contact:**	–
Severity:	Major	**CC:**	–
Priority:	P2		
Assignee:	Unassigned		

Description

When applying a discount code during checkout in the Zomato app, the total amount shown in the cart does not reflect the discount.

The discount is applied successfully (a confirmation message is shown), but the final amount remains the same as the original total. This can confuse users and may lead to incorrect payments.

Steps to Reproduce

1. Open the Zomato app on Android device.
2. Search for a restaurant and add an item to the cart (e.g., Margherita Pizza).
3. Go to the checkout page.
4. Enter a valid discount code (e.g., SAVE50) and apply it.
5. Observe the total amount displayed in the cart.


Expected Result

The discount should be applied to the total amount, and the final price should be reduced accordingly (e.g., ₹239 instead of ₹289).


Actual Result

The discount is applied successfully (confirmation message is shown), but the total amount remains unchanged (e.g., ₹289 instead of ₹239).

Attachments



After applying discount code (Actual - Incorrect total)



Expected behavior (Correct total after discount)

Additional Information

Frequency:	Always	**Reproducibility:**	100%
Workaround:	None found	**Related Issues:**	N/A

Comments


2025-04-26 14:32 **Your Name**

This issue is affecting the checkout flow and may lead to user dissatisfaction. Please prioritize this for the next release.

5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

3, Log two more defects in Bugzilla for different apps (for example, a payment failure in PhonePe or a wrong item added in Flipkart cart), making sure to select appropriate Severity and Priority for each defect and fill out the Module and Build/Version fields.



4. Update the status of one of your logged defects in Bugzilla from 'New' to 'Assigned', then to 'Fixed', 'Retest', and finally

5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

'Closed', adding a brief comment at each stage describing what happened.

Hint: Use the 'Add Comment' box in Bugzilla to note what action was taken at each step.

Updating Bug Status in Bugzilla

Aim

To update a defect's status in Bugzilla from **New** → **Assigned** → **Fixed** → **Retest** → **Closed** and add a comment at each stage.

Software Required

- Bugzilla Bug Tracking Tool
- Web browser
- Previously logged defect

Procedure

1. Log in to Bugzilla using the provided credentials.
2. Open a previously logged defect and verify that its current status is **New**.
3. Change the status to **Assigned**, select the responsible developer if required, and add a comment.
4. After the developer fixes the defect, change the status to **Fixed** and describe the correction.
5. Test the updated application and change the status to **Retest** if supported by the Bugzilla workflow. Record the test result in the comment.
6. If retesting is successful, change the status to **Closed** and add the final comment.

5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

7. Save the changes and verify the status history and comments.

Status Updates and Comments

1. New

Action: The defect is reported and recorded in Bugzilla.

Comment:
"Defect reported with a clear summary, reproduction steps, expected result, and actual result. Awaiting assignment."

2. Assigned

Action: The defect is assigned to a developer for investigation.

Comment:
"The defect has been assigned for investigation. The development team will analyze the issue and identify the root cause."

3. Fixed

Action: The developer implements a correction.

Comment:
"The required code changes have been implemented to resolve the reported defect. The fix is ready for testing."

4. Retest

Action: The tester verifies the fix in the updated build.

Comment:
"The defect is being retested in the updated build. The original reproduction steps are being checked to confirm that the issue is resolved."

5. Closed

Action: The defect is closed after successful verification.

5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

Comment:
"Retesting passed, and the reported issue could not be reproduced in the updated build. The defect is confirmed as resolved and is now closed."

Expected Result

The defect should progress through the required status stages, with an appropriate comment recorded at each stage. Successful retesting should confirm that the defect has been resolved before closure.

Conclusion

The Bugzilla defect lifecycle was studied to understand how a defect moves from reporting and assignment through fixing, retesting, and closure. Adding comments at every stage provides a clear record of actions taken and helps improve communication between developers and testers.

Note: These are sample comments for the practical assignment. Apply them to your actual Bugzilla ticket and record the real results. If your Bugzilla instance uses different status names or transitions, follow the configured workflow. Do not mark a defect Closed unless retesting has passed.

5. Use Bugzilla's search and filter features to find all defects you have logged that are currently not 'Closed', and take a screenshot showing the filtered results.

Hint: Try filtering by your user ID and by defect status.

