

Session 7

1 . Write a unit test scenario for the 'Add to Cart' function in a shopping app like Flipkart, focusing on what should be tested at the smallest code level (e.g., adding an item updates the cart count).

1. Unit Testing Scenario – Add to Cart

Unit testing checks the smallest part of an application, such as a single function or method. For a shopping app like Flipkart, we can test the **Add to Cart** function. When a user clicks the “Add to Cart” button, the function should add the selected product to the cart and increase the cart count by one. For example, if the cart is empty and the user adds one mobile phone, the cart count should change from 0 to 1. We can also check that the correct product ID and quantity are stored. This test is normally performed by a developer using unit testing tools. The main purpose is to make sure that the individual function works correctly before it is connected with other parts of the application.

Example:

Cart count before adding product = 0

User adds one product → Cart count after adding product = 1

Expected Result: Product is added successfully and cart count becomes 1.

2.

Describe an integration testing scenario for a payment flow in a food delivery app like Zomato, where you need to test the interaction between the order placement module and the payment gateway.

2. Integration Testing Scenario – Payment Flow

Integration testing checks whether two or more different modules work correctly together. In a food delivery app like Zomato, we can test the interaction between the **Order Placement module and Payment Gateway**. When a user selects food and places an order, the order module should send the correct amount and order details to the payment gateway. After the user completes the payment, the payment gateway should send the payment status back to the application. If the payment is successful, the order should be confirmed. If the payment fails, the order should not be confirmed and the user should receive an appropriate message. This testing helps ensure that data is correctly transferred between the two modules.

Example:

User places an order of ₹500 → Payment gateway receives ₹500 → Payment succeeds → Order status becomes **Confirmed**.

Expected Result: Both modules communicate correctly and the order status is updated according to the payment result.

3 . Write a system testing scenario for the ticket booking process in an app like BookMyShow, covering the entire end-to-end flow from searching for a movie to receiving a booking confirmation.

3. System Testing Scenario – Movie Ticket Booking

System testing checks the complete application from beginning to end. For an app like BookMyShow, we can test the complete movie ticket booking process. First, the user opens the application and searches for a movie. The user selects the movie, theatre, date, and show time. Then the user selects available seats and proceeds to payment. After successful payment, the system should generate the booking confirmation and ticket details. The tester checks every step of the process to make sure the complete system works as expected. This includes checking the movie search, seat availability, pricing, payment, and confirmation.

Example Flow:

Search movie → Select movie → Select theatre → Select show → Select seats → Make payment → Receive booking confirmation.

Expected Result: The complete booking should be successful, and the user should receive a confirmation containing the movie, theatre, show time, seats, and booking ID.

4. Create an acceptance testing (UAT/SAT) scenario for a new playlist feature in a music app like Spotify, focusing on how a real user would verify that the feature meets their needs.

4. Acceptance Testing (UAT/SAT) Scenario – New Playlist Feature

Acceptance testing is performed to check whether a new feature meets the needs and expectations of real users or the business. For a new playlist feature in a music app like Spotify, real users can test whether they can easily create a playlist, give it a name, add songs, remove songs, and play the playlist. Users can also check whether the playlist is saved correctly and available when they open the app again. The users provide feedback about whether the feature is easy to use and whether it solves their actual needs. If users are satisfied and the feature meets the requirements, it can be accepted for release.

Example:

User creates a playlist called “**My Favorites**” → Adds 10 songs → Removes 1 song → Saves playlist → Opens playlist again.

Expected Result: The playlist should be saved correctly, contain the selected songs, and be easy for the user to manage.

***5. Write a scenario for either alpha or beta testing for a new group chat feature in a messaging app like WhatsApp, specifying who would perform the test and what feedback is expected.

Hint: Think about internal employees vs. real users and the types of issues they might report.***

5. Beta Testing Scenario – Group Chat Feature

Beta testing is performed by **real users outside the development team** before a new feature is released to everyone. For a new group chat feature in WhatsApp, a selected group of real users can be given access to the feature. They can create a group, add members, send messages, share images, and check notifications. They can report problems such as messages not being delivered, notifications not appearing, the app becoming slow, or difficulty using the new feature. They can also give feedback about whether the feature is easy and convenient to use. The development team uses this feedback to fix problems and improve the feature before the final release.

Example:

Selected real users test the new group chat → Create groups → Add members → Send messages/media → Test notifications → Report problems and suggestions.

Expected Result: The feature should work properly for real users, and the feedback should help developers find and fix issues before the public release.