

Session 9

Software Testing Assignment

1. Pick any one feature from a popular app you use (for example, 'Add to Cart' in Flipkart or 'Send Message' in WhatsApp) and write 5 high-level test scenarios for it. List each scenario clearly.

Five High-Level Test Scenarios for “Add to Cart” in Flipkart

A **test scenario** is a high-level situation that we want to test. It describes **what needs to be tested**, without giving every detailed step.

For the **Add to Cart** feature, the following scenarios can be tested:

1. **Add a product to the cart**
Verify that a user can successfully add an available product to the shopping cart.
2. **Add multiple products to the cart**
Verify that the user can add more than one different product to the cart.
3. **Increase or decrease product quantity**
Verify that the user can change the quantity of a product after adding it to the cart.
4. **Add an out-of-stock product**
Verify that an unavailable or out-of-stock product cannot be added to the cart.
5. **Remove a product from the cart**
Verify that the user can successfully remove an added product from the cart.

In simple words: These scenarios cover the basic actions a customer performs with the Add to Cart feature.

2. For the 'Search Restaurant' feature in a Zomato-like app, write 10 specific test scenarios covering both functional and non-functional

aspects.

Hint: Think about different search inputs, filters, empty results, speed, and UI behavior.

Ten Test Scenarios for “Search Restaurant” in a Zomato-like App

The **Search Restaurant** feature allows users to find restaurants by entering names, cuisines, dishes, or other search terms.

We should test both **functional** and **non-functional** aspects.

No.	Test Scenario	Type
1	Search for a restaurant using its exact name.	Functional
2	Search using a partial restaurant name.	Functional
3	Search using a cuisine such as “Pizza” or “Chinese”.	Functional
4	Search using an invalid or non-existing restaurant name.	Functional
5	Search with an empty search box.	Functional
6	Apply filters such as rating, price, or delivery time to search results.	Functional
7	Verify that search results are relevant to the entered search keyword.	Functional
8	Verify that search results are displayed within an acceptable time.	Non-functional
9	Verify that the search page and results display correctly on different screen sizes.	Non-functional
10	Verify that search suggestions and buttons are clearly visible and usable.	Non-functional/UI

Explanation

For example, if the user searches for “**Pizza**”, the application should display restaurants or dishes related to pizza. If the user searches for something that does not exist, the application should show a suitable “**No results found**” message rather than displaying incorrect results.

3. Choose one scenario from your Zomato 'Search Restaurant' scenarios and convert it into 5 detailed test cases. Each test case should include: Test Case ID, Steps, Test Data, Expected Result, and Actual Result (leave Actual Result blank).

Convert One Scenario into Five Detailed Test Cases

Let's select this scenario:

Scenario: Search for a restaurant using its exact name.

We will create five test cases covering different situations.

Test Case ID	Steps	Test Data	Expected Result	Actual Result
TC_SR_01	1. Open the app. 2. Go to Search. 3. Enter an existing restaurant name. 4. Tap Search.	Restaurant: Domino's	The correct restaurant should appear in the search results.	
TC_SR_02	1. Open Search. 2. Enter a partial restaurant name. 3. Tap Search.	"Dom"	Relevant restaurants matching the entered text should be displayed.	
TC_SR_03	1. Open Search. 2. Enter a restaurant name that does not exist. 3. Tap Search.	"XYZ Restaurant 123"	The app should display a suitable "No results found" message.	
TC_SR_04	1. Open Search. 2. Enter a restaurant name with different letter case. 3. Tap Search.	"DOMINOS"	Relevant restaurant results should be displayed if search is case-insensitive.	

TC_SR_05	1. Open Search. 2. Enter a restaurant name with extra spaces. 3. Tap Search.	“ Domino's ”	The application should handle extra spaces and display the relevant restaurant.
----------	--	--------------	---

Important point

The **Actual Result** column is intentionally left blank because the tester fills it **after actually performing the test**.

4. Download or create a simple test case template in Excel or Google Sheets. Fill it with 4 test cases for the 'Add to Playlist' feature in a Spotify-like app, using the columns: Test Case ID, Scenario, Steps, Test Data, Expected Result.

Excel Test Case Template – “Add to Playlist”

For this task, I have created an Excel file containing **4 test cases** for the **Add to Playlist** feature in a Spotify-like application.

The Excel sheet contains exactly these columns:

- Test Case ID
- Scenario
- Steps
- Test Data
- Expected Result

Test Case ID	Scenario	Steps	Test Data	Expected Result
--------------	----------	-------	-----------	-----------------

TC_001	Add a song to an existing playlist	1. Open the Spotify-like app. 2. Search for a song. 3. Click the three-dot menu. 4. Select "Add to Playlist". 5. Select an existing playlist.	Song: Believer; Playlist: My Favorites	The selected song is successfully added to the "My Favorites" playlist.
TC_002	Add a song to a new playlist	1. Open the app. 2. Search for a song. 3. Click the three-dot menu. 4. Select "Add to Playlist". 5. Select "Create New Playlist". 6. Enter playlist name.	Song: Shape of You; Playlist: Workout Songs	A new playlist named "Workout Songs" is created and the song is added to it.
TC_003	Prevent duplicate song in playlist	1. Open a playlist containing a song. 2. Select the same song. 3. Click "Add to Playlist". 4. Select the same playlist again.	Song: Perfect; Playlist: My Favorites	The app should prevent the same song from being added twice to the same playlist.
TC_004	Cancel Add to Playlist operation	1. Open the app. 2. Search for a song. 3. Click the three-dot menu. 4. Select "Add to Playlist". 5. Close or cancel the playlist selection.	Song: Faded; Action: Cancel	The song is not added to any playlist and the user returns to the previous screen.

5. Write a basic test script (in plain English, not code) for the 'Login with OTP' feature in a Paytm-style app, describing the exact steps a tester would follow to manually test the OTP flow from start to finish.

Constraint: Include both valid and invalid OTP scenarios in your script.

1. Preconditions

- The application is installed and opened.
- Tester has a valid registered mobile number.
- Mobile device has network connectivity.
- OTP service is available.

2. Test Data

- **Registered Mobile Number:** Tester's valid registered number
- **Valid OTP:** The OTP actually received on the registered mobile number
- **Invalid OTP:** A wrong OTP entered intentionally, such as 123456

3. Valid OTP Scenario

Test Case ID: OTP_LOGIN_01

Scenario: Login successfully using a valid OTP.

Steps

1. Open the Paytm-style application.
2. Go to the **Login** screen.
3. Enter a valid registered mobile number.
4. Click on **Continue / Proceed**.
5. Verify that the OTP screen is displayed.
6. Check that an OTP is received on the registered mobile number.
7. Enter the received OTP in the OTP field.
8. Click on **Verify / Login**.
9. Wait for the application to process the OTP.
10. Check the result.

Expected Result

The OTP should be successfully verified, and the user should be logged into their account and redirected to the application's home/dashboard screen.

4. Invalid OTP Scenario

Test Case ID: OTP_LOGIN_02

Scenario: Login using an incorrect OTP.

Steps

1. Open the Paytm-style application.
2. Go to the **Login** screen.
3. Enter a valid registered mobile number.
4. Click on **Continue / Proceed**.
5. Wait for the OTP screen.
6. Enter an incorrect OTP instead of the OTP received on the mobile.
7. Click on **Verify / Login**.
8. Observe the application's response.

Expected Result

The application should **not log the user in**. It should display an appropriate error message such as **"Invalid OTP"** and allow the user to enter the correct OTP again.

5. Additional OTP Checks

Test Scenario	Expected Result
Enter valid OTP	User is logged in successfully
Enter invalid OTP	Error message is displayed
Leave OTP field empty	Validation message is displayed
Enter incomplete OTP	User should not be logged in
Enter expired OTP	Application should reject the OTP
Request a new OTP	A new OTP should be sent
Enter the latest valid OTP	User should be able to log in
Cancel/Go back from OTP screen	User should return to the previous login screen

6. Final Result

Pass: Valid OTP logs the user in successfully and invalid OTP is rejected with an appropriate error message.

Fail: User is logged in with an invalid/expired OTP, or the application does not properly handle OTP validation errors.