## **Title**

This is an R Markdown document. Markdown is a simple formatting syntax for authoring web pages (click the **MD** toolbar button for help on Markdown).

When you click the **Knit HTML** button a web page will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
c <- summary(cars)
kable(c) #使用knitr自带的kable在Rmd输出html时与xtable没有区别,在ReText中ka
```

## id speed dist Min.: 4.0 Min.: 2 1st Qu.:12.0 1st Qu.: 26 Median:15.0 Median: 36 Mean:15.4 Mean: 43 3rd Qu.:19.0 3rd Qu.: 56 Max.:25.0 Max::120


## # 表保持与

library(xtable)
print(xtable(c), type = "html")

	speed	dist
1	Min. : 4.0	Min. : 2
2	1st Qu.:12.0	1st Qu.: 26
3	Median :15.0	Median : 36
4	Mean :15.4	Mean : 43
5	3rd Qu.:19.0	3rd Qu.: 56
6	Max. :25.0	Max. :120

You can also embed plots, for example:

plot(cars)



\$\$ \mu = \beta\_0 + {\beta\_1}^2 \$\$
plot(\sin(\seq(0, 6.2831, length = 60)), type = "b")

