


```
badari_narayana@Badari-Narayana:~$ sudo apt install tree
[sudo: authenticate] Password:
tree is already the newest version (2.3.1-1).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 2
badari_narayana@Badari-Narayana:~$ tree
```



```
└─ file
```

```
15 directories, 27 files
```

```
badari_narayana@Badari-Narayana:~$
```

```
badari_narayana@Badari-Narayana:~$
```



badari_narayana@Badari-Nar



GNU nano 8.7.1

task2.c

```
#include <stdio.h>
#include <unistd.h>
int main() {
    pid_t pid;
    pid = fork();    // Create a new process
    if (pid < 0) {
        printf("Fork failed!\n");
    }
    else if (pid == 0) {
        // Child Process
        printf("This is the Child Process.\n");
        printf("Child PID = %d\n", getpid());
    }
    else {
        // Parent Process
        printf("This is the Parent Process.\n");
        printf("Parent PID = %d\n", getpid());
        printf("Child PID = %d\n", pid);
    }
    return 0;
}
```

badari_narayana@Badari-Nar × + v

```
badari_narayana@Badari-Narayana:~$ cd ProcessTask
badari_narayana@Badari-Narayana:~/ProcessTask$ nano task2.c
badari_narayana@Badari-Narayana:~/ProcessTask$ gcc task2.c -o task2
badari_narayana@Badari-Narayana:~/ProcessTask$ ./task2
This is the Parent Process.
Parent PID = 504
Child PID = 505
This is the Child Process.
Child PID = 505
badari_narayana@Badari-Narayana:~/ProcessTask$ |
```