

badari_narayana@Badari-Nar × + v

```
badari_narayana@Badari-Narayana:~$ gcc --version
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions.  There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

badari_narayana@Badari-Narayana:~$ git --version
git version 2.53.0
badari_narayana@Badari-Narayana:~$ cd
badari_narayana@Badari-Narayana:~$ touch file.txt
badari_narayana@Badari-Narayana:~$ cd ~/Documents
-bash: cd: /home/badari_narayana/Documents: No such file or directory
```

```
badari_narayana@Badari-Narayana:~$ cd FileManagement
badari_narayana@Badari-Narayana:~/FileManagement$ touch filel.txt
badari_narayana@Badari-Narayana:~/FileManagement$ ls filel.txt
ls: cannot access 'filel.txt': No such file or directory
badari_narayana@Badari-Narayana:~/FileManagement$ touch filel.txt
badari_narayana@Badari-Narayana:~/FileManagement$ ls filel.txt
filel.txt
badari_narayana@Badari-Narayana:~/FileManagement$ touch a.txt b.txt c.txt
badari_narayana@Badari-Narayana:~/FileManagement$ echo "Hello UBuntu"> filel.txt
badari_narayana@Badari-Narayana:~/FileManagement$ cat filel.txt
Hello UBuntu
badari_narayana@Badari-Narayana:~/FileManagement$ cat file.txt a.txt
cat: file.txt: No such file or directory
badari_narayana@Badari-Narayana:~/FileManagement$ cat filel.txt a.txt
Hello UBuntu
badari_narayana@Badari-Narayana:~/FileManagement$ cp filel.txt copy.txt
badari_narayana@Badari-Narayana:~/FileManagement$ ls a.txt b.txt c.txt copy.txt filel.txt
a.txt b.txt c.txt copy.txt filel.txt
badari_narayana@Badari-Narayana:~/FileManagement$ mv copy.txt newcopy.txt
badari_narayana@Badari-Narayana:~/FileManagement$ ls
a.txt b.txt c.txt filel.txt filel.txt newcopy.txt
badari_narayana@Badari-Narayana:~/FileManagement$ rm a.txt c.txt
badari_narayana@Badari-Narayana:~/FileManagement$ seq 20>numbers.txt
seq: missing operand
Try 'seq --help' for more information.
badari_narayana@Badari-Narayana:~/FileManagement$ seq 20>numbers.txt
seq: missing operand
Try 'seq --help' for more information.
badari_narayana@Badari-Narayana:~/FileManagement$ seq 20 > numbers.txt
badari_narayana@Badari-Narayana:~/FileManagement$ head numbers.txt
```

```
1
2
3
4
```

```
5
6
7
8
9
10
badari_narayana@Badari-Narayana:~/FileManagement$ tail numbers.txt
11
12
13
14
15
16
17
18
19
20
badari_narayana@Badari-Narayana:~/FileManagement$ nano hello ls
badari_narayana@Badari-Narayana:~/FileManagement$ nano hello
badari_narayana@Badari-Narayana:~/FileManagement$ ls
b.txt  file1.text  file1.txt  hello  newcopy.txt  numbers.txt
badari_narayana@Badari-Narayana:~/FileManagement$ ./hello
-bash: ./hello: Permission denied
badari_narayana@Badari-Narayana:~/FileManagement$ which gcc
/usr/bin/gcc
badari_narayana@Badari-Narayana:~/FileManagement$ whereis gcc
gcc: /usr/bin/gcc /usr/lib/gcc /usr/libexec/gcc /usr/share/gcc /usr/share/man/man1/gcc.1.gz
badari_narayana@Badari-Narayana:~/FileManagement$ man gcc
badari_narayana@Badari-Narayana:~/FileManagement$ |
```