### In [2]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
from sklearn import preprocessing,svm
```

```
In [3]:
```

 $\label{lem:csv} $$ df=pd.read\_csv(r"C:\Users\DHEEPAK\Downloads\bottle.csv\ (1)\bottle.csv",low\_memory=False) $$ df $$$ 

# Out[3]:

	Cst_Cnt	Btl_Cnt	Sta_ID	Depth_ID	Depthm	T_degC	Salnty	O2ml_L	STheta
0	1	1	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0000A-3	0	10.500	33.4400	NaN	25.64900
1	1	2	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0008A-3	8	10.460	33.4400	NaN	25.65600
2	1	3	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0010A-7	10	10.460	33.4370	NaN	25.65400
3	1	4	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0019A-3	19	10.450	33.4200	NaN	25.64300
4	1	5	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0020A-7	20	10.450	33.4210	NaN	25.64300
864858	34404	864859	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0000A-7	0	18.744	33.4083	5.805	23.87055
864859	34404	864860	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0002A-3	2	18.744	33.4083	5.805	23.87072
864860	34404	864861	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0005A-3	5	18.692	33.4150	5.796	23.88911
864861	34404	864862	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0010A-3	10	18.161	33.4062	5.816	24.01426

### Cst\_Cnt Btl\_Cnt Sta\_ID Depth\_ID Depthm T\_degC Salnty O2ml\_L STheta

20-1611SR-093.4 MX-310-864862 34404 864863 15 17.533 33.3880 5.774 24.15297 2239-026.4 09340264-In [6]: 0015A-3 df=df[['Salnty','T\_degC']] **86486**Burrows= { '7540 columns:p']

# In [7]:

df.head(10)

### Out[7]:

	Sal	Temp
0	33.440	10.50
1	33.440	10.46
2	33.437	10.46
3	33.420	10.45
4	33.421	10.45
5	33.431	10.45
6	33.440	10.45
7	33.424	10.24
8	33.420	10.06
9	33.494	9.86

# In [8]:

df.tail()

### Out[8]:


	Sal	Temp
864858	33.4083	18.744
864859	33.4083	18.744
864860	33.4150	18.692
864861	33.4062	18.161
864862	33.3880	17.533

# In [9]:

sns.lmplot(x="Sal",y="Temp",data=df,order=2,ci=None)

# Out[9]:

<seaborn.axisgrid.FacetGrid at 0x275d7115d90>



In [10]:

df.describe()

# Out[10]:

	Sal	Temp
count	817509.000000	853900.000000
mean	33.840350	10.799677
std	0.461843	4.243825
min	28.431000	1.440000
25%	33.488000	7.680000
50%	33.863000	10.060000
75%	34.196900	13.880000
max	37.034000	31.140000

```
In [11]:
```

```
df.info()
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 864863 entries, 0 to 864862
Data columns (total 2 columns):
    Column Non-Null Count
                             Dtype
            -----
0
    Sal
            817509 non-null float64
 1
    Temp
            853900 non-null float64
dtypes: float64(2)
memory usage: 13.2 MB
In [22]:
df.fillna(method='ffill',inplace=True)
```

#### In [15]:

```
df.fillna(method='ffill',inplace=True)
x=np.array(df['Sal']).reshape(-1,1)
y=np.array(df['Temp']).reshape(-1,1)
df.dropna(inplace=True)
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
regr=LinearRegression()
regr.fit(x_train,y_train)
print("Regression: ",regr.score(x_test,y_test))
y_pred=regr.predict(x_test)
plt.scatter(x_test,y_test,color='b')
plt.plot(x_test,y_pred,color='k')
plt.show()
```

C:\Users\DHEEPAK\AppData\Local\Temp\ipykernel\_27720\228254547.py:1: Settin
gWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user\_guide/indexing.html#returning-a-view-versus-a-copy (https://pandas.pydata.org/pandas-docs/stable/user\_guide/indexing.html#returning-a-view-versus-a-copy)

df.fillna(method='ffill',inplace=True)


C:\Users\DHEEPAK\AppData\Local\Temp\ipykernel\_27720\228254547.py:4: Settin
gWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user\_guide/indexing.html#returning-a-view-versus-a-copy (https://pandas.pydata.org/pandas-docs/stable/user\_guide/indexing.html#returning-a-view-versus-a-copy)


df.dropna(inplace=True)

Regression: 0.2026789965129857



# In [16]:

```
y_pred=regr.predict(x_test)
plt.scatter(x_test,y_test,color='b')
plt.plot(x_test,y_test,color='k')
plt.show()
```



# In [17]:


df=df[:][:500]

### In [18]:

sns.lmplot(x="Sal",y="Temp",data=df,order=1,ci=None)

# Out[18]:


<seaborn.axisgrid.FacetGrid at 0x275d721c150>



#### In [20]:

```
df.fillna(method='ffill',inplace=True)
x=np.array(df['Sal']).reshape(-1,1)
y=np.array(df['Temp']).reshape(-1,1)
df.dropna(inplace=True)
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
regr=LinearRegression()
regr.fit(x_train,y_train)
print("Regression: ",regr.score(x_test,y_test))
y_pred=regr.predict(x_test)
plt.scatter(x_test,y_test,color='b')
plt.plot(x_test,y_pred,color='k')
plt.show()
```

Regression: 0.8391451751643983



#### In [21]:

```
from sklearn.linear_model import LinearRegression
from sklearn.metrics import r2_score
model=LinearRegression()
model.fit(x_train,y_train)
y_pred=model.predict(x_test)
r2=r2_score(y_test,y_pred)
print("r2 score:",r2)
```

#### r2 score: 0.8391451751643983

### In [ ]: