In [1]:

```
#2 DIGITS
import re
from sklearn.datasets import load_digits
from sklearn.model_selection import train_test_split
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn import metrics
%matplotlib inline
digits=load_digits()
```

In [2]:

```
print("Image Data Shape",digits.data.shape)
print("Label Data Shape",digits.target.shape)
```

Image Data Shape (1797, 64) Label Data Shape (1797,)

In [3]:


```
plt.figure(figsize=(20,4))
```

Out[3]:

<Figure size 2000x400 with 0 Axes>
<Figure size 2000x400 with 0 Axes>

In [4]:

```
for index,(image,label)in enumerate(zip(digits.data[0:5],digits.target[0:5])):
   plt.subplot(1,5,index+1)
   plt.imshow(np.reshape(image,(8,8)),cmap=plt.cm.gray)
   plt.title('Training:%i\n'%label,fontsize=10)
```



```
In [5]:
x_train,x_test,y_train,y_test=train_test_split(digits.data,digits.target,test_size=0.30,
In [6]:
print(x_train.shape)
(1257, 64)
In [7]:
print(y_train.shape)
(1257,)
In [8]:
print(x_test.shape)
(540, 64)
In [9]:
print(y_test.shape)
(540,)
In [10]:
from sklearn.linear_model import LogisticRegression
logisticRegr=LogisticRegression(max_iter=10000)
In [11]:
logisticRegr.fit(x_train,y_train)
Out[11]:
         LogisticRegression
```

LogisticRegression(max_iter=10000)

```
In [12]:
```

print(logisticRegr.predict(x_test))

In [13]:

score=logisticRegr.score(x_test,y_test)
print(score)

0.9537037037037037

In []: