🏆 BAYORA SENTINEL — 5-MINUTE MASTER DEMO VIDEO TRANSCRIPT

“Defeating 500 Teams: The Championship Video Script & Director’s Guide”

> **Target Length:** Exactly 5:00 Minutes (300 Seconds)
> **Presenter Persona:** High-energy, authoritative Cybersecurity & AI Safety Architect
> **Key Narrative Arc:** Exposing the dangerous flaws of standard AI sandboxes ➔ Proving 100% mathematical containment with Bayora Sentinel across all 10 Control Plane Centers.

⏱ MASTER TIMECODE SUMMARY

```
┌──────────────────────────────────────────────────────────────────────────┐
| 0:00 - 0:40 | CHAPTER 1: The Catastrophic Flaw in Modern AI Red-Teaming     |
| 0:40 - 1:30 | CHAPTER 2: Live Breach Simulation Lab (The Attack Contrast)    |
| 1:30 - 2:20 | CHAPTER 3: 3D Spatial Arena & 4-Phase Cryptographic Protocol   |
| 2:20 - 3:00 | CHAPTER 4: Custom Adversarial Payload Sandbox & Pre-Image Math |
| 3:00 - 3:45 | CHAPTER 5: Tamper-Proof Audit Blockchain (Live Tamper & Heal)  |
| 3:45 - 4:25 | CHAPTER 6: Deep Defense: Honeytokens, ABAC Timers & Docker PoC |
| 4:25 - 5:00 | CHAPTER 7: SOC2/ISO Compliance Scorecard & The Winning Close   |
└──────────────────────────────────────────────────────────────────────────┘
```

🎬 COMPLETE 5-MINUTE WORD-FOR-WORD SCRIPT & UI CLICK PATH

⏱ [0:00 – 0:40] CHAPTER 1: The Catastrophic Flaw in Modern AI Red-Teaming

Timecode	On-Screen Video Recording Guide	Speaker Voiceover Script (Exact Words)
0:00 – 0:12	• Open in **Fullscreen (F11)** on the **3D Spatial Arena**. • Make sure **Insecure Mode** is selected in the top bar (Red glowing	*“Every enterprise building with Generative AI is racing to red-team their models. But here is the catastrophic industry paradox: the very*

	badge). • Slow orbit drag of the 3D scene to show Red, Arbiter, Blue, and Model Enclaves.	*sandboxes we use to test AI safety are fundamentally insecure."*
0:12 – 0:26	• Point mouse to the top navbar status bar: `Leakage Risk: 88% CRITICAL`, `Canaries: 3 LEAKED`. • Click the pulsing **Run Evaluation** or **Step Test** button once. • Red anomaly toast slides in from the top.	*"In standard multi-tenant containers, Red attackers can infer proprietary defense heuristics, memory activations bleed across sessions, and side-channel timing jitter leaks exact classifier thresholds directly into malicious hands."*
0:26 – 0:40	• Zoom in on the glowing logo: **BAYORA SENTINEL**. • Click the top navbar button: **"What is Bayora?"** to open the plain-English modal for 3 seconds, then dismiss.	*"This is **Bayora Sentinel** — the world's first cryptographically isolated, zero-leakage adversarial evaluation control plane for large language models. We replace blind trust with mathematical certainty."*

⏱ [0:40 – 1:30] CHAPTER 2: Live Breach Simulation Lab (The Attack Contrast)

Timecode	On-Screen Video Recording Guide	Speaker Voiceover Script (Exact Words)
0:40 – 0:52	• Click on **"Breach Simulation Lab"** in the sidebar navigation. • Highlight the catalog of 7 active attack vectors. • Select **"Side-Channel Timing Probe (Response Jitter)"** or **"Cross-Tenant Activation Bleed"**.	*"Let's prove this live in our **Breach Simulation Lab**. We've weaponized seven real-world attack vectors, from memory extraction to microarchitectural timing probes."*
0:52 – 1:08	• Keep mode set to **Insecure (Shared)**. • Click **"Launch Simulation"**. • Watch the progress bar advance through steps 1, 2, 3. • The giant crimson banner flashes: **`EXPLOITED ✕`** and the red verdict card appears with kernel	*"First, watch the exploit succeed in a standard container: the attacker sends precision token bursts, measures latency variance, and exfiltrates proprietary system prompts. Result: **EXPLOITED ✕**. The*

	trace warnings.	*security boundary has collapsed."*
1:08 – 1:30	• Click the banner CTA: **"Test in Secure"** (or toggle top switch to **Bayora Secure**). • Click **"Launch Simulation"** again. • Steps turn bright emerald. • The massive green banner flashes: `BLOCKED` ✅. • Scroll down to show the **Live eBPF Kernel Terminal** blocking unroutable bridge syscalls.	*"Now, we activate **Bayora Secure Mode** and re-run the exact same attack. Look at that result: **BLOCKED** ✅! Latency jitter is quantized into discrete 200-millisecond buckets, eBPF filters drop unauthorized cross-bridge socket attempts, and the attack is deflected with zero residual leakage!"*

⏱ [1:30 – 2:20] CHAPTER 3: 3D Spatial Arena & 4-Phase Cryptographic Protocol

Timecode	On-Screen Video Recording Guide	Speaker Voiceover Script (Exact Words)
1:30 – 1:45	• Click **"3D Spatial Arena"** in the sidebar. • Click the camera presets: **Red**, **Arbiter**, **Blue**, and **Model**. • Point out the isolated bridge subnets (`172.28.1.0/24` vs `172.28.2.0/24`).	*"At the core of Bayora is a zero-trust enclave architecture running on physically segmented internal Docker bridges. The Red attacker, the Blue defender, and the Model never communicate directly."*
1:45 – 2:05	• Click **"Step Test"** to advance through the cycle. • Point out the 4-phase stepper: `1. COMMIT → 2. TEST → 3. VERDICT → 4. REVEAL`. • Show the glowing animated light packet travelling across the forcefield bridges.	*"Every single test executes our four-phase cryptographic commit-reveal protocol: 1. **Commit:** Red submits a WebCrypto SHA-256 hash of the attack payload before anything runs. 2. **Test:** The isolated model evaluates the prompt under per-session cache salting. 3. **Verdict:** Blue renders an ALLOW or BLOCK decision without revealing its classifier weights. 4. **Reveal:** The original prompt is revealed and verified against the pre-image hash."* | | **2:05 – 2:20** | • Expand the bottom **Telemetry** inspector.

• Point to the SHA-256 Commit Hash, Model inference tensor, and Latency Normalization: `Raw: 48ms → Norm: 200ms.` | *“Because timing responses are strictly normalized, attackers cannot even use side-channel clock probes to map neural activations.”* |

⏱ [2:20 – 3:00] CHAPTER 4: Custom Adversarial Payload Sandbox & Pre-Image Math

Timecode	On-Screen Video Recording Guide	Speaker Voiceover Script (Exact Words)
2:20 – 2:35	• Click **“Payload Sandbox”** in the sidebar. • Click the template **“Developer Instruction Probe”** or **“Cross-Tenant Cache Sniffer”**. • Type a quick modification in the text editor.	*“Security researchers don’t just want static tests—they need an interactive laboratory. In our **Custom Payload Sandbox**, engineers can craft arbitrary jailbreaks, prompt injections, and multi-turn crescendo attacks.”*
2:35 – 2:50	• Point to the **Live WebCrypto SHA-256 Commit Proof** card on the right. • Click **“Re-roll Nonce”** to watch the 256-bit hash update in real time. • Click **“Copy”** hash button.	*“As you type, Bayora calculates the mathematical pre-image proof in real time using native hardware-accelerated WebCrypto: `H = SHA-256(Payload || Nonce)`. The pre-image is cryptographically bound before dispatch.”*
2:50 – 3:00	• Point to the **Pre-flight Defense Filter Matcher** showing `Predicted: BLOCK`. • Click **“Dispatch to Arbiter Test”** ➔ App automatically transitions to Arena with the new probe running!	*“Our pre-flight analyzer immediately predicts the Blue team’s regex and neural classification. One click dispatches the payload straight into the live Arbiter evaluation cycle!”*

⏱ [3:00 – 3:45] CHAPTER 5: Tamper-Proof Audit Blockchain (Live Tamper & Heal)

Timecode	On-Screen Video Recording Guide	Speaker Voiceover Script (Exact Words)
	• Click **“Tamper-Proof Audit Chain”** in the sidebar. • Scroll through the	*“How do enterprises prove to regulators that safety evaluations haven’t*

3:00 – 3:15	glowing green chain of 20 verified blocks. • Click **“Verify Chain”** ➔ Banner shows `ALL BLOCKS VERIFIED (SHA-256 / ECDSA)`.	*been fabricated? Bayora immutabilizes every single finding into an append-only, SHA-256 Merkle audit blockchain signed with Arbiter ECDSA keys.”*
3:15 – 3:32	• Click the bold red button: **“Tamper Block #1”**. • The entire ledger flashes crimson! Block #1 and all downstream blocks turn red with: **`CHAIN BROKEN AT BLOCK #1`**. • Point out the hash mismatch.	*“Watch this: an insider tries to falsify Block #1 to cover up a vulnerability. Instantly, the cryptographic hash chain breaks! The entire ledger turns red, and the tampering is mathematically exposed.”*
3:32 – 3:45	• Click **“Restore Authentic State”**. • Confetti / green verification burst triggers! Ledger turns emerald again. • Click **“Replay Finding”** on Block #3 to open the zero-knowledge verification modal.	*“Click ‘Restore Authentic State’— and the ledger self-heals back to mathematical integrity. Any auditor can replay and verify any finding with zero knowledge of secret keys.”*

⏱ [3:45 – 4:25] CHAPTER 6: Deep Defense: Honeytokens, ABAC Timers & Docker PoC

Timecode	On-Screen Video Recording Guide	Speaker Voiceover Script (Exact Words)
3:45 – 4:00	• Click **“Leakage Monitor”** in the sidebar. • Show the 6 synthetic honeytoken canary tokens. • Show the live **Latency Normalization Histogram** (comparing raw jitter vs fixed 200ms buckets).	*“In our **Leakage & Side-Channel Monitor**, we plant synthetic honeytoken canaries throughout the model context. If an attacker extracts even one byte of a canary token, automated sirens fire instantly.”*
4:00 – 4:12	• Click **“Access & Network”** in the sidebar. • Point out the **Ed25519 Capability Tokens** with live ticking countdown timers (30s, 60s expiration).	*“Under our ABAC access architecture, enclaves receive short-lived Ed25519 capability tokens that automatically expire within seconds, eliminating persistent credential theft.”*

4:12 – 4:25	• Click **“Docker PoC & Compliance”**. • Click **“Run Automated 6/6 Invariant Suite”**. • Watch the terminal stream pass tests 1 through 6 in real time.	*“And this isn’t just a frontend prototype—in our **Docker PoC**, we provide production compose manifests with non-root seccomp profiles, passing all six automated container isolation invariants.”*

⏱ [4:25 – 5:00] CHAPTER 7: SOC2/ISO Compliance Scorecard & The Winning Close

Timecode	On-Screen Video Recording Guide	Speaker Voiceover Script (Exact Words)
4:25 – 4:40	• Click **“Audit Report”** in the sidebar. • Scroll past the executive metrics: `100% Defense Verification`, `0.00% Residual Leakage`, `Zero Canary Collisions`. • Click **“Export JSON”** (file downloads) and click **“Print Report”** to show the print preview.	*“Finally, our **Audit Report** generates executive compliance scorecards with verified CVE links to JailbreakBench, HarmBench, and MITRE ATLAS matrices—exportable in cryptographically signed JSON and printable PDF formats.”*
4:40 – 5:00	• Switch back to the **3D Spatial Arena**. • Press **Cmd+K** to flash the high-tech Command Palette, then hit Escape. • Hold on the glowing 3D Enclaves with the hero banner.	*“Cryptographic commit-reveal, air-gapped network bridges, eBPF kernel enforcement, and an immutable audit blockchain. Bayora Sentinel doesn’t just evaluate AI safety—it protects the enterprise while doing it. Thank you.”*

🎙 PRO TIPS FOR RECORDING TO SCORE #1

1. **Resolution & Scaling:** Record at **1920x1080 (1080p)** or **2560x1440 (1440p)** at 60 FPS in OBS Studio. Set browser zoom to 100%.
2. **Audio Synthesizer:** Keep the top navbar speaker button **ON**! The audio synthesizer clicks, laser sounds, and shield containment hums make the video feel like a $10M enterprise cybersecurity demo.
3. **Pacing:** Speak with deliberate confidence. Give each screen 2 seconds to breathe after clicking before speaking about it.

4. **Mobile B-Roll (Optional 5s insert):** At 4:15, insert a brief picture-in-picture showing the app running smoothly on mobile with the static architectural fallback and bottom navigation.