Case Study # 3: Structural Analysis: Perforated Plate in Tension

John Karasinski
Graduate Student Researcher
Center for Human/Robotics/Vehicle Integration and Performance
Department of Mechanical and Aerospace Engineering
University of California
Davis, California 95616
Email: karasinski@ucdavis.edu

1 Problem Description

This case study involves a linear-elastic, steady-state stress analysis on a square plate with a circular hole at its center. The plate dimensions are: side length $x = 4$m and radius $R = 0.5$m. It is loaded with a uniform traction of $\sigma = 10$kPa over its left and right faces as can be seen in Figure 1. A mesh sensitivity study is performd for a plate with side length $x = 4$m, and an effect of the plate length study is performed for plates of length $x = 3$m, 4m, 5m, and 100m.

The stress normal to the vertical plane of symmetry is calculated for each case, and the results are compared to the analytical solution:

$$(\sigma_{xx})_{x=0} \begin{cases} \sigma(1 + \frac{R^2}{2Y^2} + \frac{3R^4}{2y^4}) & \text{for } |y| \geq R \\ 0 & \text{for } |y| < R \end{cases} \quad (1)$$

A Python script was created to automatically generate the configuration files, calculate the resulting steady-state stress through the plate using OpenFOAM, and plot the results for both the sensitivity and plate length studies. This script can be seen in the Appendix.

2 Numerical Solution Approach

Two symmetry planes can be identified for this geometry and therefore the solution domain need only cover a quarter of the geometry, shown by the shaded area in Figure 1. The quarter plate is then broken into five blocks of varying sizes, as can be seen in Figure 2. These blocks have a characteristic number of points, n. Blocks 0 and 1 consist of n by n points, block 2 consists of $2n$ by n points, block 3 consists of $2n$ by $2n$ points, and block 4 consists of n by $2n$ points. The mesh is generated with OpenFOAM's 'blockMesh' and Figure 3 shows the resulting mesh for $n = 10$.

The mesh sensity study looks at meshes of $n = 10, 100,$ and 1000 and a plate width of $x = 4$m. The effect of plate length study looks at plate lengths of $x = 3$m, 4m, 5m, and 100m with a mesh of $n = 10$. Once the meshes have been generated, OpenFOAM's 'solidDisplacementFoam' solver runs the simulation, and σ_{xx} is calculated and sampled by the OpenFOAM commands 'foamCalc components sigma' and 'sample'.

3 Results Discussion

Mesh sensitivity study
Selected key results for the base case
Effect of the plate length study
Summary of the difficulties that you have encountered in running the various cases and how you have addressed them.

4 Conculsion



Fig. 1. Geometry of the plate with a hole



Fig. 2. Block structure of the mesh for the plate with a hole



Fig. 3. Mesh of the hole in a plate problem with $n = 10$

Appendix A: Python Code

```
import subprocess
import numpy as np
import matplotlib.pyplot as plt
import os
import time
import datetime


# Configure figures for production
WIDTH = 495.0  # the number latex spits out
FACTOR = 1.0   # the fraction of the width the figure should occupy
fig_width_pt  = WIDTH * FACTOR

inches_per_pt = 1.0 / 72.27
golden_ratio  = (np.sqrt(5) - 1.0) / 2.0      # because it looks good
fig_width_in  = fig_width_pt * inches_per_pt  # figure width in inches
fig_height_in = fig_width_in * golden_ratio   # figure height in inches
fig_dims      = [fig_width_in, fig_height_in] # fig dims as a list


def subprocess_cmd(command):
    process = subprocess.Popen(command, stdout=subprocess.PIPE, shell=True)
    proc_stdout = process.communicate()[0].strip()
    # print proc_stdout


def generate_folders(widths, meshes):
    for width, mesh in zip(widths, meshes):
        run = "Run" + str(width) + '-' + str(mesh)
        if not os.path.exists(run):
            command = "cp -rf base/ " + run + "/; "
            subprocess_cmd(command)

    print ('Folders generated.')


def create_config_file(width, mesh):
    config = '''
    /*--------------------------------*- C++ -*----------------------------------*\
    | =========                 |                                                 |
    | \\      /  F ield         | OpenFOAM: The Open Source CFD Toolbox           |
    |  \\    /   O peration     | Version:  2.3.0                                 |
    |   \\  /    A nd           | Web:      www.OpenFOAM.org                      |
    |    \\/     M anipulation  |                                                 |
    \*---------------------------------------------------------------------------*/
    FoamFile
    {
        version     2.0;
        format      ascii;
        class       dictionary;
        object      blockMeshDict;
    }
    // * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * //

    convertToMeters 1;


    vertices
    (
        (0.5 0 0)
        (1 0 0)
        (''' + str(width) + ''' 0 0)
        (''' + str(width) + ''' 0.707107 0)
        (0.707107 0.707107 0)
        (0.353553 0.353553 0)
        (''' + str(width) + ''' 2 0)
        (0.707107 2 0)
```

```
        (0 2 0)
        (0 1 0)
        (0 0.5 0)
        (0.5 0 0.5)
        (1 0 0.5)
        (''' + str(width) + ''' 0 0.5)
        (''' + str(width) + ''' 0.707107 0.5)
        (0.707107 0.707107 0.5)
        (0.353553 0.353553 0.5)
        (''' + str(width) + ''' 2 0.5)
        (0.707107 2 0.5)
        (0 2 0.5)
        (0 1 0.5)
        (0 0.5 0.5)
    );

    blocks
    (
        hex (5 4 9 10 16 15 20 21) (''' + str(mesh) + ' ' + str(mesh) + ''' 1) simpleGrading (1 1 1)
        hex (0 1 4 5 11 12 15 16) (''' + str(mesh) + ' ' + str(mesh) + ''' 1) simpleGrading (1 1 1)
        hex (1 2 3 4 12 13 14 15) (''' + str(mesh * 2) + ' ' + str(mesh) + ''' 1) simpleGrading (1 1 1)
        hex (4 3 6 7 15 14 17 18) (''' + str(mesh * 2) + ' ' + str(mesh * 2) + ''' 1) simpleGrading (1 1 1)
        hex (9 4 7 8 20 15 18 19) (''' + str(mesh) + ' ' + str(mesh * 2) + ''' 1) simpleGrading (1 1 1)
    );

    edges
    (
        arc 0 5 (0.469846 0.17101 0)
        arc 5 10 (0.17101 0.469846 0)
        arc 1 4 (0.939693 0.34202 0)
        arc 4 9 (0.34202 0.939693 0)
        arc 11 16 (0.469846 0.17101 0.5)
        arc 16 21 (0.17101 0.469846 0.5)
        arc 12 15 (0.939693 0.34202 0.5)
        arc 15 20 (0.34202 0.939693 0.5)
    );

    boundary
    (
        left
        {
            type symmetryPlane;
            faces
            (
                (8 9 20 19)
                (9 10 21 20)
            );
        }
        right
        {
            type patch;
            faces
            (
                (2 3 14 13)
                (3 6 17 14)
            );
        }
        down
        {
            type symmetryPlane;
            faces
            (
                (0 1 12 11)
                (1 2 13 12)
            );
        }
        up
        {
            type patch;
```

```
            faces
            (
                (7 8 19 18)
                (6 7 18 17)
            );
        }
        hole
        {
            type patch;
            faces
            (
                (10 5 16 21)
                (5 0 11 16)
            );
        }
        frontAndBack
        {
            type empty;
            faces
            (
                (10 9 4 5)
                (5 4 1 0)
                (1 4 3 2)
                (4 7 6 3)
                (4 9 8 7)
                (21 16 15 20)
                (16 11 12 15)
                (12 13 14 15)
                (15 14 17 18)
                (15 18 19 20)
            );
        }
    );

    mergePatchPairs
    (
    );

    // ************************************************************************* //

    '''

    return config


def update_dimensions(widths, meshes):
    for width, mesh in zip(widths, meshes):
        run = "Run" + str(width) + '-' + str(mesh)
        path = run + '/constant/polyMesh/blockMeshDict'
        with open(path, 'w') as config_file:
            config_file.write(create_config_file(width, mesh))

    print ('Config generated.')


def run_simulations(widths, meshes):
    for width, mesh in zip(widths, meshes):
        run = "Run" + str(width) + '-' + str(mesh)
        if not os.path.exists(run + '/100/'):
            print(run + ' running now.')
            command = "hdiutil attach -quiet -mountpoint $HOME/OpenFOAM OpenFOAM.sparsebundle; "
            command += "sleep 1; "
            command += "source $HOME/OpenFOAM/OpenFOAM-2.3.0/etc/bashrc; "
            command += "cd " + run + "; "
            command += "blockMesh; "
            command += "solidDisplacementFoam > log; "
            command += "foamCalc components sigma; "
            command += "sample"
            subprocess_cmd(command)
```

```
        print(run + ' complete.')

    print('Simulations complete.')


def sigma_xx(x):
    return 1E4*(1+(0.125/(x**2))+(0.09375/(x**4)))


# this has not been found analytically
def sigma_yy(x):
    return 1E4*(-(0.125/(x**2))-(0.09375/(x**4)))


def plot_xx(widths, meshes):
    # Format plot
    plt.figure(figsize=fig_dims)
    plt.xlabel('Distance, y (m)')
    plt.ylabel('Stress ($\sigma_{xx}$)$_{x=0}$(kPa)')
    title = 'Normal stress along the vertical symmetry'
    x = np.linspace(0.5, 2)
    sigmaxx = sigma_xx(x)

    plt.plot(x, sigmaxx, '-k', label='Analytic Solution')
    plt.xlim(0.5, 2)

    for width, mesh in zip(widths, meshes):
        path = "Run" + str(width) + '-' + str(mesh) + '/postProcessing/sets/100/leftPatch_sigmaxx_sigmayy.xy'
        data = np.loadtxt(path)

        if widths.count(widths[0]) == len(widths):
            label = 'Explicit Solution ($n=' + str(int(mesh)) + '$)'
        else:
            label = 'Explicit Solution ($x=' + str(int(2*width)) + '$)'
        plt.plot(data[:, 0], data[:, 1], '--', markersize=5, label=label)

    if widths.count(widths[0]) == len(widths):
        title += ' ($x=' + str(int(2*width)) + '$)'
    else:
        title += ' ($n=' + str(int(mesh)) + '$)'

    plt.title(title)
    plt.legend(loc='best')

    # Save plots
    ts = time.time()
    st = datetime.datetime.fromtimestamp(ts).strftime('%Y-%m-%d-%H-%M-%S')
    save_name = 'result-x-' + st + '.pdf'
    try:
        os.mkdir('figures')
    except Exception:
        pass

    plt.savefig('figures/' + save_name, bbox_inches='tight')
    plt.clf()


def plot_xx_err(widths, meshes):
    # Format plot
    plt.figure(figsize=fig_dims)
    plt.xlabel('Distance, y (m)')
    plt.ylabel('Error in Stress ($\sigma_{xx}$)$_{x=0}$(kPa)')
    plt.title('Error in Normal stress along the vertical symmetry')
    plt.xlim(0.5, 2)

    for width, mesh in zip(widths, meshes):
        path = "Run" + str(width) + '-' + str(mesh) + '/postProcessing/sets/100/leftPatch_sigmaxx_sigmayy.xy'
        data = np.loadtxt(path)

```

```
        if widths.count(widths[0]) == len(widths):
            label = 'Explicit Solution ($n=' + str(int(mesh)) + '$)'
        else:
            label = 'Explicit Solution ($x=' + str(int(2*width)) + '$)'

        x = data[:, 0]
        sigmaxx = sigma_xx(x)
        err = sigmaxx - data[:, 1]

        RMS = np.sqrt(np.mean(np.square(err)))
        print(width, RMS)

        plt.plot(x, err, '--', markersize=5, label=label)

    plt.legend(loc='best')

    # Save plots
    ts = time.time()
    st = datetime.datetime.fromtimestamp(ts).strftime('%Y-%m-%d-%H-%M-%S')
    save_name = 'error-x-' + st + '.pdf'
    try:
        os.mkdir('figures')
    except Exception:
        pass

    plt.savefig('figures/' + save_name, bbox_inches='tight')
    plt.clf()


def plot_yy(widths, meshes):
    # Format plot
    plt.figure(figsize=fig_dims)
    plt.xlabel('Distance, x (m)')
    plt.ylabel('Stress ($\sigma_{yy}$)$_{y=0}$(kPa)')
    title = 'Normal stress along the horizontal symmetry'
    y = np.linspace(0.5, 2)
    sigmayy = sigma_yy(y)

    plt.plot(y, sigmayy, '-k', label='Analytic Solution')
    plt.xlim(0.5, 2)

    for width, mesh in zip(widths, meshes):
        path = "Run" + str(width) + '-' + str(mesh) + '/postProcessing/sets/100/downPatch_sigmaxx_sigmayy.xy'
        data = np.loadtxt(path)

        if widths.count(widths[0]) == len(widths):
            label = 'Explicit Solution ($n=' + str(int(mesh)) + '$)'
        else:
            label = 'Explicit Solution ($x=' + str(int(2*width)) + '$)'
        plt.plot(data[:, 0], data[:, 2], '--', markersize=5, label=label)

    if widths.count(widths[0]) == len(widths):
        title += ' ($x=' + str(int(2*width)) + '$)'
    else:
        title += ' ($n=' + str(int(mesh)) + '$)'

    plt.title(title)
    plt.legend(loc='best')

    # Save plots
    ts = time.time()
    st = datetime.datetime.fromtimestamp(ts).strftime('%Y-%m-%d-%H-%M-%S')
    save_name = 'result-y-' + st + '.pdf'
    try:
        os.mkdir('figures')
    except Exception:
        pass

    plt.savefig('figures/' + save_name, bbox_inches='tight')
```

```
    plt.clf()


def plot_yy_err(widths, meshes):
    # Format plot
    plt.figure(figsize=fig_dims)
    plt.xlabel('Distance, x (m)')
    plt.ylabel('Error in Stress ($\sigma_{yy}$)$_{y=0}$(kPa)')
    plt.title('Error in Normal stress along the horizontal symmetry')
    plt.xlim(0.5, 2)

    for width, mesh in zip(widths, meshes):
        path = "Run" + str(width) + '-' + str(mesh) + '/postProcessing/sets/100/downPatch_sigmaxx_sigmayy.xy'
        data = np.loadtxt(path)

        if widths.count(widths[0]) == len(widths):
            label = 'Explicit Solution ($n=' + str(int(mesh)) + '$)'
        else:
            label = 'Explicit Solution ($x=' + str(int(2*width)) + '$)'

        y = data[:, 0]
        sigmayy = sigma_yy(y)
        err = sigmayy - data[:, 2]

        RMS = np.sqrt(np.mean(np.square(err)))
        print(width, RMS)

        plt.plot(y, err, '--', markersize=5, label=label)

    plt.legend(loc='best')

    # Save plots
    ts = time.time()
    st = datetime.datetime.fromtimestamp(ts).strftime('%Y-%m-%d-%H-%M-%S')
    save_name = 'error-y-' + st + '.pdf'
    try:
        os.mkdir('figures')
    except Exception:
        pass

    plt.savefig('figures/' + save_name, bbox_inches='tight')
    plt.clf()


def generate_plots(widths, meshes):
    plot_xx(widths, meshes)
    plot_xx_err(widths, meshes)
    plot_yy(widths, meshes)
    plot_yy_err(widths, meshes)

    print('Plots generated.')


def main(widths, meshes):
    print('Running widths ' + str(widths) + ' with meshes ' + str(meshes) + '.')
    generate_folders(widths, meshes)
    update_dimensions(widths, meshes)
    run_simulations(widths, meshes)
    generate_plots(widths, meshes)
    print('Done!')

if __name__ == "__main__":
    # Increasing mesh resolution
    widths = [2, 2, 2]
    meshes = [10, 100, 1000]
    main(widths, meshes)

    # Changing the plate size
    widths = [1.5, 2, 2.5, 50]
```

```
    meshes = [10 for _ in widths]
    main(widths, meshes)
```