

Hands-On 5 Project: HO5_Reactive_Form

Commands:

```
ng new HO5_Reactive_Form --routing --style=css
cd HO5_Reactive_Form
ng g c pages/reactive-enrollment
ng serve
```

What we did:

Created reactive form using ReactiveFormsModule, FormBuilder, FormGroup, validators, submit and reset.

reactive-enrollment.ts

```
import { Component, OnInit } from '@angular/core';
import { CommonModule } from '@angular/common';
import { ReactiveFormsModule, FormBuilder, FormGroup, Validators } from '@angular/forms';
```

```
@Component({
  selector: 'app-reactive-enrollment',
  standalone: true,
  imports: [CommonModule, ReactiveFormsModule],
  templateUrl: './reactive-enrollment.html',
  styleUrls: ['./reactive-enrollment.css']
})
export class ReactiveEnrollment implements OnInit {
  enrollmentForm!: FormGroup;
  submitted = false;

  constructor(private fb: FormBuilder) {}

  ngOnInit() {
    this.enrollmentForm = this.fb.group({
      studentName: ['', [Validators.required, Validators.minLength(3)]],
      email: ['', [Validators.required, Validators.email]],
      course: ['', Validators.required],
      semester: ['', Validators.required]
    });
  }

  submit() {
    if (this.enrollmentForm.valid) {
      this.submitted = true;
      console.log(this.enrollmentForm.value);
    }
  }

  reset() {
```

```

    this.enrollmentForm.reset();
    this.submitted = false;
  }
}

```

reactive-enrollment.html

<h2>Reactive Enrollment Form</h2>

```

<form [formGroup]="enrollmentForm" (ngSubmit)="submit()">
  <label>Name:</label>
  <input formControlName="studentName">

```

```

  <p *ngIf="enrollmentForm.get('studentName')?.touched &&
enrollmentForm.get('studentName')?.invalid">
    Name is required and must be minimum 3 characters
  </p>

```

```

  <label>Email:</label>
  <input formControlName="email">

```

```

  <p *ngIf="enrollmentForm.get('email')?.touched && enrollmentForm.get('email')?.invalid">
    Valid email is required
  </p>

```

```

  <label>Course:</label>
  <input formControlName="course">

```

```

  <label>Semester:</label>
  <select formControlName="semester">
    <option value="">Select</option>
    <option>Odd</option>
    <option>Even</option>
  </select>

```

```

  <button type="submit" [disabled]="enrollmentForm.invalid">Submit</button>
  <button type="button" (click)="reset()">Reset</button>
</form>

```

<h3 *ngIf="submitted">Reactive Form Submitted Successfully!</h3>

Output screenshot: Reactive form success message.

EF Core 8.0 Lab

StudentCoursePortal

Ask Gemini

localhost:4200

GmailrustwaveMaps

All Bookmarks

Department

Information Technology Department

Enrollment Request Form

Student Name:

Email:

Course ID:

Preferred Semester:

☐ I agree to terms

Reactive Enrollment Form

Name:

Email:

Course:

Semester:

Reactive Form Submitted Successfully!