

Hands-On 7 Project: HO7_Routing

Commands:

```
ng new HO7_Routing --routing --style=css
cd HO7_Routing
ng g c components/header
ng g c pages/home
ng g c pages/course-list
ng g c pages/course-detail
ng g c pages/student-profile
ng g c pages/not-found
ng serve
```

What we did:

Configured routing, navigation, route parameter, and 404 page.

app.routes.ts

```
import { Routes } from '@angular/router';
import { Home } from './pages/home/home';
import { CourseList } from './pages/course-list/course-list';
import { CourseDetail } from './pages/course-detail/course-detail';
import { StudentProfile } from './pages/student-profile/student-profile';
import { NotFound } from './pages/not-found/not-found';
```

```
export const routes: Routes = [
  { path: '', component: Home },
  { path: 'courses', component: CourseList },
  { path: 'courses/:id', component: CourseDetail },
  { path: 'profile', component: StudentProfile },
  { path: '**', component: NotFound }
];
```

app.ts

```
import { Component } from '@angular/core';
import { RouterOutlet } from '@angular/router';
import { Header } from './components/header/header';
```

```
@Component({
  selector: 'app-root',
  standalone: true,
  imports: [Header, RouterOutlet],
  templateUrl: './app.html',
  styleUrls: ['./app.css']
})
export class App {}
```

app.html

```
<app-header></app-header>
<router-outlet></router-outlet>
```

header.ts

```
import { Component } from '@angular/core';
import { RouterLink } from '@angular/router';
```

```
@Component({
  selector: 'app-header',
  standalone: true,
  imports: [RouterLink],
  templateUrl: './header.html',
  styleUrls: ['./header.css']
})
export class Header {}
```

header.html

```
<nav>
  <h2>Student Course Portal</h2>
  <a routerLink="">Home</a> |
  <a routerLink="courses">Courses</a> |
  <a routerLink="profile">Profile</a>
</nav>
```

course-detail.ts

```
import { Component, OnInit } from '@angular/core';
import { ActivatedRoute } from '@angular/router';
```

```
@Component({
  selector: 'app-course-detail',
  standalone: true,
  templateUrl: './course-detail.html',
  styleUrls: ['./course-detail.css']
})
export class CourseDetail implements OnInit {
  courseId = "";

  constructor(private route: ActivatedRoute) {}

  ngOnInit() {
    this.courseId = this.route.snapshot.paramMap.get('id') || "";
  }
}
```


course-detail.html


```
<h2>Course Detail</h2>
<p>Selected Course ID: {{ courseId }}</p>
```

not-found.html

<h2>404 - Page Not Found</h2>

Output screenshot: /courses/1 showing selected course ID and /unknown showing 404.






Student Course Portal

[Home](#) | [Courses](#) | [Profile](#) | [Enroll](#) | [Reactive Enroll](#)

student-profile works!



Student Course Portal

[Home](#) | [Courses](#) | [Profile](#) | [Enroll](#) | [Reactive Enroll](#)

Enrollment Request Form

Student Name:
Email:
Course ID:
Preferred Semester:

☐ I agree to terms