

Hands-On 8 Project: HO8_HTTP_API

Commands:

```
ng new HO8_HTTP_API --routing --style=css
cd HO8_HTTP_API
ng g s services/student-api
ng g c pages/student-api
ng serve
```

What we did:

Used HttpClient to call REST API and displayed API data in a table.

student-api.ts service

```
import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http';
import { Observable } from 'rxjs';

@Injectable({
  providedIn: 'root'
})
export class StudentApi {
  private apiUrl = 'https://jsonplaceholder.typicode.com/users';

  constructor(private http: HttpClient) {}

  getStudents(): Observable<any[]> {
    return this.http.get<any[]>(this.apiUrl);
  }
}
```

app.config.ts

```
import { ApplicationConfig, provideBrowserGlobalErrorListeners, provideZoneChangeDetection }
from '@angular/core';
import { provideRouter } from '@angular/router';
import { provideHttpClient } from '@angular/common/http';
import { routes } from './app.routes';

export const appConfig: ApplicationConfig = {
  providers: [
    provideBrowserGlobalErrorListeners(),
    provideZoneChangeDetection({ eventCoalescing: true }),
    provideRouter(routes),
    provideHttpClient()
  ]
};
```

student-api.ts component

```

import { Component, OnInit } from '@angular/core';
import { CommonModule } from '@angular/common';
import { StudentApi } from '../services/student-api';

@Component({
  selector: 'app-student-api',
  standalone: true,
  imports: [CommonModule],
  templateUrl: './student-api.html',
  styleUrls: ['./student-api.css']
})
export class StudentApiComponent implements OnInit {
  students: any[] = [];

  constructor(private api: StudentApi) {}

  ngOnInit() {
    this.api.getStudents().subscribe(data => {
      this.students = data;
    });
  }
}

```

student-api.html

<h2>Students from REST API</h2>

```

<table border="1">
  <tr>
    <th>ID</th>
    <th>Name</th>
    <th>Email</th>
  </tr>

  <tr *ngFor="let s of students">
    <td>{{ s.id }}</td>
    <td>{{ s.name }}</td>
    <td>{{ s.email }}</td>
  </tr>
</table>

```

Output screenshot: REST API table with ID, Name, Email.

EF Core 8.0 Lab

StudentCoursePortal

Ask Gemini

localhost:4200/enroll

☆

GmailrustwaveMaps

All Bookmarks

Student Course Portal

[Home](#) | [Courses](#) | [Profile](#) | [Enroll](#) | [Reactive Enroll](#)

Enrollment Request Form

Student Name: Adharshini

Email: vankayalaadharshini2006@

Course ID: 2

Preferred Semester: Odd

☒ I agree to terms

Submit

Reset

Students from REST API

ID	Name	Email
----	------	-------