

Annexure - VI



भारतीय मानक ब्यूरो
Bureau of Indian Standards
The National Standards Body of India

Hubli Branch Office-1st Floor, KS Financial Corporation Building, Pune Bangalore Road (Hubli-Dharwad Highway), Rayapur, Dharwad, - 580009

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	GRASIM INDUSTRIES LIMITED, CHEMICAL DIVISION, KARWAR ADITYA BIRLA CHEMICALS (INDIA) LIMITED BINAGA P.O., KARWAR, UTTARA KANNADA, 581307, KARNATAKA
BIS Product Certification Licence No.	6535675
Name of the Product	Phosphoric Acid, Food Grade
Indian Standard No.	IS 10508 : 2020
Non-conforming parameter	Arsenic
Clause No. of the Indian Standard	Cl. 3.3 table 1(vii)
Type of risk	Health Hazard
Brand Name	ADITYA BIRLA
Batch/Control Unit (C.U.)/Lot No.	D3
Date of Manufacturing	12-06-2023


D.P. Kumar

Scientist - E / Director & Head
डि. प्रेम कुमार वैज्ञानिक ई / निदेशक एवं प्रमुख
D. PREMA KUMAR, Branch Office, DIRECTOR & HEAD
भारतीय मानक ब्यूरो, हुबली शाखा कार्यालय
Bureau of Indian Standards, Hubli Branch Office
पुणे-बंगलोर रोड, के एस एफ सी भवन, प्रथम मंजरी, हुबली-धरवाड हाइवे, रायपुर, धरवाड-580009
First Floor, KSFC Building, P. B. Road,
(हुबली-धरवाड हाइवे) (Hubli Dharwad Highway)
रायपुर, धरवाड-580009 RAYAPUR, Dharwad-580009

Use "BIS CARE" App to check the authenticity of Standard Mark (ISI) products.