




இந்திய தரநிர்ணய அமைவனம்
भारतीय मानक ब्यूरो
उपभोक्त मामले, खाद्य और सार्वजनिक वितरण मंत्रालय, भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution, Government of India

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	APPLE COOKWARE SHED NO 1A, SIDCO INDUSTRIAL ESTATE PETTAI, TIRUNELVELI-627010, TAMIL NADU, INDIA
BIS Product Certification Licence No.	6700060709
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347:2017
Grade/Type/Variety/Class/Size/Rating	Capacity 3 ltr
Non-conforming parameter	Air Pressure Test
Clause No. of the Indian Standard	8.1
Type of risk	Mechanical Hazard
Brand Name	APPLE
Batch/Control Unit (C.U.)/Lot No.	03/23
Date of Manufacturing	15-03-2023


(S D Dayanand)
Senior Director & Head
Date of order: 11/5/23

Use "BIS CARE" App to check the authenticity of Standard Mark () products.



मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली - 110 002
Manak Bhavan, 9 Bhadar Shah Zafar Marg, New Delhi - 110 002
Download "BIS CARE APP" from Google Playstore

மதுரை शाखा कार्यालय :
पहली मंजिल, सिडको उत्कृष्टता केंद्र, महिला औद्योगिक पार्क,
कप्पलूर, थोप्पूर, मद्रुरै - 625 008.

Madurai Branch Office :
First Floor, SIDCO Centre of Excellence Building, Women Industrial Park,
Kappalur, Thoppur, Madurai - 625 008.
Phone: 0452-2910334, 0452-2910344
E-mail: mdbo-bis@bis.gov.in / Web : www.bis.gov.in