

# Cucumber PDF Report

Dec 11, 2024, 12:19:46 PM

Start : Dec 11, 12:19:24.966 PM

End : Dec 11, 12:19:45.527 PM

Duration : 20.561 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>CMS Overview</u>	18.368 s	1	1	0	0	2	2	0	0
<u>CMS Overview 2</u>	2.184 s	1	0	1	0	2	1	1	0

#	Feature Name	Scenario Name
1	<u>CMS Overview 2</u>	<u>Validate CMS Information 2</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@test	2	1	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>CMS Overview</u>	1	1	0	0	18.368 s
2	<u>CMS Overview 2</u>	1	0	1	0	2.184 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>CMS Overview</u>	<u>Validate CMS Information</u>	2	2	0	0	18.366 s
2	<u>CMS Overview 2</u>	<u>Validate CMS Information 2</u>	2	1	1	0	2.184 s

CMS Overview



PASSED	DURATION - 18.368 s	Scenarios		Steps	
/ 12:19:24.966 PM // 12:19:43.334 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 2 Pass - 2 Fail - 0 Skip - 0	

Validate CMS Information



PASSED		DURATION - 18.366 s			Steps	
/ 12:19:24.968 PM // 12:19:43.334 PM /					Total - 2	
CMS Overview					Pass - 2	
@test					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Navigates to CMS Landing Page	PASSED	0.012 s
2	Then User Validates CMS Headers	PASSED	0.090 s

CMS Overview 2

FAILED	DURATION - 2.184 s	Scenarios		Steps	
/ 12:19:43.343 PM // 12:19:45.527 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 2 Pass - 1 Fail - 1 Skip - 0	


Validate CMS Information 2

<div>FAILED</div> <div>DURATION - 2.184 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:19:43.343 PM // 12:19:45.527 PM /				
CMS Overview 2				
@test				

#	Step / Hook Details	Status	Duration
1	Given User Navigates to Google Landing Page	PASSED	0.927 s
2	Then User Validates Google Headers <pre> com.microsoft.playwright.TimeoutError: Error { message='Timeout 1000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 1000ms exceeded. at ProgressController.run (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\progress.js:75:26) at Frame._callOnElementOnceMatches (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\frames.js:1479:23) at Frame.textContent (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\frames.js:1089:17) at FrameDispatcher.textContent (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\dispatchers\frameDispatcher.js:179:37) at FrameDispatcher._handleCommand (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - - waiting for locator('a[text()='Image"]') at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:132) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:118) at com.microsoft.playwright.impl.FrameImpl.textContentImpl(FrameImpl.java:818) at com.microsoft.playwright.impl.PageImpl.lambda\$textContent\$81(PageImpl.java:1333) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:97) at com.microsoft.playwright.impl.PageImpl.textContent(PageImpl.java:1332) at com.microsoft.playwright.Page.textContent(Page.java:7413) at org.pageClasses.CMSOverviewPageClass.lambda\$validateHeaders2\$1(CMSOverviewPageClass.java:63) at java.base/java.util.Arrays\$ArrayList.forEach(Arrays.java:4305) at org.pageClasses.CMSOverviewPageClass.validateHeaders2(CMSOverviewPageClass.java:61) at org.steps.CMSOverviewSteps.userValidatesGoogleHeaders(CMSOverviewSteps.java:32) at ?.User Validates Google Headers(file:///C:/Users/aturuk/IdeaProjects/mtf-automation-testing-api/Report_POC/src/test/resources/features/CMS-Overview2.feature:5) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 1000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 1000ms exceeded. at ProgressController.run (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\progress.js:75:26) at Frame._callOnElementOnceMatches </pre>	FAILED	1.073 s



#	Step / Hook Details	Status	Duration
	<p>(C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\frames.js:1479:23) at Frame.textContent  (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\frames.js:1089:17) at FrameDispatcher.  textContent (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\dispatchers\frameDispatcher.  js:179:37) at FrameDispatcher._handleCommand (C:\Users\aturuk\AppData\Local\Temp\playwright-java-  18439454568671395547\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch  (C:\Users\aturuk\AppData\Local\Temp\playwright-java-18439454568671395547\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log:  - - waiting for locator("//a[text()='Image']")  at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254)  at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211)  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:130)  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130)  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:118)  at com.microsoft.playwright.impl.FrameImpl.textContentImpl(FrameImpl.java:818)  at com.microsoft.playwright.impl.PageImpl.lambda\$textContent\$81(PageImpl.java:1333)  at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47)  at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:97)  at com.microsoft.playwright.impl.PageImpl.textContent(PageImpl.java:1332)  at com.microsoft.playwright.Page.textContent(Page.java:7413)  at org.pageClasses.CMSOverviewPageClass.lambda\$validateHeaders2\$1(CMSOverviewPageClass.java:63)  at java.base/java.util.Arrays\$ArrayList.forEach(Arrays.java:4305)  at org.pageClasses.CMSOverviewPageClass.validateHeaders2(CMSOverviewPageClass.java:61)  at org.steps.CMSOverviewSteps.userValidatesGoogleHeaders(CMSOverviewSteps.java:32)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:104)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:316) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:240) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:214) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:155) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p><b>AFTER - org.steps.Hooks.afterScenario(io.cucumber.java.Scenario)</b></p> <p>Validate CMS Information 2</p> 	PASSED	0.170 s

(Step) AFTER - org.steps.Hooks.  
afterScenario(io.cucumber.java.Scenario)

(S) Validate CMS Information 2

(F) CMS Overview 2

