Cucumber PDF Report

| Start : Dec 02, 3:22:56.544 PM	End : Dec 02, 3:23:13.164 PM	Duration : 16.620 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
CMS Overview	15.334 s	1	1	0	0	2	2	0	0
CMS Overview 2	1.280 s	1	0	1	0	2	0	1	1

#	Feature Name	Scenario Name
1	*CMS Overview 2*	*Validate CMS Information 2*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@test	2	1	1	0	2	1	1	0

#	Feature Name	T	P	F	S	Duration
1	CMS Overview	1	1	0	0	15.334 s
2	CMS Overview 2	1	0	1	0	1.280 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	CMS Overview	Validate CMS Information	2	2	0	0	15.331 s
2	CMS Overview 2	Validate CMS Information 2	2	0	1	1	1.280 s

CMS Overview

PASSED	DURATION - 15.334 s	Scenarios		Steps	
/ 3:22:56.544 PM // 3:23:11.878 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 2 Pass - 2 Fail - 0 Skip - 0	2

Validate CMS Information

PASSED	DURATION - 15.331 s		Steps	
/ 3:22:56.547 PM // 3:23:11.878 PM /			Total - 2 Pass - 2 Fail - 0 Skip - 0	2
CMS Overview				
@test				

#	Step / Hook Details	Status	Duration
1	Given User Navigates to CMS Landing Page	PASSED	0.011 s
2	Then User Validates CMS Headers	PASSED	0.090 s

CMS Overview 2

FAILED	DURATION - 1.280 s	Scenarios		Steps	
/ 3:23:11.884 PM // 3:23:13.164 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 2 Pass - 0 Fail - 1 Skip - 1	2

Validate CMS Information 2

FAILED	DURATION - 1.280 s
/ 3:23:11.884 PM // 3:23:13.164 PM /	
CMS Overview 2	
@test	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User Navigates to Google Landing Page	FAILED	1.017 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 1000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 1000ms exceeded. at ProgressController.run (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\progress.js:75:26) at Frame.goto (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\frames.js:521:23) at FrameDispatcher.goto (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\dispatchers\frameDispatcher.js:82:119) at FrameDispatcher._handleCommand (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - - navigating to "https://google.com/", waiting until "load" at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:132) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:118) at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:463) at com.microsoft.playwright.impl.PageImpl.lambda$navigate$47(PageImpl.java:943) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:97) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:943) at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:42) at com.microsoft.playwright.Page.navigate(Page.java:5474) at org.steps.CMSOverviewSteps.userNavigatesToGoogleLandingPage(CMSOverviewSteps.java:26) at ?.User Navigates to Google Landing Page(file:///C:/Users/aturuk/IdeaProjects/Report_POC/src/test/resources/features/CMS-Overview2.feature:4) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 1000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 1000ms exceeded. at ProgressController.run (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\progress.js:75:26) at Frame.goto (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\frames.js:521:23) at FrameDispatcher.goto (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\dispatchers\frameDispatcher.js:82:119) at FrameDispatcher._handleCommand (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\aturuk\AppData\Local\Temp\playwright-java-2199506950262975668\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - - navigating to "https://google.com/", waiting until		

#	Step / Hook Details	Status	Duration

	"load"
	  at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254)
	  at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211)
	  at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:130)
	  at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130)
	  at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:118)
	  at com.microsoft.playwright.impl.FrameImpl.navigateImpl(FrameImpl.java:463)
	  at com.microsoft.playwright.impl.PageImpl.lambda$navigate$47(PageImpl.java:943)
	  at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47)
	  at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:97)
	  at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:943)
	  at com.microsoft.playwright.impl.PageImpl.navigate(PageImpl.java:42)
	  at com.microsoft.playwright.Page.navigate(Page.java:5474)
	  at org.steps.CMSOverviewSteps.userNavigatesToGoogleLandingPage(CMSOverviewSteps.java:26)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:104)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)
	  at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)
	  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
	  at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
	  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
	  at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
	  at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)
	  at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)
	  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)
	  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)
	  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)
	  at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	* Not displayable characters are replaced by '?'.		
2	Then User Validates Google Headers	SKIPPED	0.001 s
	AFTER - org.steps.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.244 s
	Validate CMS Information 2		

(Step) AFTER - org.steps.Hooks.
afterScenario(io.cucumber.java.Scenario)

(S) Validate CMS Information 2

(F) CMS Overview 2

About   Store

Gmail   Images   Sign in

Sign in to Google
Save your passwords securely with
your Google Account

Stay signed out   Sign in

Google Search   I'm Feeling Lucky

Shop the best deals this Cyber Monday on the Google Shopping deals hub

Advertising   Business   How Search works   Our third decade of climate action: join us   Privacy   Terms   Settings