Start: Dec 01, 8:27:45.415 PM End: Dec 01, 8:27:46.696 PM **Duration: 1.281 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 11 16 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 80 20 80 90 90 10 10 10 100 100 100


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating the New Patient form with Valid/Invalid/MissingData	1.281 s	5	0	5	0	16	0	5	11

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validating the New Patient form with Valid/Invalid/MissingData	Validate the patient information form submission with missing data
2		Validate the patient information form submission with invalid data
3		Validate the patient information form submission with invalid data
4		Validate the patient information form submission with invalid data
5		Validate attendance form submission with valid data


TAG		Scenario			Feature			
Name	T	P	F	S	T	P	F	S
@PatientInformationWithValidandInvalidAndMissingData	5	0	5	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	0	1	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	4	Feature Name	T	P	F	S	Duration
1	1	Validating the New Patient form with Valid/Invalid/MissingData	5	0	5	0	1.281 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Valid/Invalid/MissingData	Validate the patient information form submission with missing data	4	0	1	3	0.340 s
2		Validate the patient information form submission with invalid data	3	0	1	2	0.202 s
3		Validate the patient information form submission with invalid data	3	0	1	2	0.200 s
4		Validate the patient information form submission with invalid data	3	0	1	2	0.238 s
5		Validate attendance form submission with valid data	3	0	1	2	0.218 s

DETAILED SECTION -- 7 --

Validating the New Patient form with Valid/Invalid/MissingData



Validate the patient information form submission with missing data



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	FAILED	0.107 s
	java.lang.StackOverflowError		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		


#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

DETAILED SECTION -- 32 --

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:26) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.sinit>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.sinit>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.sinit>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.sinit>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.sinit>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.sinit>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:</init></init></init></init></init></init>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.220 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 2	SKIPPED	0.000 s
3	And Error message "We hit a snag." is displayed and review the following field	SKIPPED	0.001 s
4	Then Error message "Complete this field." is displayed	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

DETAILED SECTION -- 33 --



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.018 s
	java.lang.StackOverflowError		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:16)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

DETAILED SECTION -- 58 --

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.180 s
	My screenshot]	
		1	
2	When Patient submits now nations form with invalid data for toysfields from "Patient Datails" and 2	CKIDDED	0.001.0
-	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 3	SKIPPED	0.001 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

FAILED DURATION - 0.200 s	0.15 Steps
/ 8:27:46.019 PM // 8:27:46.219 PM /	0.1 - Total - 3
Validating the New Patient form with Valid/Invalid/MissingData	Pass - 0 Fail - 1
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData	Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.016 s
	java.lang.StackOverflowError at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:16)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:16)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:16)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:16)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		


#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.181 s

DETAILED SECTION -- 84 --

#	Step / Hook Details	Status	Duration
	My screenshot		
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4	SKIPPED	0.001 s
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

Validate the patient information form submission with invalid data



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.014 s
	java.lang.StackOverflowError		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:16)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

DETAILED SECTION -- 100 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

DETAILED SECTION -- 101 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

DETAILED SECTION -- 104 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

DETAILED SECTION -- 107 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		


#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

DETAILED SECTION -- 109 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.213 s
	My screenshot		
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5	SKIPPED	0.000 s
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.001 s

Validate attendance form submission with valid data

DETAILED SECTION -- 110 --



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.014 s
	java.lang.StackOverflowError		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

DETAILED SECTION -- 111 --

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

DETAILED SECTION -- 112 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

DETAILED SECTION -- 113 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

DETAILED SECTION -- 116 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

DETAILED SECTION -- 117 --

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

DETAILED SECTION -- 119 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

DETAILED SECTION -- 121 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

DETAILED SECTION -- 122 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

DETAILED SECTION -- 127 --

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66)</init>		
	at pageObjects.PatientObjectMandatory. <init>(PatientObjectMandatory.java:25)</init>		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

DETAILED SECTION -- 135 --

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents. <init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.qetInstance(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)</init></init></init></init></init></init></init></init>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.195 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 6	SKIPPED	0.001 s
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.001 s