

Cucumber Report

Dec 17, 2023, 3:38:22 PM

Start : Dec 17, 3:37:22.152 PM

End : Dec 17, 3:38:22.478 PM

Duration : 1 m 0.326 s

Features

Scenarios

Steps

PASSED - 3

FAILED - 3

SKIPPED - 0

PASSED - 27



FAILED - 17

SKIPPED - 0

PASSED - 101

FAILED - 17

SKIPPED - 21



| Feature | | Scenario | | | | Step | | | |
|---|----------|----------|----|----|---|------|----|----|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>SalesforceLoginSepsisapp</u> | 5.672 s | 1 | 1 | 0 | 0 | 4 | 4 | 0 | 0 |
| <u>Validating the New Patient information</u> | 5.410 s | 5 | 5 | 0 | 0 | 15 | 15 | 0 | 0 |
| <u>Validitate Existing Morbidities</u> | 3.751 s | 13 | 13 | 0 | 0 | 44 | 44 | 0 | 0 |
| <u>Validating Medication and Vitals Information</u> | 11.833 s | 9 | 8 | 1 | 0 | 27 | 26 | 1 | 0 |
| <u>Validating the New Patient form with Valid/Invalid/MissingData</u> | 33.571 s | 15 | 0 | 15 | 0 | 46 | 12 | 15 | 19 |
| <u>Validitate Blood Profile upload files</u> | 0.002 s | 1 | 0 | 1 | 0 | 3 | 0 | 1 | 2 |


| # | Feature Name | Scenario Name |
|----|---|--|
| 1 | <u>Validating Medication and Vitals Information</u> | <u>Validate Save Button</u> |
| 2 | <u>Validating the New Patient form with Valid/Invalid/MissingData</u> | <u>Validate the patient information form submission with missing data</u> |
| 3 | | <u>Validate the patient information form submission with invalid phonefield</u> |
| 4 | | <u>Validate the patient information form submission with invalid character</u> |
| 5 | | <u>Validate the patient information form submission with invalid data for BP</u> |
| 6 | | <u>Validate the patient information form submission with invalid data</u> |
| 7 | | <u>Validate the patient information form submission with invalid data</u> |
| 8 | | <u>Validate attendance form submission with invalid data</u> |
| 9 | | <u>Validate attendance form submission with valid data for Low risk</u> |
| 10 | | <u>Validate attendance form submission with valid data for Low risk</u> |
| 11 | | <u>Validate attendance form submission with valid data for Medium risk</u> |
| 12 | | <u>Validate attendance form submission with valid data for Medium risk</u> |
| 13 | | <u>Validate attendance form submission with valid data for High risk</u> |

| # | Feature Name | Scenario Name |
|----|---|--|
| 14 | <u>Validating the New Patient form with Valid/Invalid/MissingData</u> | <u>Validate attendance form submission with valid data for High risk</u> |
| 15 | | <u>Validate attendance form submission with valid data for Critical risk</u> |
| 16 | | <u>Validate attendance form submission with valid data for Critical risk</u> |
| 17 | <u>Validitate Blood Profile upload files</u> | <u>Validitate Blood Profile upload files</u> |


| TAG | Scenario | | | | Feature | | | |
|--|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @TS_01LoginPage | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Login | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_01_ValidatePersonalInfo | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @NewPatientInformation | 5 | 5 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_02_ValidateContactInfo | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_03_ValidateEmergencycontact | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_04_ValidateProviderInformation | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_05_ValidateMedicalHistory | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_01ValidateExistingMorbidity-availabletochoose | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @ExistingMorbidity | 13 | 13 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_02ValidateUndoExistingMorbidity | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_03ValidateTheOtherTextbox | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_04ValidateTheAllergyCheckbox | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_05ValidateTheOtherTextboxinExistingInfections | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_06ValidateHabitsOption-availabletochoose | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_07ValidatePhysicalFitnessoption-availabletochoose | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_08ValidateFamilyHistory-moreoptionsavailabletochoose | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

| TAG | Scenario | | | | Feature | | | |
|--|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @TS_09ValidateFamilyHistory-leftarrowbtn | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_10ValidateFitnessFrequencyDropDown | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_11ValidateTheSurgeriesCheckbox | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_12ValidateImmunizationDropDown | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_13ValidateInternationalTravelCheckbox | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TS_02Medication | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Vitals | 9 | 8 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_03Temperature | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TS_04HeartRate | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TS_05RespiratoryRate | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TS_06BP | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TS_07Glucose | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TS_08GlucoseValue | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TS_09WBC | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @TS_10ValidateSaveButton | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PatientInformationWithValidandInvalidAndMissingData | 15 | 0 | 15 | 0 | 1 | 0 | 1 | 0 |
| @TS_01ValidatingtheNewPatientformWithMissingData | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


| TAG | Scenario | | | | Feature | | | |
|---|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @TS_02ValidatingtheNewPatientformWithInvalidData | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_03ValidatingtheNewPatientformWithInvalidCharacter | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_04ValidatingtheNewPatientformWithInvalidBPdata | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_05ValidatingtheNewPatientformWithInvalidDOB | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_06ValidatingtheNewPatientformWithInvalidExisMorb | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_07ValidatingtheNewPatientformWithInvalidEmail | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TS_08ValidatingtheNewPatientformWithValidDataForLow | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @TS_09ValidatingtheNewPatientformWithValidDataForMedium | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @TS_10ValidatingtheNewPatientformWithValidDataForHigh | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @TS_11ValidatingtheNewPatientformWithValidDataForCritical | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @TS_01ValiditateBloodProfileuploadfiles | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @UploadBloodReport | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|---|----|----|----|---|----------|
| 1 | <u>SalesforceLoginSepsisapp</u> | 1 | 1 | 0 | 0 | 5.672 s |
| 2 | <u>Validating the New Patient information</u> | 5 | 5 | 0 | 0 | 5.410 s |
| 3 | <u>Validitate Existing Morbidities</u> | 13 | 13 | 0 | 0 | 3.751 s |
| 4 | <u>Validating Medication and Vitals Information</u> | 9 | 8 | 1 | 0 | 11.833 s |
| 5 | <u>Validating the New Patient form with Valid/Invalid/MissingData</u> | 15 | 0 | 15 | 0 | 33.571 s |
| 6 | <u>Validitate Blood Profile upload files</u> | 1 | 0 | 1 | 0 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 1 | <u>SalesforceLoginSepsisapp</u> | <u>Validate loginPage</u> | 4 | 4 | 0 | 0 | 5.671 s |
| 2 | <u>Validating the New Patient information</u> | <u>Validating the PersonalInfo</u> | 3 | 3 | 0 | 0 | 3.196 s |
| 3 | | <u>Validating the contactinfo</u> | 3 | 3 | 0 | 0 | 0.764 s |
| 4 | | <u>Validating the EmergencyContact</u> | 3 | 3 | 0 | 0 | 0.382 s |
| 5 | | <u>Validating the ProviderInformation</u> | 3 | 3 | 0 | 0 | 0.506 s |
| 6 | | <u>Validating the EmergencyContact</u> | 3 | 3 | 0 | 0 | 0.496 s |
| 7 | <u>Validitate Existing Morbidities</u> | <u>Validate Existing Morbidities available to chosen</u> | 4 | 4 | 0 | 0 | 0.279 s |
| 8 | | <u>Validate the Undo button on Existing Morbidities</u> | 3 | 3 | 0 | 0 | 0.067 s |
| 9 | | <u>Validate the Other textbox</u> | 4 | 4 | 0 | 0 | 0.302 s |
| 10 | | <u>Validate the Allergy Checkbox</u> | 3 | 3 | 0 | 0 | 0.255 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------------------------|---|---|---|---|---|----------|
| 11 | <u>Validate Existing Morbidities</u> | <u>Validate the Other textbox in Existing Infections</u> | 4 | 4 | 0 | 0 | 0.297 s |
| 12 | | <u>Validate selecting Habits options from available to chosen</u> | 5 | 5 | 0 | 0 | 0.428 s |
| 13 | | <u>Validate selecting Physical fitness options from available to chosen</u> | 3 | 3 | 0 | 0 | 0.342 s |
| 14 | | <u>Validate selecting Family History options more than one from available to chosen</u> | 3 | 3 | 0 | 0 | 0.620 s |
| 15 | | <u>Validate selecting Family History left arrow from chosen to available</u> | 3 | 3 | 0 | 0 | 0.285 s |
| 16 | | <u>Validate Fitness Frequency DropDown</u> | 3 | 3 | 0 | 0 | 0.213 s |
| 17 | | <u>Validate the Surgeries Checkbox</u> | 3 | 3 | 0 | 0 | 0.151 s |
| 18 | | <u>Validate Immunization DropDown</u> | 3 | 3 | 0 | 0 | 0.205 s |
| 19 | | <u>Validate the International Travel Checkbox</u> | 3 | 3 | 0 | 0 | 0.244 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 20 | <u>Validating Medication and Vitals Information</u> | <u>The Patient is logged in to Salesforce app(Sepsis)</u> | 3 | 3 | 0 | 0 | 0.133 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 21 | <u>Validating Medication and Vitals Information</u> | <u>Validate Temperature</u> | 3 | 3 | 0 | 0 | 0.107 s |
| 22 | | <u>Validate Heart Rate</u> | 3 | 3 | 0 | 0 | 0.096 s |
| 23 | | <u>Validate Respiratory Rate</u> | 3 | 3 | 0 | 0 | 0.090 s |
| 24 | | <u>Validate BP</u> | 3 | 3 | 0 | 0 | 0.108 s |
| 25 | | <u>Validate Glucose</u> | 3 | 3 | 0 | 0 | 0.138 s |
| 26 | | <u>Validate Glucose Value</u> | 3 | 3 | 0 | 0 | 0.072 s |
| 27 | | <u>Validate WBC</u> | 3 | 3 | 0 | 0 | 0.221 s |
| 28 | | <u>Validate Save Button</u> | 3 | 2 | 1 | 0 | 10.832 s |
| 29 | <u>Validating the New Patient form with Valid/Invalid/MissingData</u> | <u>Validate the patient information form submission with missing data</u> | 4 | 0 | 1 | 3 | 33.436 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 30 | | <u>Validate the patient information form submission with invalid phonefield</u> | 3 | 1 | 1 | 1 | 0.005 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 31 | <u>Validating the New Patient form with Valid/Invalid/MissingData</u> | <u>Validate the patient information form submission with invalid character</u> | 3 | 1 | 1 | 1 | 0.005 s |
| 32 | | <u>Validate the patient information form submission with invalid data for BP</u> | 3 | 1 | 1 | 1 | 0.005 s |
| 33 | | <u>Validate the patient information form submission with invalid data</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 34 | | <u>Validate the patient information form submission with invalid data</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 35 | | <u>Validate attendance form submission with invalid data</u> | 3 | 1 | 1 | 1 | 0.006 s |
| 36 | | <u>Validate attendance form submission with valid data for Low risk</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 37 | | <u>Validate attendance form submission with valid data for Low risk</u> | 3 | 0 | 1 | 2 | 0.004 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 38 | | <u>Validate attendance form submission with valid data for Medium risk</u> | 3 | 1 | 1 | 1 | 0.003 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 39 | <u>Validating the New Patient form with Valid/Invalid/MissingData</u> | <u>Validate attendance form submission with valid data for Medium risk</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 40 | | <u>Validate attendance form submission with valid data for High risk</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 41 | | <u>Validate attendance form submission with valid data for High risk</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 42 | | <u>Validate attendance form submission with valid data for Critical risk</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 43 | | <u>Validate attendance form submission with valid data for Critical risk</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 44 | <u>Validitate Blood Profile upload files</u> | <u>Validitate Blood Profile upload files</u> | 3 | 0 | 1 | 2 | 0.002 s |

SalesforceLoginSepsisapp



| | | | | | |
|--------------------------------------|--------------------|--|---|--|---|
| PASSED | DURATION - 5.672 s | Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0 |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 3:37:22.152 PM // 3:37:27.824 PM / | | | | | |
| | | | | | |

Validate loginPage


| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 5.671 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 3:37:22.153 PM // 3:37:27.824 PM /</div> | | | |
| <div>SalesforceLoginSepsisapp</div> | | | |
| <div>@TS_01LoginPage @Login</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The patient is on Signin page of salesforce application | PASSED | 0.453 s |
| 2 | When The patient enter valid "username" and "password" | PASSED | 0.150 s |
| 3 | And The user click on login button | PASSED | 4.003 s |
| 4 | Then The user redirected to SalesforceHomepage | PASSED | 1.054 s |

Validating the New Patient information


| | | | | | |
|--------------------------------------|--------------------|--|---|--|---|
| PASSED | DURATION - 5.410 s | Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0 |  | Steps Total - 15 Pass - 15 Fail - 0 Skip - 0 |  |
| / 3:37:27.867 PM // 3:37:33.277 PM / | | | | | |
| | | | | | |

Validating the PersonalInfo




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on New patient form | PASSED | 2.167 s |
| 2 | When Patient enters "Kelly","Rob",Gender, Race, "11/1/2023" and "atena4656" on personal information | PASSED | 0.988 s |
| 3 | Then Patient can see the "Kelly","Rob","11/1/2023","atena4656"and other details entered on personal information | PASSED | 0.039 s |

Validating the contactinfo




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.002 s |
| 2 | When Patient enters the "815-456-9999" , "kelly@gmail.com", "United States", "Egmore St","Bayarea" and "77433" on contact information | PASSED | 0.706 s |
| 3 | Then Patient can see the "815-456-9999" , "kelly@gmail.com", "United States", "Egmore St","Bayarea" and "77433" entered on contact information | PASSED | 0.053 s |

Validating the EmergencyContact




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.001 s |
| 2 | When Patient enters "Kiya" and "716-456-7890" | PASSED | 0.360 s |
| 3 | Then Patient can see the "Kiya" and "716-456-7890"entered on emergency contact info | PASSED | 0.021 s |

Validating the ProviderInformation




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.001 s |
| 2 | When Patient enters "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com" | PASSED | 0.464 s |
| 3 | Then Patient can see the "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com" entered on provider information | PASSED | 0.039 s |

Validating the EmergencyContact




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.001 s |
| 2 | When Patient enters "12.00" and "60" on medical history | PASSED | 0.469 s |
| 3 | Then Patient can see the "12.00" and "60" entered on medical history | PASSED | 0.025 s |

Validate Existing Morbidities





Validate Existing Morbidities available to chosen



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on available list box of existing morbidities | PASSED | 0.001 s |
| 2 | When Patient selects an existing morbidity in the list available | PASSED | 0.083 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And clicks the right arrow | PASSED | 0.184 s |
| 4 | Then Patient should able to see the selected option "High Cholesterol" in the chosen list box | PASSED | 0.008 s |

Validate the Undo button on Existing Morbidities

| | | | | | | |
|---|--|--------------------|--|--|---|---|
| PASSED | | DURATION - 0.067 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 3:37:33.575 PM // 3:37:33.642 PM / | | | | | | |
| Validate Existing Morbidities | | | | | | |
| @TS_02ValidateUndoExistingMorbidities @ExistingMorbidities | | | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on chosen list box of existing morbidities | PASSED | 0.000 s |
| 2 | When Patient clicks on undo button | PASSED | 0.055 s |
| 3 | Then Patient should be able to see the error msg "An option must be selected" | PASSED | 0.011 s |

Validate the Other textbox

| | | | | |
|--|--|--|---|---|
| <div>PASSED</div> <div>DURATION - 0.302 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 3:37:33.648 PM // 3:37:33.950 PM / | | | | |
| Validate Existing Morbidities | | | | |
| @TS_03ValidateTheotherTextbox @ExistingMorbidities | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on available list box of existing morbidities | PASSED | 0.000 s |
| 2 | When Patient selects "other" as an existing morbidity in the list available | PASSED | 0.045 s |
| 3 | And clicks the right arrow of existing morbidities listbox | PASSED | 0.189 s |
| 4 | Then Patient should be able enter the "Sinusitis" in the text box | PASSED | 0.065 s |

Validate the Allergy Checkbox

| | | | | |
|--|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 0.255 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 3:37:33.955 PM // 3:37:34.210 PM / | | | | |
| Validitate Existing Morbidities | | | | |
| @TS_04ValidateTheAllergyCheckbox @ExistingMorbidities | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on available list box of existing morbidities | PASSED | 0.003 s |
| 2 | When Patient selects the allergy check box | PASSED | 0.062 s |
| 3 | Then Patient should be able enter the text "peanuts" in the text box | PASSED | 0.188 s |

Validate the Other textbox in Existing Infections

| | | | |
|--|--|---|--|
| <div>PASSED</div> <div>DURATION - 0.297 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 3:37:34.216 PM // 3:37:34.513 PM /</div> | | | |
| <div>Validitate Existing Morbidities</div> | | | |
| <div>@TS_05ValidateTheotherTextboxinExistingInfections</div> <div>@ExistingMorbidities</div> | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on available list box of existing morbidities | PASSED | 0.001 s |
| 2 | When Patient selects an existing infection in the list available | PASSED | 0.034 s |
| 3 | And clicks the right arrow of existing Infections listbox | PASSED | 0.195 s |
| 4 | Then Patient should be able enter the "Pneumonia" in the text box of existing infections | PASSED | 0.066 s |

Validate selecting Habits options from available to chosen




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient selects a habit in the list available | PASSED | 0.062 s |
| 2 | When Patient clicks the right arrow | PASSED | 0.179 s |
| 3 | And Patient selects one more option | PASSED | 0.037 s |
| 4 | And Patient clicks the right arrow | PASSED | 0.131 s |
| 5 | Then Patient should able to see the "Alcohol","Drugs" in the chosen list box | PASSED | 0.018 s |

Validate selecting Physical fitness options from available to chosen




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient selects a fitness option in the list available | PASSED | 0.141 s |
| 2 | When clicks on the right arrow | PASSED | 0.192 s |
| 3 | Then Patient should able to see the selected option "Yoga" in the fitness chosen list box | PASSED | 0.009 s |

Validate selecting Family History options more than one from available to chosen




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient selects more than one option holding shift from the list available | PASSED | 0.464 s |
| 2 | When Patient clicks on the right arrow of Family History | PASSED | 0.130 s |
| 3 | Then Patient should able to see the selected "Diabetes", "Thyroid" in the chosen list box | PASSED | 0.025 s |

Validate selecting Family History left arrow from chosen to available




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient selects an option holding from the list chosen | PASSED | 0.135 s |
| 2 | When Patient clicks on the left arrow of Family History | PASSED | 0.138 s |
| 3 | Then Patient should not be able to see the selected "Diabetes" in the chosen list box | PASSED | 0.010 s |

Validate Fitness Frequency DropDown




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on existing morbidities section | PASSED | 0.000 s |
| 2 | When Patient clicks on Fitness Frequency dropdown | PASSED | 0.027 s |
| 3 | Then Patient should be able to select an option from the Fitness Frequency dropdown | PASSED | 0.183 s |

Validate the Surgeries Checkbox




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on existing morbidities section | PASSED | 0.000 s |
| 2 | When Patient selects the surgeries check box | PASSED | 0.001 s |
| 3 | Then Patient should be able enter the text "Heart Surgery" in the text box | PASSED | 0.150 s |

Validate Immunization DropDown





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on existing morbidities section | PASSED | 0.001 s |
| 2 | When Patient clicks on Immunization dropdown | PASSED | 0.014 s |
| 3 | Then Patient should be able to select an option from the Immunization dropdown | PASSED | 0.189 s |

Validate the International Travel Checkbox





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on existing morbidities section | PASSED | 0.001 s |
| 2 | When Patient selects the International Travel check box | PASSED | 0.055 s |
| 3 | Then Patient should be able enter the "India" in the Enter Country Name text box | PASSED | 0.187 s |

Validating Medication and Vitals Information



| | | | | | |
|--------------------------------------|---------------------|-----------|---|------------|---|
| FAILED | DURATION - 11.833 s | Scenarios |  | Steps |  |
| / 3:37:37.048 PM // 3:37:48.881 PM / | | Total - 9 | | Total - 27 | |
| | | Pass - 8 | | Pass - 26 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

The Patient is logged in to Salesforce app(Sepsis)

| | | | | |
|---|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 0.133 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 3:37:37.048 PM // 3:37:37.181 PM / | | | | |
| Validating Medication and Vitals Information | | | | |
| @TS_02Medication @Vitals | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.001 s |
| 2 | When Patient clicks on Current Medication textbox | PASSED | 0.066 s |
| 3 | Then Patient enter "Vitamin D" in textbox | PASSED | 0.066 s |



Validate Temperature

| | | | | |
|---|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 0.107 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 3:37:37.188 PM // 3:37:37.295 PM /</div> | | | | |
| <div>Validating Medication and Vitals Information</div> | | | | |
| <div>@TS_03Temperature @Vitals</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on Temperature textBox | PASSED | 0.058 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | Then Patient enter Temperature "98.8" in textBox | PASSED | 0.047 s |

Validate Heart Rate

| | | | | |
|--|--------------------|--|---|---|
| PASSED | DURATION - 0.096 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 3:37:37.299 PM // 3:37:37.395 PM / | | | | |
| Validating Medication and Vitals Information | | | | |
| @TS_04HeartRate @Vitals | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on Heartrate textBox | PASSED | 0.058 s |
| 3 | Then Patient enter Heart Rate "90" in textBox | PASSED | 0.036 s |

Validate Respiratory Rate

| | | | | | | |
|--|--|--------------------|--|---|---|--|
| PASSED | | DURATION - 0.090 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 3:37:37.399 PM // 3:37:37.489 PM / | | | | | | |
| Validating Medication and Vitals Information | | | | | | |
| @TS_05RespiratoryRate @Vitals | | | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on Respiratory Rate textBox | PASSED | 0.054 s |
| 3 | Then Patient enter Reaspiratory Rate "15" in textBox | PASSED | 0.034 s |

Validate BP




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on BP textBox | PASSED | 0.056 s |
| 3 | Then Patient enter BP "110/80" in textBox | PASSED | 0.049 s |

Validate Glucose




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on Glucose dropdown | PASSED | 0.066 s |
| 3 | Then Patient select Glucose from dropdown | PASSED | 0.071 s |

Validate Glucose Value





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on Glucose Value textBox | PASSED | 0.031 s |
| 3 | Then Patient enter Glucose Value "100" in textBox | PASSED | 0.039 s |


Validate WBC





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on WBC textBox | PASSED | 0.177 s |
| 3 | Then Patient enter WBC "3000" in textBox | PASSED | 0.043 s |

Validate Save Button



| | | | | |
|--|---------------------|--|---|---|
| FAILED | DURATION - 10.832 s |  | Steps Total - 3 Pass - 2 Fail - 1 Skip - 0 |  |
| / 3:37:38.049 PM // 3:37:48.881 PM / | | | | |
| Validating Medication and Vitals Information | | | | |
| @TS_10ValidateSaveButton @Vitals | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on Sepsis App Patients page | PASSED | 0.000 s |
| 2 | When Patient clicks on save button | PASSED | 0.420 s |
| 3 | Then the form should be saved successfully by displaying a message org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on mac (8b4fbefc9ef37e2fe69d505cda4776bf)] -> xpath: //lightning-formatted-text[@slot='primaryField']] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at driverFactory.AbstractComponents.waitForElementToappear(AbstractComponents.java:26) at pageObjects.Vitals.getLastElementText(Vitals.java:256) at stepDefinitions.VitalsSD.the_form_should_be_saved_successfully_by_displaying_a_message(VitalsSD.java:120) at ?.the form should be saved successfully by displaying a message(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/04Vitals.feature:56) * Not displayable characters are replaced by '?'. | FAILED | 10.144 s |
| | AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) | PASSED | 0.265 s |
| | My screenshot  | | |

Validating the New Patient form with Valid/Invalid/MissingData

| | | | | | |
|--------------------------------------|----------------------------|------------|---|------------|---|
| FAILED | DURATION - 33.571 s | Scenarios |  | Steps |  |
| / 3:37:48.901 PM // 3:38:22.472 PM / | | Total - 15 | | Total - 46 | |
| | | Pass - 0 | | Pass - 12 | |
| | | Fail - 15 | | Fail - 15 | |
| | | Skip - 0 | | Skip - 19 | |

Validate the patient information form submission with missing data

| | | | | |
|---|---------------------|--|-----------|---|
| FAILED | DURATION - 33.436 s |  | Steps |  |
| / 3:37:48.901 PM // 3:38:22.337 PM / | | | Total - 4 | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | Pass - 0 | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_01ValidatingtheNewPatientformWithMissingData | | | Fail - 1 | |
| | | | Skip - 3 | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given Patient is on New patient form for entering patient details</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[@title='Close']' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at driverFactory.AbstractComponents.waitForElementToappear(AbstractComponents.java:26) at pageObjects.PatientObjectMandatory.succmsgCloseIcon(PatientObjectMandatory.java:313) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_details(PatientObjectMandatorySD.java:31) at ?.Patient is on New patient form for entering patient details(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:6) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@title='Close']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@title='Close']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre> | FAILED | 33.396 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at driverFactory.AbstractComponents.waitForElementToappear(AbstractComponents.java:26) at pageObjects.PatientObjectMandatory.succmsgCloselcon(PatientObjectMandatory.java:313) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_details(PatientObjectMandatorySD.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor158.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) | FAILED | 0.004 s |
| 2 | When Patient submits new patient form with missing data from "PatientDetails" and 0 | SKIPPED | 0.001 s |
| 3 | And Error message "We hit a snag." is displayed and review the following field | SKIPPED | 0.000 s |
| 4 | Then Error message "Complete this field." is displayed | SKIPPED | 0.001 s |

Validate the patient information form submission with invalid phonefield



| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.005 s</div> | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 3:38:22.352 PM // 3:38:22.357 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData a @TS_02ValidatingtheNewPatientformWithInvalidData | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.001 s |
| 2 | When Patient submits new patient form with invalid data for phone field from "PatientDetails" and 1 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},UnhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_phone_field_from_and(PatientObjectMandatorySD.java:69) at ?.Patient submits new patient form with invalid data for phone field from "PatientDetails" and 1(file:///Users/kalai/Documents/GitLab/ Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:18) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at applicationHooks.AppHooks.afterstep(AppHooks.java:45) | | |
| 3 | Then Error message "US phone numbers should be in this format: (999) 999-9999." is displayed under phone field | SKIPPED | 0.000 s |

Validate the patient information form submission with invalid character



| | | | | |
|---|--------------------|--|---|---|
| FAILED | DURATION - 0.005 s |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 3:38:22.363 PM // 3:38:22.368 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithInvalidCharacter* | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 2 | FAILED | 0.002 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(PatientObjectMandatorySD.java:92) at ?.Patient submits new patient form with invalid data for textfields from "PatientDetails" and 2(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:29) * Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre> | | |
| 3 | Then Error message "Please enter only Alphabets" is displayed under textfields | SKIPPED | 0.000 s |

Validate the patient information form submission with invalid data for BP



| | | | | | | |
|--|--|--------------------|--|--|---|---|
| FAILED | | DURATION - 0.005 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 3:38:22.374 PM // 3:38:22.379 PM / | | | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_04ValidatingtheNewPatientformWithInvalidBPdata | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | When Patient submits new patient form with invalid data for BP field from "PatientDetails" and 3 | FAILED | 0.002 s |
| | <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_BP_field_from_and(PatientObjectMandatorySD.java:114) at ?.Patient submits new patient form with invalid data for BP field from "PatientDetails" and 3(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:40) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre> | FAILED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre> | | |
| 3 | Then Error message "BP should be in Systolic and Diastolic" is displayed under BP field | SKIPPED | 0.000 s |

Validate the patient information form submission with invalid data

| | | | | |
|--|--------------------|---|---|--|
| FAILED | DURATION - 0.004 s |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 3:38:22.385 PM // 3:38:22.389 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_05ValidatingtheNewPatientformWithInvalidDOB | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.001 s |
| 2 | When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4 | FAILED | 0.001 s |
| | <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r/3/5_bhvbq55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source)</p> <p>at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)</p> <p>at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)</p> <p>at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465)</p> <p>at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308)</p> <p>at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(PatientObjectMandatorySD.java:136)</p> <p>at ?.Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:51)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> | FAILED | 0.001 s |
| | <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) | | |
| 3 | Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field | SKIPPED | 0.000 s |

Validate the patient information form submission with invalid data



| | | | |
|--|--|--|--|
| FAILED DURATION - 0.004 s / 3:38:22.393 PM // 3:38:22.397 PM / Validating the New Patient form with Valid/Invalid/MissingData @PatientInformationWithValidandInvalidAndMissingData @TS_06ValidatingtheNewPatientformWithInvalidExi * | | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 | |
|--|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.001 s |
| 2 | When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>(Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source)</p> <p>at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)</p> <p>at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)</p> <p>at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465)</p> <p>at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308)</p> <p>at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(PatientObjectMandatorySD.java:160)</p> <p>at ?.Patient submits new patient form entering other for morbidities from "PatientDetails" and 5(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:62)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) | | |
| 3 | Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity | SKIPPED | 0.001 s |



Validate attendance form submission with invalid data

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 0.006 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 3:38:22.401 PM // 3:38:22.407 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_07ValidatingtheNewPatientformWithInvalidEmail | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | When Patient submits new patient form with invalid email from "PatientDetails" and 6 | FAILED | 0.002 s |
| | <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvbq55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <p>at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_email_from_and(PatientObjectMandatorySD.java:183)</p> <p>at ?.Patient submits new patient form with invalid email from "PatientDetails" and 6(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:73)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)</p> <p>at applicationHooks.AppHooks.afterstep(AppHooks.java:45)</p> | FAILED | 0.003 s |
| 3 | Then Error message "You have entered an invalid format." is displayed under email | SKIPPED | 0.000 s |

Validate attendance form submission with valid data for Low risk



| | | | |
|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.003 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| <div>/ 3:38:22.411 PM // 3:38:22.414 PM /</div> | | | |
| <div>Validating the New Patient form with Valid/Invalid/MissingData</div> | | | |
| <div>@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF*</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| 1 | <p>Given Patient is on New patient form for entering patient info</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:50392/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)</pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:205) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre> | FAILED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | When Patient submits new patient form with valid data for low from "PatientDetails" and 7 | SKIPPED | 0.000 s |
| 3 | Then Patient can see the risk of sepsis status to be "LOW" on the saved form | SKIPPED | 0.000 s |

Validate attendance form submission with valid data for Low risk



| | | | | |
|--|--------------------|--|---|---|
| FAILED | DURATION - 0.004 s |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 3:38:22.420 PM // 3:38:22.424 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF* | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given Patient is on New patient form for entering patient info</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</pre> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:205) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre> | | |
| 2 | When Patient submits new patient form with valid data for low from "PatientDetails" and 8 | SKIPPED | 0.000 s |
| 3 | Then Patient can see the risk of sepsis status to be "LOW" on the saved form | SKIPPED | 0.000 s |

Validate attendance form submission with valid data for Medium risk



| | | | | |
|---|---------------------------|--|---|---|
| FAILED | DURATION - 0.003 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 3:38:22.432 PM // 3:38:22.435 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_09ValidatingtheNewPatientformWithValidDataF* | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | When Patient submits new patient form with valid data for medium from "PatientDetails" and 9 <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//div[contains(text(),'New')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:50392/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_medium_from_and(PatientObjectMandatorySD.java:237) at ?.Patient submits new patient form with valid data for medium from "PatientDetails" and 9(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:94) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre> | | |
| 3 | Then Patient can see the risk of sepsis status to be "Medium" on the saved patient form | SKIPPED | 0.000 s |

Validate attendance form submission with valid data for Medium risk



| | | | | |
|--|---------------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 3:38:22.438 PM // 3:38:22.442 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_09ValidatingtheNewPatientformWithValidDataF* | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.001 s |
| 2 | When Patient submits new patient form with valid data for medium from "PatientDetails" and 10 | FAILED | 0.002 s |
| | <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//div[contains(text(),'New')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/ folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf atjdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_medium_from_and(PatientObjectMandatorySD.java:237) at ?.Patient submits new patient form with valid data for medium from "PatientDetails" and 10(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:94) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45)</pre> | | |
| 3 | Then Patient can see the risk of sepsis status to be "Medium" on the saved patient form | SKIPPED | 0.000 s |

Validate attendance form submission with valid data for High risk

| | | | | |
|--|--------------------|---|---|--|
| FAILED | DURATION - 0.003 s |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 3:38:22.445 PM // 3:38:22.448 PM / | | | | |
| Validating the New Patient form with Valid/Invalid/MissingData | | | | |
| @PatientInformationWithValidandInvalidAndMissingData @TS_10ValidatingtheNewPatientformWithValidDataF * | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | When Patient submits new patient form with valid data for high from "PatientDetails" and 11 | FAILED | 0.001 s |
| | <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//div[contains(text(),'New')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109,</pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_high_from_and(PatientObjectMandatorySD.java:261) at ?.Patient submits new patient form with valid data for high from "PatientDetails" and 11(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:105) * Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</p> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) | | |
| 3 | Then Patient can see the risk of sepsis field to be "High" on the saved form | SKIPPED | 0.000 s |

Validate attendance form submission with valid data for High risk

| | | | |
|---|--|--|--|
| FAILED DURATION - 0.003 s / 3:38:22.453 PM // 3:38:22.456 PM / Validating the New Patient form with Valid/Invalid/MissingData @PatientInformationWithValidandInvalidAndMissingData @TS_10ValidatingtheNewPatientformWithValidDataF* | | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 | |
|---|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | When Patient submits new patient form with valid data for high from "PatientDetails" and 12 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//div[contains(text(),'New')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source)</p> <p>at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)</p> <p>at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)</p> <p>at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465)</p> <p>at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223)</p> <p>at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_for_high_from_and(PatientObjectMandatorySD.java:261)</p> <p>at ?.Patient submits new patient form with valid data for high from "PatientDetails" and 12(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:105)</p> <p>* Not displayable characters are replaced by '?'.</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:50392/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre> | FAILED | 0.001 s |
| 3 | Then Patient can see the risk of sepsis field to be "High" on the saved form | SKIPPED | 0.000 s |



Validate attendance form submission with valid data for Critical risk

| | | | |
|---|--|--|--|
| FAILED DURATION - 0.003 s / 3:38:22.461 PM // 3:38:22.464 PM / Validating the New Patient form with Valid/Invalid/MissingData @PatientInformationWithValidandInvalidAndMissingDat- a @TS_11ValidatingtheNewPatientformWithValidDataF * | | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 | |
|---|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | <p>When Patient submits new patient form with valid data for critical from "PatientDetails" and 13</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//div[contains(text(),'New')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/ folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. </pre> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <p>patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:284) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 13(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:116) * Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf atjdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </p> | FAILED | 0.001 s |
| 3 | Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form | SKIPPED | 0.000 s |



Validate attendance form submission with valid data for Critical risk

| | | | |
|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.002 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| <div>/ 3:38:22.470 PM // 3:38:22.472 PM /</div> | | | |
| <div>Validating the New Patient form with Valid/Invalid/MissingData</div> | | | |
| <div>@PatientInformationWithValidandInvalidAndMissingData @TS_11ValidatingtheNewPatientformWithValidDataF*</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Patient is on same patient form | PASSED | 0.000 s |
| 2 | When Patient submits new patient form with valid data for critical from "PatientDetails" and 14 <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//div[contains(text(),'New')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:284) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 14(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:116) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre> | FAILED | 0.000 s |
| 3 | Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form | SKIPPED | 0.000 s |

Validitate Blood Profile upload files

| | | | | | |
|--------------------------------------|---------------------------|-----------|---|-----------|---|
| FAILED | DURATION - 0.002 s | Scenarios |  | Steps |  |
| / 3:38:22.476 PM // 3:38:22.478 PM / | | Total - 1 | | Total - 3 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

Validitate Blood Profile upload files

| | | | | |
|---|--|--|----------------------|---|
| <div>FAILED</div> <div>DURATION - 0.002 s</div> | |  | Steps |  |
| / 3:38:22.476 PM // 3:38:22.478 PM / | | | Total - 3 | |
| Validitate Blood Profile upload files | | | Pass - 0 | |
| @TS_01ValiditateBloodProfileuploadfiles @UploadBloodReport | | | Fail - 1 Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given Patient is on related tab in saved patient form</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, findElement {using=xpath, value=//tbody/tr[1]/th[1]/span[1]/a[1]}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at java.lang.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.UploadFileBloodReport.selectPatientId(UploadFileBloodReport.java:78) at stepDefinitions.UploadFileBloodReportSD.patient_is_on_related_tab_in_saved_patient_form(UploadFileBloodReportSD.java:22) at ?.Patient is on related tab in saved patient form(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/ 06UploadFileBloodReport.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8b4fbefc9ef37e2fe69d505cda4776bf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50392/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8b4fbefc9ef37e2fe69d505cda4776bf at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) | | |
| 2 | When Patient clicks on the upload file option | SKIPPED | 0.000 s |
| 3 | Then Patient should able to upload a file with a successful message "1 file was uploaded." | SKIPPED | 0.000 s |