

# Cucumber Report

Dec 17, 2023, 7:25:35 PM

**Start : Dec 17, 7:19:53.253 PM**

**End : Dec 17, 7:25:35.319 PM**

**Duration : 5 m 42.066 s**

Features







PASSED - 5  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 33  
FAILED - 11  
SKIPPED - 0

Steps

PASSED - 111  
FAILED - 11  
SKIPPED - 17



<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>SalesforceLoginSepsisapp</u>	10.553 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient information</u>	5.070 s	5	5	0	0	15	15	0	0
<u>Validitate Existing Morbidities</u>	3.812 s	13	13	0	0	44	44	0	0
<u>Validating Medication and Vitals Information</u>	2.316 s	9	9	0	0	27	27	0	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	5 m 19.782 s	15	4	11	0	46	18	11	17
<u>Validitate Blood Profile upload files</u>	0.446 s	1	1	0	0	3	3	0	0


#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid data</u>
2		<u>Validate the patient information form submission with invalid data</u>
3		<u>Validate patient information form submission with invalid data</u>
4		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
5		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
6		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
7		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
8		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
9		<u>Validate patient information form submission with valid data for risk of Sepsis</u>

#	Feature Name	Scenario Name
10	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate attendance form submission with valid data for Critical risk</u>
11		<u>Validate attendance form submission with valid data for Critical risk</u>


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TS_01LoginPage		1	1	0	0	1	1	0	0
@Login		1	1	0	0	1	1	0	0
@TS_01_ValidatePersonalInfo		1	1	0	0	1	1	0	0
@NewPatientInformation		5	5	0	0	1	1	0	0
@TS_02_ValidateContactInfo		1	1	0	0	1	1	0	0
@TS_03_ValidateEmergencycontact		1	1	0	0	1	1	0	0
@TS_04_ValidateProviderInformation		1	1	0	0	1	1	0	0
@TS_05_ValidateMedicalHistory		1	1	0	0	1	1	0	0
@TS_01ValidateExistingMorbidities-availabletochosen		1	1	0	0	1	1	0	0
@ExistingMorbidities		13	13	0	0	1	1	0	0
@TS_02ValidateUndoExistingMorbidities		1	1	0	0	1	1	0	0
@TS_03ValidateTheotherTextbox		1	1	0	0	1	1	0	0
@TS_04ValidateTheAllergyCheckbox		1	1	0	0	1	1	0	0
@TS_05ValidateTheotherTextboxinExistingInfections		1	1	0	0	1	1	0	0
@TS_06ValidateHabitsOption-availabletochosen		1	1	0	0	1	1	0	0
@TS_07ValidatePhysicalFitnessoption-availabletochosen		1	1	0	0	1	1	0	0
@TS_08ValidateFamilyHistory-moreoptionsavailabletochosen		1	1	0	0	1	1	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@TS_09ValidateFamilyHistory-leftarrowbtn	1	1	0	0	1	1	0	0
@TS_10ValidateFitnessFrequencyDropDown	1	1	0	0	1	1	0	0
@TS_11ValidateTheSurgeriesCheckbox	1	1	0	0	1	1	0	0
@TS_12ValidateImmunizationDropDown	1	1	0	0	1	1	0	0
@TS_13ValidateInternationalTravelCheckbox	1	1	0	0	1	1	0	0
@TS_02Medication	1	1	0	0	1	1	0	0
@Vitals	9	9	0	0	1	1	0	0
@TS_03Temparature	1	1	0	0	1	1	0	0
@TS_04HeartRate	1	1	0	0	1	1	0	0
@TS_05RespiratoryRate	1	1	0	0	1	1	0	0
@TS_06BP	1	1	0	0	1	1	0	0
@TS_07Glucose	1	1	0	0	1	1	0	0
@TS_08GlucoseValue	1	1	0	0	1	1	0	0
@TS_09WBC	1	1	0	0	1	1	0	0
@TS_10ValidateSaveButton	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	15	4	11	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@TS_02ValidatingtheNewPatientformWithInvalidData	1	1	0	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithInvalidCharacter	1	1	0	0	1	0	1	0
@TS_04ValidatingtheNewPatientformWithInvalidBPdata	1	1	0	0	1	0	1	0
@TS_05ValidatingtheNewPatientformWithInvalidDOB	1	0	1	0	1	0	1	0
@TS_06ValidatingtheNewPatientformWithInvalidExisMorb	1	0	1	0	1	0	1	0
@TS_07ValidatingtheNewPatientformWithInValidEmail	1	0	1	0	1	0	1	0
@TS_08ValidatingtheNewPatientformWithValidDataForSepsisStatus	6	0	6	0	1	0	1	0
@TS_09ValidatingtheNewPatientformWithValidDataForCritical	2	0	2	0	1	0	1	0
@TS_01ValiditateBloodProfileuploadfiles	1	1	0	0	1	1	0	0
@UploadBloodReport	1	1	0	0	1	1	0	0



#	<b>Feature Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	10.553 s
2	<u>Validating the New Patient information</u>	5	5	0	0	5.070 s
3	<u>Validitate Existing Morbidities</u>	13	13	0	0	3.812 s
4	<u>Validating Medication and Vitals Information</u>	9	9	0	0	2.316 s
5	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	15	4	11	0	5 m 19.782 s
6	<u>Validitate Blood Profile upload files</u>	1	1	0	0	0.446 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	10.552 s
2	<u>Validating the New Patient information</u>	<u>Validating the PersonalInfo</u>	3	3	0	0	2.968 s
3		<u>Validating the contactinfo</u>	3	3	0	0	0.776 s
4		<u>Validating the EmergencyContact</u>	3	3	0	0	0.338 s
5		<u>Validating the ProviderInformation</u>	3	3	0	0	0.487 s
6		<u>Validating the EmergencyContact</u>	3	3	0	0	0.466 s
7	<u>Validitate Existing Morbidities</u>	<u>Validate Existing Morbidities available to chosen</u>	4	4	0	0	0.269 s
8		<u>Validate the Undo button on Existing Morbidities</u>	3	3	0	0	0.072 s
9		<u>Validate the Other textbox</u>	4	4	0	0	0.321 s
10		<u>Validate the Allergy Checkbox</u>	3	3	0	0	0.275 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validate Existing Morbidities</u>	<u>Validate the Other textbox in Existing Infections</u>	4	4	0	0	0.321 s
12		<u>Validate selecting Habits options from available to chosen</u>	5	5	0	0	0.428 s
13		<u>Validate selecting Physical fitness options from available to chosen</u>	3	3	0	0	0.338 s
14		<u>Validate selecting Family History options more than one from available to chosen</u>	3	3	0	0	0.618 s
15		<u>Validate selecting Family History left arrow from chosen to available</u>	3	3	0	0	0.267 s
16		<u>Validate Fitness Frequency DropDown</u>	3	3	0	0	0.216 s
17		<u>Validate the Surgeries Checkbox</u>	3	3	0	0	0.149 s
18		<u>Validate Immunization DropDown</u>	3	3	0	0	0.220 s
19		<u>Validate the International Travel Checkbox</u>	3	3	0	0	0.245 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
20	<u>Validating Medication and Vitals Information</u>	<u>The Patient is logged in to Saleforce app(Sepsis)</u>	3	3	0	0	0.128 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Validating Medication and Vitals Information</u>	<u>Validate Temperature</u>	3	3	0	0	0.104 s
22		<u>Validate Heart Rate</u>	3	3	0	0	0.094 s
23		<u>Validate Respiratory Rate</u>	3	3	0	0	0.094 s
24		<u>Validate BP</u>	3	3	0	0	0.112 s
25		<u>Validate Glucose</u>	3	3	0	0	0.142 s
26		<u>Validate Glucose Value</u>	3	3	0	0	0.072 s
27		<u>Validate WBC</u>	3	3	0	0	0.223 s
28		<u>Validate Save Button</u>	3	3	0	0	1.311 s
29	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	4	0	0	2.913 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		<u>Validate the patient information form submission with invalid phonefield</u>	3	3	0	0	3.142 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid character</u>	3	3	0	0	3.054 s
32		<u>Validate the patient information form submission with invalid data for BP</u>	3	3	0	0	2.951 s
33		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	33.050 s
34		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	30.287 s
35		<u>Validate patient information form submission with invalid data</u>	3	1	1	1	30.295 s
36		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	0	1	2	30.269 s
37		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	0	1	2	30.323 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
38		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	0	1	2	30.282 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	0	1	2	30.309 s
40		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	0	1	2	30.298 s
41		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	0	1	2	30.283 s
42		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	1.206 s
43		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	30.998 s
44	<u>Validitate Blood Profile upload files</u>	<u>Validitate Blood Profile upload files</u>	3	3	0	0	0.446 s

## SalesforceLoginSepsisapp

PASSED	DURATION - 10.553 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:19:53.253 PM // 7:20:03.806 PM /					

## Validate loginPage


PASSED	DURATION - 10.552 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:19:53.254 PM // 7:20:03.806 PM /					
SalesforceLoginSepsisapp					
@TS_01LoginPage @Login					

#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.523 s
2	When The patient enter valid "username" and "password"	PASSED	0.153 s
3	And The user click on login button	PASSED	8.635 s
4	Then The user redirected to SalesForceHomepage	PASSED	1.232 s

## Validating the New Patient information


PASSED	DURATION - 5.070 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 7:20:03.849 PM // 7:20:08.919 PM /					

## Validating the PersonalInfo





#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form	PASSED	1.915 s
2	When Patient enters "Kelly", "Rob", Gender, Race, "11/1/2023" and "atena4656" on personal information	PASSED	0.847 s
3	Then Patient can see the "Kelly", "Rob", "11/1/2023", "atena4656" and other details entered on personal information	PASSED	0.203 s

### Validating the contactinfo





#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters the "815-456-9999", "kelly@gmail.com", "United States", "Egmore St", "Bayarea" and "77433" on contact information	PASSED	0.662 s
3	Then Patient can see the "815-456-9999", "kelly@gmail.com", "United States", "Egmore St", "Bayarea" and "77433" entered on contact information	PASSED	0.110 s

### Validating the EmergencyContact

PASSED	DURATION - 0.338 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:07.613 PM // 7:20:07.951 PM /				
Validating the New Patient information				
@TS_03_ValidateEmergencycontact @NewPatientInformation				


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "Kiya" and "716-456-7890"	PASSED	0.318 s
3	Then Patient can see the "Kiya" and "716-456-7890" entered on emergency contact info	PASSED	0.018 s

### Validating the ProviderInformation

PASSED	DURATION - 0.487 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:07.960 PM // 7:20:08.447 PM /				
Validating the New Patient information				
@TS_04_ValidateProviderInformation @NewPatientInformation				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com"	PASSED	0.450 s
3	Then Patient can see the "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com" entered on provider information	PASSED	0.034 s

### Validating the EmergencyContact




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters "12.00" and "60" on medical history	PASSED	0.442 s
3	Then Patient can see the "12.00" and "60" entered on medical history	PASSED	0.021 s

## Validate Existing Morbidities




## Validate Existing Morbidities available to chosen



#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects an existing morbidity in the list available	PASSED	0.066 s


#	Step / Hook Details	Status	Duration
3	And clicks the right arrow	PASSED	0.191 s
4	Then Patient should able to see the selected option "High Cholesterol" in the chosen list box	PASSED	0.008 s

### Validate the Undo button on Existing Morbidities





#	Step / Hook Details	Status	Duration
1	Given Patient is on chosen list box of existing morbidities	PASSED	0.000 s
2	When Patient clicks on undo button	PASSED	0.057 s
3	Then Patient should be able to see the error msg "An option must be selected"	PASSED	0.012 s

### Validate the Other textbox




#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.000 s
2	When Patient selects "other" as an existing morbidity in the list available	PASSED	0.046 s
3	And clicks the right arrow of existing morbidities listbox	PASSED	0.201 s
4	Then Patient should be able enter the "Sinusitis" in the text box	PASSED	0.073 s

## Validate the Allergy Checkbox

PASSED	DURATION - 0.275 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:09.618 PM // 7:20:09.893 PM /				
<i>Validate Existing Morbidities</i>				
@TS_04ValidateTheAllergyCheckbox @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.000 s
2	When Patient selects the allergy check box	PASSED	0.067 s
3	Then Patient should be able enter the text "peanuts" in the text box	PASSED	0.205 s

## Validate the Other textbox in Existing Infections

PASSED	DURATION - 0.321 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:20:09.899 PM // 7:20:10.220 PM /				
<i>Validate Existing Morbidities</i>				
@TS_05ValidateTheotherTextboxinExistingInfections @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.000 s
2	When Patient selects an existing infection in the list available	PASSED	0.035 s
3	And clicks the right arrow of existing Infections listbox	PASSED	0.188 s
4	Then Patient should be able enter the "Pneumonia" in the text box of existing infections	PASSED	0.095 s

## Validate selecting Habits options from available to chosen





#	Step / Hook Details	Status	Duration
1	Given Patient selects a habit in the list available	PASSED	0.071 s
2	When Patient clicks the right arrow	PASSED	0.178 s
3	And Patient selects one more option	PASSED	0.036 s
4	And Patient clicks the right arrow	PASSED	0.125 s
5	Then Patient should able to see the "Alcohol", "Drugs" in the chosen list box	PASSED	0.015 s

### Validate selecting Physical fitness options from available to chosen





#	Step / Hook Details	Status	Duration
1	Given Patient selects a fitness option in the list available	PASSED	0.142 s
2	When clicks on the right arrow	PASSED	0.182 s
3	Then Patient should able to see the selected option "Yoga" in the fitness chosen list box	PASSED	0.012 s

### Validate selecting Family History options more than one from available to chosen

PASSED	DURATION - 0.618 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:11.003 PM // 7:20:11.621 PM /				
<i>Validate Existing Morbidities</i>				
@TS_08ValidateFamilyHistory- moreoptionsavailabletochosen @ExistingMorbidities				



#	Step / Hook Details	Status	Duration
1	Given Patient selects more than one option holding shift from the list available	PASSED	0.467 s
2	When Patient clicks on the right arrow of Family History	PASSED	0.127 s
3	Then Patient should able to see the selected "Diabetes", "Thyroid" in the chosen list box	PASSED	0.022 s

### Validate selecting Family History left arrow from chosen to available

PASSED	DURATION - 0.267 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:11.626 PM // 7:20:11.893 PM /				
<i>Validate Existing Morbidities</i>				
@TS_09ValidateFamilyHistory-leftarrowbtn @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient selects an option holding from the list chosen	PASSED	0.126 s
2	When Patient clicks on the left arrow of Family History	PASSED	0.132 s
3	Then Patient should not be able to see the selected "Diabetes" in the chosen list box	PASSED	0.009 s

### Validate Fitness Frequency DropDown

PASSED	DURATION - 0.216 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:11.901 PM // 7:20:12.117 PM /				
<i>Validate Existing Morbidities</i>				
@TS_10ValidateFitnessFrequencyDropDown @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Fitness Frequency dropdown	PASSED	0.024 s
3	Then Patient should be able to select an option from the Fitness Frequency dropdown	PASSED	0.189 s

### Validate the Surgeries Checkbox

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:12.122 PM // 7:20:12.271 PM /				
<i>Validate Existing Morbidities</i>				
@TS_11ValidateTheSurgeriesCheckbox @ExistingMorbidities				



#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient selects the surgeries check box	PASSED	0.000 s
3	Then Patient should be able enter the text "Heart Surgery" in the text box	PASSED	0.147 s

### Validate Immunization DropDown

PASSED	DURATION - 0.220 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:12.275 PM // 7:20:12.495 PM /				
<i>Validate Existing Morbidities</i>				
@TS_12ValidateImmunizationDropDown @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Immunization dropdown	PASSED	0.012 s
3	Then Patient should be able to select an option from the Immunization dropdown	PASSED	0.208 s

### Validate the International Travel Checkbox


PASSED	DURATION - 0.245 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:12.501 PM // 7:20:12.746 PM /				
<i>Validate Existing Morbidities</i>				
@TS_13ValidateInternationalTravelCheckbox @ExistingMorbidities				

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient selects the International Travel check box	PASSED	0.056 s
3	Then Patient should be able enter the "India" in the Enter Country Name text box	PASSED	0.187 s

### Validating Medication and Vitals Information


PASSED	DURATION - 2.316 s	Scenarios Total - 9 Pass - 9 Fail - 0 Skip - 0		Steps Total - 27 Pass - 27 Fail - 0 Skip - 0	
/ 7:20:12.752 PM // 7:20:15.068 PM /					

### The Patient is logged in to Salesforce app(Sepsis)

PASSED	DURATION - 0.128 s	0.15 0.1 .05 0	1 2 3	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:12.752 PM // 7:20:12.880 PM /					
Validating Medication and Vitals Information					
@TS_02Medication @Vitals					

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Current Medication textbox	PASSED	0.063 s
3	Then Patient enter "Vitamin D" in textbox	PASSED	0.064 s


### Validate Temperature

PASSED	DURATION - 0.104 s	0.15 0.1 .05 0	1 2 3	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:12.884 PM // 7:20:12.988 PM /					
Validating Medication and Vitals Information					
@TS_03Temparature @Vitals					

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Temperature textBox	PASSED	0.059 s


#	Step / Hook Details	Status	Duration
3	Then Patient enter Temperature "98.8" in textBox	PASSED	0.043 s

### Validate Heart Rate




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Heartrate textBox	PASSED	0.057 s
3	Then Patient enter Heart Rate "90" in textBox	PASSED	0.034 s

### Validate Respiratory Rate




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Respiratory Rate textBox	PASSED	0.055 s
3	Then Patient enter Reaspiratory Rate "15" in textBox	PASSED	0.036 s

### Validate BP




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on BP textBox	PASSED	0.059 s
3	Then Patient enter BP "110/80" in textBox	PASSED	0.051 s

### Validate Glucose




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Glucose dropdown	PASSED	0.066 s
3	Then Patient select Glucose from dropdown	PASSED	0.074 s

### Validate Glucose Value




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Glucose Value textBox	PASSED	0.032 s
3	Then Patient enter Glucose Value "100" in textBox	PASSED	0.038 s

### Validate WBC



#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on WBC textBox	PASSED	0.179 s
3	Then Patient enter WBC "3000" in textBox	PASSED	0.044 s

### Validate Save Button




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on save button	PASSED	0.441 s
3	Then the form should be saved successfully by displaying a message	PASSED	0.869 s

### Validating the New Patient form with Valid/Invalid/MissingData




### Validate the patient information form submission with missing data



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient details	PASSED	0.134 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	2.607 s


#	Step / Hook Details	Status	Duration
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.157 s
4	Then Error message "Complete this field." is displayed	PASSED	0.012 s

### Validate the patient information form submission with invalid phonefield

PASSED	DURATION - 3.142 s	 Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:17.994 PM // 7:20:21.136 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData	


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for phone field from "PatientDetails" and 1	PASSED	3.128 s
3	Then Error message "US phone numbers should be in this format: (999) 999-9999." is displayed under phone field	PASSED	0.012 s

### Validate the patient information form submission with invalid character

PASSED	DURATION - 3.054 s	 Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:21.141 PM // 7:20:24.195 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithInvalidCha*	



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 2	PASSED	3.042 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	PASSED	0.011 s

### Validate the patient information form submission with invalid data for BP

PASSED	DURATION - 2.951 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:20:24.200 PM // 7:20:27.151 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingDat-a @TS_04ValidatingtheNewPatientformWithInvalidBPdata		

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for BP field from "PatientDetails" and 3	PASSED	2.940 s
3	Then Error message "BP should be in Systolic and Diastolic" is displayed under BP field	PASSED	0.010 s


### Validate the patient information form submission with invalid data

FAILED	DURATION - 33.050 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:20:27.162 PM // 7:21:00.212 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingDat-a @TS_05ValidatingtheNewPatientformWithInvalidDOB		

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='fieldLevelErrors']//a[text()='DOB']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using=xpath, value=/div[@class='fieldLevelErrors']//a[text()='DOB']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	32.768 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source)     at pageObjects.PatientObjectMandatory.reviewInvalidDOBClick(PatientObjectMandatory.java:389)     at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(PatientObjectMandatorySD.java:149)     at ?.Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:51) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.280 s
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s


### Validate the patient information form submission with invalid data




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	<p>When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using=xpath, value=/button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	30.031 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(PatientObjectMandatorySD.java:163)     at ?.Patient submits new patient form entering other for morbidities from "PatientDetails" and 5(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:62) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.252 s
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.000 s


### Validate patient information form submission with invalid data



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	<p>When Patient submits new patient form with invalid email from "PatientDetails" and 6</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using=xpath, value=/button[@name='CancelEdit']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)</pre>	FAILED	30.037 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_email_from_and(PatientObjectMandatorySD.java:186) at ?.Patient submits new patient form with invalid email from "PatientDetails" and 6(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:73) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.253 s
3	Then Error message "You have entered an invalid format." is displayed under email	SKIPPED	0.001 s

## Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using=xpath, value=/button[@name='CancelEdit']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</pre>	FAILED	30.019 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:208) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.249 s

#	Step / Hook Details	Status	Duration
2	When Patient submits new patient form with valid data from "PatientDetails" and 7	SKIPPED	0.000 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.000 s


### Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	<p>Given Patient is on New patient form for entering patient info</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using&gt;xpath, value://button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	30.063 s

#	Step / Hook Details	Status	Duration
1	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:208) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.257 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 8	SKIPPED	0.000 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.000 s


## Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	<p>Given Patient is on New patient form for entering patient info</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using&gt;xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	30.030 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:208) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.251 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 9	SKIPPED	0.001 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.000 s


### Validate patient information form submission with valid data for risk of Sepsis



#	Step / Hook Details	Status	Duration
1	<p>Given Patient is on New patient form for entering patient info</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using&gt;xpath, value=/button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465)</pre>	FAILED	30.053 s

#	Step / Hook Details	Status	Duration
	<pre>at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:208) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.255 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 10	SKIPPED	0.000 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.000 s

### Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	<p>Given Patient is on New patient form for entering patient info</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using&gt;xpath, value=//button[@name='CancelEdit']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractivity: false,</pre>	FAILED	30.026 s

#	Step / Hook Details	Status	Duration
	<pre>timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:208) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.268 s

#	Step / Hook Details	Status	Duration
2	When Patient submits new patient form with valid data from "PatientDetails" and 11	SKIPPED	0.000 s
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s


### Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	<p>Given Patient is on New patient form for entering patient info</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using&gt;xpath, value://button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	30.026 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:325) at stepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:208) at ?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.254 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 12	SKIPPED	0.000 s
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s


## Validate attendance form submission with valid data for Critical risk




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	<p>When Patient submits new patient form with valid data for critical from "PatientDetails" and 13</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, sendKeysToElement {id=D04FE0F75202B2C93D0114F0670AE736_element_1593, value=[Ljava.lang.CharSequence;@6c8b6782}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (f33bf9347edc2878c66cff902aa4e0e8)] -&gt; xpath: //input[@name='DOB__c']] Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre>	FAILED	0.958 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.sendKeys(Unknown Source) at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:447) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:248)   at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 13(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:98) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.247 s
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

### Validate attendance form submission with valid data for Critical risk




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data for critical from "PatientDetails" and 14 <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='Email_c']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f33bf9347edc2878c66cff902aa4e0e8, findElement {using=xpath, value="//input[@name='Email_c']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: </pre>	FAILED	30.756 s

#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51114/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f33bf9347edc2878c66cff902aa4e0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.sendKeys(Unknown Source) at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:449) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:248) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 14(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:98) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.240 s
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

## Validate Blood Profile upload files



## Validate Blood Profile upload files



#	Step / Hook Details	Status	Duration
1	Given Patient is on related tab in saved patient form	PASSED	0.444 s
2	When Patient clicks on the upload file option	PASSED	0.000 s
3	Then Patient should able to upload a file with a successful message "1 file was uploaded."	PASSED	0.000 s