

Cucumber Report

Dec 3, 2023, 11:29:23 PM

Start : Dec 03, 11:28:37.350 PM

End : Dec 03, 11:29:22.989 PM

Duration : 45.639 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 4
SKIPPED - 0

PASSED - 12
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SalesforceLoginSepsisapp</u>	9.700 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	35.893 s	5	1	4	0	16	8	4	4

#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid data</u>
2		<u>Validate the patient information form submission with invalid data</u>
3		<u>Validate the patient information form submission with invalid data</u>
4		<u>Validate attendance form submission with valid data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TS_01LoginPage	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	5	1	4	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	9.700 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	5	1	4	0	35.893 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	9.699 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	4	0	0	2.354 s
3		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	32.747 s
4		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.257 s
5		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.241 s
6		<u>Validate attendance form submission with valid data</u>	3	1	1	1	0.247 s

SalesforceLoginSepsisapp



PASSED	DURATION - 9.700 s	Scenarios		Steps	
/ 11:28:37.350 PM // 11:28:47.050 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validate loginPage

<div>PASSED</div> <div>DURATION - 9.699 s</div>	<div></div>	Steps	<div></div>
<div>/ 11:28:37.351 PM // 11:28:47.050 PM /</div>		Total - 4	
<div>SalesforceLoginSepsisapp</div>		Pass - 4	
<div>@TS_01LoginPage @Login</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.520 s
2	When The patient enter valid "username" and "password"	PASSED	0.141 s
3	And The user click on login button	PASSED	7.262 s
4	Then The user redirected to SalesforceHomepage	PASSED	1.764 s

Validating the New Patient form with Valid/Invalid/MissingData

FAILED	DURATION - 35.893 s	Scenarios		Steps	
/ 11:28:47.096 PM // 11:29:22.989 PM /		Total - 5		Total - 16	
		Pass - 1		Pass - 8	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 4	

Validate the patient information form submission with missing data


<div>PASSED</div> <div>DURATION - 2.354 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.103</td></tr><tr><td>2</td><td>2.071</td></tr><tr><td>3</td><td>0.164</td></tr><tr><td>4</td><td>0.011</td></tr></tbody></table></div>	Step	Duration (s)	1	0.103	2	2.071	3	0.164	4	0.011	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step		Duration (s)											
1		0.103											
2		2.071											
3	0.164												
4	0.011												
<div>/ 11:28:47.097 PM // 11:28:49.451 PM /</div>													
<div>Validating the New Patient form with Valid/Invalid/MissingData</div>													
<div>@PatientInformationWithValidandInvalidAndMissingData a @TS_01ValidatingtheNewPatientformWithMissingData</div>													

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	PASSED	0.103 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	2.071 s
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.164 s
4	Then Error message "Complete this field." is displayed	PASSED	0.011 s



Validate the patient information form submission with invalid data

FAILED		DURATION - 32.747 s		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.001</td></tr><tr><td>2</td><td>32.441</td></tr></tbody></table>	Step	Duration (s)	1	0.001	2	32.441	Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.001</td></tr><tr><td>2</td><td>32.441</td></tr></tbody></table>	Step	Duration (s)	1	0.001	2	32.441
Step	Duration (s)																	
1	0.001																	
2	32.441																	
Step	Duration (s)																	
1	0.001																	
2	32.441																	
/ 11:28:49.462 PM // 11:29:22.209 PM /																		
Validating the New Patient form with Valid/Invalid/MissingData																		
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData																		


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 1 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='fieldLevelErrors']/a[text()='Last Name']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98a981491574ea677b51c0515b00d443, findElement {using=xpath, value=//div[@class='fieldLevelErrors']/a[text()='Last Name']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: /var/folders/r3/5_bhvbq55bq...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59990}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:59990/devtoo..., se.cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,	FAILED	32.441 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 98a981491574ea677b51c0515b00d443</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy33.click(Unknown Source) at pageObjects.PatientObjectMandatory.reviewInvalidFieldClick(PatientObjectMandatory.java:230) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(PatientObjectMandatorySD.java:77) at ?.Patient submits new patient form with invalid data for textfields from "PatientDetails" and 1(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectWithValidInvalid.feature:18) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.301 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

FAILED		DURATION - 0.257 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:29:22.230 PM // 11:29:22.487 PM /						
Validating the New Patient form with Valid/Invalid/MissingData						
@PatientInformationWithValidandInvalidAndMissingData a @TS_02ValidatingtheNewPatientformWithInvalidData						

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 2 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for DOB from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)</p> <pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.253 s


#	Step / Hook Details	Status	Duration
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

Validate the patient information form submission with invalid data



FAILED		DURATION - 0.241 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div>
/ 11:29:22.494 PM // 11:29:22.735 PM /					
Validating the New Patient form with Valid/Invalid/MissingData					
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData					

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 3 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form entering other for morbidities from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)</p> <pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.237 s
	My screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.000 s

Validate attendance form submission with valid data

FAILED		DURATION - 0.247 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:29:22.742 PM // 11:29:22.989 PM /						
Validating the New Patient form with Valid/Invalid/MissingData						
@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithValidData						

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 4 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with valid data from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.245 s
	My screenshot		
			
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.000 s