

Cucumber Report

Dec 3, 2023, 11:28:58 PM

Start : Dec 03, 11:25:53.636 PM

End : Dec 03, 11:28:57.994 PM

Duration : 3 m 4.358 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 4
SKIPPED - 0

PASSED - 12
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SalesforceLoginSepsisapp</u>	9.509 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	2 m 54.802 s	5	1	4	0	16	8	4	4

#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid data</u>
2		<u>Validate the patient information form submission with invalid data</u>
3		<u>Validate the patient information form submission with invalid data</u>
4		<u>Validate attendance form submission with valid data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TS_01LoginPage	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	5	1	4	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	9.509 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	5	1	4	0	2 m 54.802 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	9.508 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	4	0	0	2 m 17.135 s
3		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	36.846 s
4		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.239 s
5		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.262 s
6		<u>Validate attendance form submission with valid data</u>	3	1	1	1	0.256 s

SalesforceLoginSepsisapp



PASSED	DURATION - 9.509 s	Scenarios		Steps	
/ 11:25:53.636 PM // 11:26:03.145 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validate loginPage



<div>PASSED</div> <div>DURATION - 9.508 s</div>	<div></div>	Steps	<div></div>
<div>/ 11:25:53.637 PM // 11:26:03.145 PM /</div>		Total - 4	
<div>SalesforceLoginSepsisapp</div>		Pass - 4	
<div>@TS_01LoginPage @Login</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.505 s
2	When The patient enter valid "username" and "password"	PASSED	0.211 s
3	And The user click on login button	PASSED	7.198 s
4	Then The user redirected to SalesforceHomepage	PASSED	1.583 s

Validating the New Patient form with Valid/Invalid/MissingData



FAILED	DURATION - 2 m 54.802 s	Scenarios		Steps	
/ 11:26:03.192 PM // 11:28:57.994 PM /		Total - 5		Total - 16	
		Pass - 1		Pass - 8	
		Fail - 4		Fail - 8	
		Skip - 0		Skip - 0	

Validate the patient information form submission with missing data


PASSED	DURATION - 2 m 17.135 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:26:03.194 PM // 11:28:20.329 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData a @TS_01ValidatingtheNewPatientformWithMissingData				

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	PASSED	0.117 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	2 m 16.946 s
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.056 s
4	Then Error message "Complete this field." is displayed	PASSED	0.012 s



Validate the patient information form submission with invalid data

FAILED	DURATION - 36.846 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:28:20.351 PM // 11:28:57.197 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData a @TS_02ValidatingtheNewPatientformWithInvalidData				


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 1 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//div[@class='fieldLevelErrors']/a[text()='Last Name']\"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element- exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java. version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [df25e9e6f04700ca08073a636c752e75, findElement {using=xpath, value=//div[@class='fieldLevelErrors']/a[text()='Last Name']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: /var/folders/r3/5_bhvbq55bq. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59923}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:59923/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,	FAILED	36.529 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: df25e9e6f04700ca08073a636c752e75</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy33.click(Unknown Source) at pageObjects.PatientObjectMandatory.reviewInvalidFieldClick(PatientObjectMandatory.java:230) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(PatientObjectMandatorySD.java:77) at ?.Patient submits new patient form with invalid data for textfields from "PatientDetails" and 1(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectWithValidInvalid.feature:18) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.312 s
	My screenshot		
			
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.000 s

Validate the patient information form submission with invalid data



FAILED		DURATION - 0.239 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:28:57.220 PM // 11:28:57.459 PM /						
Validating the New Patient form with Valid/Invalid/MissingData						
@PatientInformationWithValidandInvalidAndMissingData a @TS_02ValidatingtheNewPatientformWithInvalidData						

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 2 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for DOB from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)</p> <pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.235 s


#	Step / Hook Details	Status	Duration
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

Validate the patient information form submission with invalid data



FAILED		DURATION - 0.262 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:28:57.468 PM // 11:28:57.730 PM /						
Validating the New Patient form with Valid/Invalid/MissingData						
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData						

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 3 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form entering other for morbidities from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)</p> <pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.259 s
	My screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.001 s

Validate attendance form submission with valid data

<div>FAILED</div> <div>DURATION - 0.256 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:28:57.738 PM // 11:28:57.994 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithValidData				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 4 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with valid data from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.252 s
	My screenshot		
			
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.000 s