Cucumber Report

| Start : Dec 02, 10:30:04.241 PM	End : Dec 02, 10:30:15.170 PM	Duration : 10.929 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 5 SKIPPED - 0	PASSED - 9 FAILED - 5 SKIPPED - 6

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
SalesforceLoginSepsisapp	9.009 s	1	1	0	0	4	4	0	0
Validating the New Patient form with Valid/Invalid/MissingData	1.879 s	5	0	5	0	16	5	5	6

#	Feature Name	Scenario Name
1	*Validating the New Patient form with Valid/Invalid/MissingData*	*Validate the patient information form submission with missing data*
2		*Validate the patient information form submission with invalid data*
3		*Validate the patient information form submission with invalid data*
4		*Validate the patient information form submission with invalid data*
5		*Validate attendance form submission with valid data*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TS_01LoginPage	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	5	0	5	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	0	1	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	SalesforceLoginSepsisapp	1	1	0	0	9.009 s
2	Validating the New Patient form with Valid/Invalid/MissingData	5	0	5	0	1.879 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	SalesforceLoginSepsisapp	Validate loginPage	4	4	0	0	9.008 s
2	Validating the New Patient form with Valid/Invalid/MissingData	Validate the patient information form submission with missing data	4	1	1	2	0.907 s
3		Validate the patient information form submission with invalid data	3	1	1	1	0.239 s
4		Validate the patient information form submission with invalid data	3	1	1	1	0.239 s
5		Validate the patient information form submission with invalid data	3	1	1	1	0.217 s
6		Validate attendance form submission with valid data	3	1	1	1	0.235 s

SalesforceLoginSepsisapp

PASSED	DURATION - 9.009 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
	/ 10:30:04.241 PM // 10:30:13.250 PM /					

Validate loginPage

PASSED	DURATION - 9.008 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
	/ 10:30:04.242 PM // 10:30:13.250 PM /			
	SalesforceLoginSepsisapp			
	@TS_01LoginPage @Login			

#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.548 s
2	When The patient enter valid "username" and "password"	PASSED	0.148 s
3	And The user click on login button	PASSED	6.952 s
4	Then The user redirected to SalesForceHomepage	PASSED	1.350 s

Validating the New Patient form with Valid/Invalid/MissingData

FAILED	DURATION - 1.879 s		Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 16 Pass - 5 Fail - 5 Skip - 6	
	/ 10:30:13.291 PM // 10:30:15.170 PM /					

Validate the patient information form submission with missing data

| FAILED	DURATION - 0.907 s
/ 10:30:13.293 PM // 10:30:14.200 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_01ValidatingtheNewPatientformWithMissingData	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	PASSED	0.103 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 2	FAILED	0.549 s

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression ((//span[@title='Diabetes'])[2] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '(//span[@title='Diabetes'])[2]' is not a valid XPath expression.   (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [f0e47e4a24011cf63690a6c618b9b1d9, findElement {using=xpath, value=(//span[@title='Diabetes'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60198}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:60198/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f0e47e4a24011cf63690a6c618b9b1d9
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy33.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.selectFamilyHistory(PatientObjectMandatory.java:181) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_missing_data_from_and(PatientObjectMandatorySD.java:42) at ?.Patient submits new patient form with missing data from "PatientDetails" and 2(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectWithValidInvalid.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.252 s
3	And Error message "We hit a snag." is displayed and review the following field	SKIPPED	0.000 s
4	Then Error message "Complete this field." is displayed	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

| FAILED	DURATION - 0.239 s
/ 10:30:14.212 PM // 10:30:14.451 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.002 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 3	FAILED	0.001 s

io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for textfields from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer)

 at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)
 at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)
 at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
 at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
 at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
 at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
 at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
 at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
 at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
 at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
 at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
 at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
 at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
 at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
 at java.base/java.lang.reflect.Method.invoke(Method.java:568)
 at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)
 at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)
 at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)
 at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)
 at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)
 at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)
 at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)
 at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)
 at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
 at org.testng.TestRunner.privateRun(TestRunner.java:794)
 at org.testng.TestRunner.run(TestRunner.java:596)
 at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)
 at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)
 at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)
 at org.testng.SuiteRunner.run(SuiteRunner.java:276)
 at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.234 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.001 s

## Validate the patient information form submission with invalid data

FAILED	DURATION - 0.239 s

/ 10:30:14.464 PM // 10:30:14.703 PM /

Validating the New Patient form with Valid/Invalid/MissingData

@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for DOB from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer)		

   at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)
   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)
   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
   at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
   at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
   at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
   at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
   at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
   at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)
   at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)
   at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)
   at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)
   at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)
   at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)

| #	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:68)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.236 s

#	Step / Hook Details	Status	Duration
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

### Validate the patient information form submission with invalid data

FAILED	*DURATION - 0.217 s*	
/ 10:30:14.710 PM // 10:30:14.927 PM /		
Validating the New Patient form with Valid/Invalid/MissingData		
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData		

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form entering other for morbidities from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:68)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.214 s
	My screenshot		

#	Step / Hook Details	Status	Duration
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.001 s

Validate attendance form submission with valid data

FAILED	DURATION - 0.235 s
/ 10:30:14.935 PM // 10:30:15.170 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithValidData	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 6	FAILED	0.001 s

	io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with valid data from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	    at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	    at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:68)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	... 40 more Caused by: java.lang.IllegalArgumentException: argument type mismatch		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	at io.cumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.232 s
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.001 s