


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SalesforceLoginSepsisapp</u>	11.087 s	1	1	0	0	4	4	0	0
Validating the New Patient form with Valid/Invalid/MissingData	35.777 s	5	1	4	0	16	8	4	4

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Validating the New Patient form with Valid/Invalid/MissingData	Validate the patient information form submission with invalid data
2		Validate the patient information form submission with invalid data
3		Validate the patient information form submission with invalid data
4		Validate attendance form submission with valid data

TAG		Scenario				Feature				
Name	T	P	F	S	T	P	F	S		
@TS_01LoginPage	1	1	0	0	1	1	0	0		
@Login	1	1	0	0	1	1	0	0		
@PatientInformationWithValidandInvalidAndMissingData	5	1	4	0	1	0	1	0		
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0		
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0		
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0		



#	Feature Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	11.087 s
2	Validating the New Patient form with Valid/Invalid/MissingData	5	1	4	0	35.777 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	Validate loginPage	4	4	0	0	11.086 s
2	Validating the New Patient form with Valid/Invalid/MissingData	Validate the patient information form submission with missing data	4	4	0	0	2.316 s
3		Validate the patient information form submission with invalid data	3	1	1	1	32.689 s
4		Validate the patient information form submission with invalid data	3	1	1	1	0.236 s
5		Validate the patient information form submission with invalid data	3	1	1	1	0.243 s
6		Validate attendance form submission with valid data	3	1	1	1	0.245 s

DETAILED SECTION -- 7 --

SalesforceLoginSepsisapp


PASSED	DURATION - 11.087 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 11:15:36.332 PM	// 11:15:47.419 PM /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validate loginPage



#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	2.507 s
2	When The patient enter valid "username" and "password"	PASSED	0.211 s
3	And The user click on login button	PASSED	7.034 s
4	Then The user redirected to SalesForceHomepage	PASSED	1.323 s

Validating the New Patient form with Valid/Invalid/MissingData




Validate the patient information form submission with missing data

PASSED DURATION - 2.316 s / 11:15:47.467 PM // 11:15:49.783 PM / Validating the New Patient form with Valid/Invalid/MissingData @PatientInformationWithValidandInvalidAndMissingData a @TS_01ValidatingtheNewPatientformWithMissingData Steps Total - 4 Pass - 4 Fall - 0 Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	PASSED	0.108 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	2.030 s
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.163 s
4	Then Error message "Complete this field." is displayed	PASSED	0.011 s

Validate the patient information form submission with invalid data



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 1	FAILED	32.425 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='fieldLevelErrors']//a[text()='Last Name']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java. version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd46c12f5b77ffc2291d46145909a84b, findElement {using=xpath, value=//div[@class='fieldLevelErrors']//a[text()='Last Name']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: /var/folders/r3/5_bhvqb55bq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59319}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:59319/devtoo, se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
#_	Step / Hook Details webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bd46c12f5b77ffc2291d46145909a84b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.BriverCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.Internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.reviewInvalidFieldClick(PatientObjectMandatory.java:230) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(PatientObjectMandatorySD.java:77) at ?.Patient submits new patient form with invalid data for textfields from "PatientDetails" and 1(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectWithValidInvalid.feature:18)		
	* Not displayable characters are replaced by '?'. AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.259 s
	My screenshot The state of the		
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

DETAILED SECTION -- 10 --

FAILED DURATION - 0.236 s 0.15 Steps Total - 3 / 11:16:22.502 PM // 11:16:22.738 PM / 0.1 Validating the New Patient form with Valid/Invalid/MissingData .05 Skip - 1 @PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData 2 3 1


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 2	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for DOB from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.		
	patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)		

DETAILED SECTION -- 11 --

ŧ	Step / Hook Details	Status	Duration
at org.te	stng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
at org.te	stng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
at java.b	ase/java.util.ArrayList.forEach(ArrayList.java:1511)		
at org.te	stng.TestRunner.privateRun(TestRunner.java:808)		
at org.te	stng.TestRunner.run(TestRunner.java:603)		
at org.te	stng.SuiteRunner.runTest(SuiteRunner.java:429)		
at org.te	stng.SuiteRunner.runSequentially(SuiteRunner.java:423)		
at org.te	stng.SuiteRunner.privateRun(SuiteRunner.java:383)		
at org.te	stng.SuiteRunner.run(SuiteRunner.java:326)		
at org.te	stng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	stng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
at org.te	stng.TestNG.runSuitesSequentially(TestNG.java:1249)		
at org.te	stng.TestNG.runSuitesLocally(TestNG.java:1169)		
at org.te	stng.TestNG.runSuites(TestNG.java:1092)		
at org.te	stng.TestNG.run(TestNG.java:1060)		
at org.ap	ache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
at org.ap	ache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
at org.ap	ache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
at org.ap	ache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
at org.ap	ache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
at org.ap	ache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
at org.ap	ache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
	io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.		
patient_sub	omits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)		
at io.cuc	umber.java.Invoker.doInvoke(Invoker.java:68)		
	umber.java.Invoker.invoke(Invoker.java:24)		
at io.cuc	umber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	umber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	umber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
I	umber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	re Caused by: java.lang.IllegalArgumentException: argument type mismatch		
	ase/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	ase/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
1	ase/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	ase/java.lang.reflect.Method.invoke(Method.java:568)		
at io.cuc	umber.java.Invoker.doInvoke(Invoker.java:66)		
AFTER_S	TEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.232 s
My screensh	ot	1	

#	Step / Hook Details	Status	Duration
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

Validate the patient information form submission with invalid data



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 3	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form entering other for morbidities from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:34) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runner.Stestop.cucumberExecutionContext.lambda\$runTestCase\$5(CucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:23) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

Step / Hook Details	Status	Duration
at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)		
at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)		
at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)		
at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)		
at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)		
at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
at org.testng.TestRunner.privateRun(TestRunner.java:808)		
at org.testng.TestRunner.run(TestRunner.java:603)		
at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)		
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423)		
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383)		
at org.testng.SuiteRunner.run(SuiteRunner.java:326)		
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249)		
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)		
at org.testng.TestNG.runSuites(TestNG.java:1092)		
at org.testng.TestNG.run(TestNG.java:1060)		
at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		
Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.		
patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)		
at io.cucumber.java.Invoker.doInvoke(Invoker.java:68)		
at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	44 more Caused by: java.lang.IllegalArgumentException: argument type mismatch		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.240 s
	My screenshot		
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.001 s

Validate attendance form submission with valid data



	#	Step / Hook Details	Status	Duration
1	-	Given Patient is on same patient form	PASSED	0.000 s
2	2	When Patient submits new patient form with valid data from "PatientDetails" and 4	FAILED	0.000 s
		io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with valid data from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)		
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:808)		
	at org.testng.TestRunner.run(TestRunner.java:603)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:326)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)		
	at org.testng.TestNG.runSuites(TestNG.java:1092)		
	at org.testng.TestNG.run(TestNG.java:1060)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
	Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) 44 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.242 s
	My screenshot		
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.000 s