

Cucumber Report

Dec 1, 2023, 8:31:17 PM

Start : Dec 01, 8:31:16.353 PM

End : Dec 01, 8:31:17.564 PM

Duration : 1.211 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 5
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	1.211 s	5	0	5	0	16	0	5	11

#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>
2		<u>Validate the patient information form submission with invalid data</u>
3		<u>Validate the patient information form submission with invalid data</u>
4		<u>Validate the patient information form submission with invalid data</u>
5		<u>Validate attendance form submission with valid data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PatientInformationWithValidandInvalidAndMissingData	5	0	5	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	0	1	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	5	0	5	0	1.211 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	0	1	3	0.313 s
2		<u>Validate the patient information form submission with invalid data</u>	3	0	1	2	0.207 s
3		<u>Validate the patient information form submission with invalid data</u>	3	0	1	2	0.197 s
4		<u>Validate the patient information form submission with invalid data</u>	3	0	1	2	0.203 s
5		<u>Validate attendance form submission with valid data</u>	3	0	1	2	0.212 s

Validating the New Patient form with Valid/Invalid/MissingData

FAILED	DURATION - 1.211 s	Scenarios		Steps	
/ 8:31:16.353 PM // 8:31:17.564 PM /		Total - 5		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 11	

Validate the patient information form submission with missing data

<div>FAILED</div> <div>DURATION - 0.313 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
<div>/ 8:31:16.355 PM // 8:31:16.668 PM /</div>			
<div>Validating the New Patient form with Valid/Invalid/MissingData</div>			
<div>@PatientInformationWithValidandInvalidAndMissingData @TS_01ValidatingtheNewPatientformWithMissingData</div>			

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details <pre> java.lang.StackOverflowError at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) </pre>	FAILED	0.101 s

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.201 s
	My screenshot		
2	When Patient submits new patient form with missing data from "PatientDetails" and 2	SKIPPED	0.001 s
3	And Error message "We hit a snag." is displayed and review the following field	SKIPPED	0.000 s
4	Then Error message "Complete this field." is displayed	SKIPPED	0.001 s

Validate the patient information form submission with invalid data

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.186 s
	My screenshot		
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 3	SKIPPED	0.000 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.001 s

Validate the patient information form submission with invalid data

FAILED		DURATION - 0.197 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 8:31:16.933 PM // 8:31:17.130 PM /						
Validating the New Patient form with Valid/Invalid/MissingData						
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData						

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.014 s
	java.lang.StackOverflowError at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.186 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5	SKIPPED	0.001 s
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.000 s

Validate attendance form submission with valid data

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form <pre>java.lang.StackOverflowError at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)</pre>	FAILED	0.014 s

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.196 s
	My screenshot		
2	When Patient submits new patient form with valid data from "PatientDetails" and 6	SKIPPED	0.000 s
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.000 s