

Cucumber Report

Dec 17, 2023, 3:40:48 PM

Start : Dec 17, 3:39:01.160 PM

End : Dec 17, 3:40:47.892 PM

Duration : 1 m 46.732 s

Features

Scenarios

Steps

PASSED - 4

FAILED - 2

SKIPPED - 0

PASSED - 37



FAILED - 7

SKIPPED - 0

PASSED - 124

FAILED - 7

SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SalesforceLoginSepsisapp</u>	5.277 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient information</u>	4.831 s	5	5	0	0	15	15	0	0
<u>Validitate Existing Morbidities</u>	3.793 s	13	13	0	0	44	44	0	0
<u>Validating Medication and Vitals Information</u>	2.546 s	9	9	0	0	27	27	0	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	1 m 30.208 s	15	9	6	0	46	34	6	6
<u>Validitate Blood Profile upload files</u>	0.003 s	1	0	1	0	3	0	1	2

#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate attendance form submission with valid data for Low risk</u>
2		<u>Validate attendance form submission with valid data for Low risk</u>
3		<u>Validate attendance form submission with valid data for High risk</u>
4		<u>Validate attendance form submission with valid data for High risk</u>
5		<u>Validate attendance form submission with valid data for Critical risk</u>
6		<u>Validate attendance form submission with valid data for Critical risk</u>
7	<u>Validitate Blood Profile upload files</u>	<u>Validitate Blood Profile upload files</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TS_01LoginPage	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@TS_01_ValidatePersonalInfo	1	1	0	0	1	1	0	0
@NewPatientInformation	5	5	0	0	1	1	0	0
@TS_02_ValidateContactInfo	1	1	0	0	1	1	0	0
@TS_03_ValidateEmergencycontact	1	1	0	0	1	1	0	0
@TS_04_ValidateProviderInformation	1	1	0	0	1	1	0	0
@TS_05_ValidateMedicalHistory	1	1	0	0	1	1	0	0
@TS_01ValidateExistingMorbidity-availabletochoose	1	1	0	0	1	1	0	0
@ExistingMorbidity	13	13	0	0	1	1	0	0
@TS_02ValidateUndoExistingMorbidity	1	1	0	0	1	1	0	0
@TS_03ValidateTheOtherTextbox	1	1	0	0	1	1	0	0
@TS_04ValidateTheAllergyCheckbox	1	1	0	0	1	1	0	0
@TS_05ValidateTheOtherTextboxinExistingInfections	1	1	0	0	1	1	0	0
@TS_06ValidateHabitsOption-availabletochoose	1	1	0	0	1	1	0	0
@TS_07ValidatePhysicalFitnessoption-availabletochoose	1	1	0	0	1	1	0	0
@TS_08ValidateFamilyHistory-moreoptionsavailabletochoose	1	1	0	0	1	1	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TS_09ValidateFamilyHistory-leftarrowbtn	1	1	0	0	1	1	0	0
@TS_10ValidateFitnessFrequencyDropDown	1	1	0	0	1	1	0	0
@TS_11ValidateTheSurgeriesCheckbox	1	1	0	0	1	1	0	0
@TS_12ValidateImmunizationDropDown	1	1	0	0	1	1	0	0
@TS_13ValidateInternationalTravelCheckbox	1	1	0	0	1	1	0	0
@TS_02Medication	1	1	0	0	1	1	0	0
@Vitals	9	9	0	0	1	1	0	0
@TS_03Temperature	1	1	0	0	1	1	0	0
@TS_04HeartRate	1	1	0	0	1	1	0	0
@TS_05RespiratoryRate	1	1	0	0	1	1	0	0
@TS_06BP	1	1	0	0	1	1	0	0
@TS_07Glucose	1	1	0	0	1	1	0	0
@TS_08GlucoseValue	1	1	0	0	1	1	0	0
@TS_09WBC	1	1	0	0	1	1	0	0
@TS_10ValidateSaveButton	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	15	9	6	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TS_02ValidatingtheNewPatientformWithInvalidData	1	1	0	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithInvalidCharacter	1	1	0	0	1	0	1	0
@TS_04ValidatingtheNewPatientformWithInvalidBPdata	1	1	0	0	1	0	1	0
@TS_05ValidatingtheNewPatientformWithInvalidDOB	1	1	0	0	1	0	1	0
@TS_06ValidatingtheNewPatientformWithInvalidExisMorb	1	1	0	0	1	0	1	0
@TS_07ValidatingtheNewPatientformWithInvalidEmail	1	1	0	0	1	0	1	0
@TS_08ValidatingtheNewPatientformWithValidDataForLow	2	0	2	0	1	0	1	0
@TS_09ValidatingtheNewPatientformWithValidDataForMedium	2	2	0	0	1	0	1	0
@TS_10ValidatingtheNewPatientformWithValidDataForHigh	2	0	2	0	1	0	1	0
@TS_11ValidatingtheNewPatientformWithValidDataForCritical	2	0	2	0	1	0	1	0
@TS_01ValiditateBloodProfileuploadfiles	1	0	1	0	1	0	1	0
@UploadBloodReport	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	5.277 s
2	<u>Validating the New Patient information</u>	5	5	0	0	4.831 s
3	<u>Validitate Existing Morbidities</u>	13	13	0	0	3.793 s
4	<u>Validating Medication and Vitals Information</u>	9	9	0	0	2.546 s
5	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	15	9	6	0	1 m 30.208 s
6	<u>Validitate Blood Profile upload files</u>	1	0	1	0	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	5.276 s
2	<u>Validating the New Patient information</u>	<u>Validating the PersonalInfo</u>	3	3	0	0	2.738 s
3		<u>Validating the contactinfo</u>	3	3	0	0	0.748 s
4		<u>Validating the EmergencyContact</u>	3	3	0	0	0.336 s
5		<u>Validating the ProviderInformation</u>	3	3	0	0	0.511 s
6		<u>Validating the EmergencyContact</u>	3	3	0	0	0.455 s
7	<u>Validitate Existing Morbidities</u>	<u>Validate Existing Morbidities available to chosen</u>	4	4	0	0	0.257 s
8		<u>Validate the Undo button on Existing Morbidities</u>	3	3	0	0	0.077 s
9		<u>Validate the Other textbox</u>	4	4	0	0	0.306 s
10		<u>Validate the Allergy Checkbox</u>	3	3	0	0	0.271 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validate Existing Morbidities</u>	<u>Validate the Other textbox in Existing Infections</u>	4	4	0	0	0.288 s
12		<u>Validate selecting Habits options from available to chosen</u>	5	5	0	0	0.442 s
13		<u>Validate selecting Physical fitness options from available to chosen</u>	3	3	0	0	0.354 s
14		<u>Validate selecting Family History options more than one from available to chosen</u>	3	3	0	0	0.643 s
15		<u>Validate selecting Family History left arrow from chosen to available</u>	3	3	0	0	0.279 s
16		<u>Validate Fitness Frequency DropDown</u>	3	3	0	0	0.210 s
17		<u>Validate the Surgeries Checkbox</u>	3	3	0	0	0.153 s
18		<u>Validate Immunization DropDown</u>	3	3	0	0	0.206 s
19		<u>Validate the International Travel Checkbox</u>	3	3	0	0	0.245 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Validating Medication and Vitals Information</u>	<u>The Patient is logged in to Salesforce app(Sepsis)</u>	3	3	0	0	0.125 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Validating Medication and Vitals Information</u>	<u>Validate Temperature</u>	3	3	0	0	0.098 s
22		<u>Validate Heart Rate</u>	3	3	0	0	0.088 s
23		<u>Validate Respiratory Rate</u>	3	3	0	0	0.093 s
24		<u>Validate BP</u>	3	3	0	0	0.110 s
25		<u>Validate Glucose</u>	3	3	0	0	0.141 s
26		<u>Validate Glucose Value</u>	3	3	0	0	0.074 s
27		<u>Validate WBC</u>	3	3	0	0	0.210 s
28		<u>Validate Save Button</u>	3	3	0	0	1.572 s
29	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	4	0	0	2.901 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		<u>Validate the patient information form submission with invalid phonefield</u>	3	3	0	0	3.181 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid character</u>	3	3	0	0	3.108 s
32		<u>Validate the patient information form submission with invalid data for BP</u>	3	3	0	0	2.952 s
33		<u>Validate the patient information form submission with invalid data</u>	3	3	0	0	3.061 s
34		<u>Validate the patient information form submission with invalid data</u>	3	3	0	0	3.015 s
35		<u>Validate attendance form submission with invalid data</u>	3	3	0	0	2.777 s
36		<u>Validate attendance form submission with valid data for Low risk</u>	3	2	1	0	4.405 s
37		<u>Validate attendance form submission with valid data for Low risk</u>	3	0	1	2	30.302 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
38		<u>Validate attendance form submission with valid data for Medium risk</u>	3	3	0	0	4.515 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate attendance form submission with valid data for Medium risk</u>	3	3	0	0	3.733 s
40		<u>Validate attendance form submission with valid data for High risk</u>	3	1	1	1	26.119 s
41		<u>Validate attendance form submission with valid data for High risk</u>	3	1	1	1	0.004 s
42		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	0.004 s
43		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	0.002 s
44	<u>Validitate Blood Profile upload files</u>	<u>Validitate Blood Profile upload files</u>	3	0	1	2	0.003 s

SalesforceLoginSepsisapp



PASSED	DURATION - 5.277 s	Scenarios		Steps	
/ 3:39:01.160 PM // 3:39:06.437 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validate loginPage


<div>PASSED</div> <div>DURATION - 5.276 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:39:01.161 PM // 3:39:06.437 PM /</div>			
<div>SalesforceLoginSepsisapp</div>			
<div>@TS_01LoginPage @Login</div>			

#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.489 s
2	When The patient enter valid "username" and "password"	PASSED	0.149 s
3	And The user click on login button	PASSED	3.507 s
4	Then The user redirected to SalesforceHomepage	PASSED	1.119 s

Validating the New Patient information


PASSED	DURATION - 4.831 s	Scenarios		Steps	
/ 3:39:06.477 PM // 3:39:11.308 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validating the PersonalInfo




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form	PASSED	1.783 s
2	When Patient enters "Kelly","Rob",Gender, Race, "11/1/2023" and "atena4656" on personal information	PASSED	0.815 s
3	Then Patient can see the "Kelly","Rob","11/1/2023","atena4656"and other details entered on personal information	PASSED	0.138 s

Validating the contactinfo




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters the "815-456-9999" , "kelly@gmail.com", "United States", "Egmore St","Bayarea" and "77433" on contact information	PASSED	0.690 s
3	Then Patient can see the "815-456-9999" , "kelly@gmail.com", "United States", "Egmore St","Bayarea" and "77433" entered on contact information	PASSED	0.055 s

Validating the EmergencyContact




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "Kiya" and "716-456-7890"	PASSED	0.309 s
3	Then Patient can see the "Kiya" and "716-456-7890"entered on emergency contact info	PASSED	0.024 s

Validating the ProviderInformation




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com"	PASSED	0.465 s
3	Then Patient can see the "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com" entered on provider information	PASSED	0.042 s

Validating the EmergencyContact




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters "12.00" and "60" on medical history	PASSED	0.432 s
3	Then Patient can see the "12.00" and "60" entered on medical history	PASSED	0.020 s

Validitate Existing Morbidities





Validate Existing Morbidities available to chosen



#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects an existing morbidity in the list available	PASSED	0.058 s



#	Step / Hook Details	Status	Duration
3	And clicks the right arrow	PASSED	0.187 s
4	Then Patient should able to see the selected option "High Cholesterol" in the chosen list box	PASSED	0.009 s

Validate the Undo button on Existing Morbidities

PASSED		DURATION - 0.077 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:39:11.579 PM // 3:39:11.656 PM /						
Validate Existing Morbidities						
@TS_02ValidateUndoExistingMorbidities @ExistingMorbidities						



#	Step / Hook Details	Status	Duration
1	Given Patient is on chosen list box of existing morbidities	PASSED	0.001 s
2	When Patient clicks on undo button	PASSED	0.064 s
3	Then Patient should be able to see the error msg "An option must be selected"	PASSED	0.012 s

Validate the Other textbox

<div>PASSED</div> <div>DURATION - 0.306 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:39:11.660 PM // 3:39:11.966 PM /				
Validate Existing Morbidities				
@TS_03ValidateTheotherTextbox @ExistingMorbidities				



#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects "other" as an existing morbidity in the list available	PASSED	0.047 s
3	And clicks the right arrow of existing morbidities listbox	PASSED	0.187 s
4	Then Patient should be able enter the "Sinusitis" in the text box	PASSED	0.067 s

Validate the Allergy Checkbox

<div>PASSED</div>	<div>DURATION - 0.271 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:39:11.971 PM // 3:39:12.242 PM /				
Validitate Existing Morbidities				
@TS_04ValidateTheAllergyCheckbox @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects the allergy check box	PASSED	0.067 s
3	Then Patient should be able enter the text "peanuts" in the text box	PASSED	0.198 s

Validate the Other textbox in Existing Infections

<div>PASSED</div> <div>DURATION - 0.288 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:39:12.246 PM // 3:39:12.534 PM /</div>			
<div>Validitate Existing Morbidities</div>			
<div>@TS_05ValidateTheotherTextboxinExistingInfections</div> <div>@ExistingMorbidities</div>			


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects an existing infection in the list available	PASSED	0.035 s
3	And clicks the right arrow of existing Infections listbox	PASSED	0.187 s
4	Then Patient should be able enter the "Pneumonia" in the text box of existing infections	PASSED	0.064 s

Validate selecting Habits options from available to chosen




#	Step / Hook Details	Status	Duration
1	Given Patient selects a habit in the list available	PASSED	0.060 s
2	When Patient clicks the right arrow	PASSED	0.195 s
3	And Patient selects one more option	PASSED	0.037 s
4	And Patient clicks the right arrow	PASSED	0.130 s
5	Then Patient should able to see the "Alcohol","Drugs" in the chosen list box	PASSED	0.018 s

Validate selecting Physical fitness options from available to chosen




#	Step / Hook Details	Status	Duration
1	Given Patient selects a fitness option in the list available	PASSED	0.143 s
2	When clicks on the right arrow	PASSED	0.201 s
3	Then Patient should able to see the selected option "Yoga" in the fitness chosen list box	PASSED	0.009 s

Validate selecting Family History options more than one from available to chosen




#	Step / Hook Details	Status	Duration
1	Given Patient selects more than one option holding shift from the list available	PASSED	0.487 s
2	When Patient clicks on the right arrow of Family History	PASSED	0.129 s
3	Then Patient should able to see the selected "Diabetes", "Thyroid" in the chosen list box	PASSED	0.025 s

Validate selecting Family History left arrow from chosen to available




#	Step / Hook Details	Status	Duration
1	Given Patient selects an option holding from the list chosen	PASSED	0.130 s
2	When Patient clicks on the left arrow of Family History	PASSED	0.137 s
3	Then Patient should not be able to see the selected "Diabetes" in the chosen list box	PASSED	0.010 s

Validate Fitness Frequency DropDown




#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Fitness Frequency dropdown	PASSED	0.012 s
3	Then Patient should be able to select an option from the Fitness Frequency dropdown	PASSED	0.196 s

Validate the Surgeries Checkbox




#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient selects the surgeries check box	PASSED	0.000 s
3	Then Patient should be able enter the text "Heart Surgery" in the text box	PASSED	0.151 s

Validate Immunization DropDown





#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Immunization dropdown	PASSED	0.025 s
3	Then Patient should be able to select an option from the Immunization dropdown	PASSED	0.179 s

Validate the International Travel Checkbox





#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.001 s
2	When Patient selects the International Travel check box	PASSED	0.052 s
3	Then Patient should be able enter the "India" in the Enter Country Name text box	PASSED	0.192 s

Validating Medication and Vitals Information



PASSED	DURATION - 2.546 s	Scenarios		Steps	
/ 3:39:15.115 PM // 3:39:17.661 PM /		Total - 9		Total - 27	
		Pass - 9		Pass - 27	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

The Patient is logged in to Salesforce app(Sepsis)

<div>PASSED</div>	<div>DURATION - 0.125 s</div>	<div></div>	Steps	<div></div>
<div>/ 3:39:15.115 PM // 3:39:15.240 PM /</div>			Total - 3	
<div>Validating Medication and Vitals Information</div>			Pass - 3	
<div>@TS_02Medication @Vitals</div>			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Current Medication textbox	PASSED	0.063 s
3	Then Patient enter "Vitamin D" in textbox	PASSED	0.061 s



Validate Temperature

<div>PASSED</div>	<div>DURATION - 0.098 s</div>	<div></div>	Steps	<div></div>
<div>/ 3:39:15.244 PM // 3:39:15.342 PM /</div>			Total - 3	
<div>Validating Medication and Vitals Information</div>			Pass - 3	
<div>@TS_03Temperature @Vitals</div>			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Temperature textBox	PASSED	0.056 s



#	Step / Hook Details	Status	Duration
3	Then Patient enter Temperature "98.8" in textBox	PASSED	0.041 s

Validate Heart Rate

PASSED	DURATION - 0.088 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:39:15.348 PM // 3:39:15.436 PM /				
Validating Medication and Vitals Information				
@TS_04HeartRate @Vitals				


#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Heartrate textBox	PASSED	0.055 s
3	Then Patient enter Heart Rate "90" in textBox	PASSED	0.031 s

Validate Respiratory Rate

PASSED		DURATION - 0.093 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 3:39:15.439 PM // 3:39:15.532 PM /							
Validating Medication and Vitals Information							
@TS_05RespiratoryRate @Vitals							


#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Respiratory Rate textBox	PASSED	0.059 s
3	Then Patient enter Reaspiratory Rate "15" in textBox	PASSED	0.031 s

Validate BP




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on BP textBox	PASSED	0.058 s
3	Then Patient enter BP "110/80" in textBox	PASSED	0.051 s

Validate Glucose




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Glucose dropdown	PASSED	0.066 s
3	Then Patient select Glucose from dropdown	PASSED	0.073 s

Validate Glucose Value




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Glucose Value textBox	PASSED	0.031 s
3	Then Patient enter Glucose Value "100" in textBox	PASSED	0.040 s

Validate WBC




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on WBC textBox	PASSED	0.165 s
3	Then Patient enter WBC "3000" in textBox	PASSED	0.044 s

Validate Save Button




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on save button	PASSED	0.495 s
3	Then the form should be saved successfully by displaying a message	PASSED	1.074 s

Validating the New Patient form with Valid/Invalid/MissingData





Validate the patient information form submission with missing data



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient details	PASSED	0.151 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	2.580 s



#	Step / Hook Details	Status	Duration
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.156 s
4	Then Error message "Complete this field." is displayed	PASSED	0.012 s

Validate the patient information form submission with invalid phonefield

PASSED	DURATION - 3.181 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:39:20.583 PM // 3:39:23.764 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData				



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for phone field from "PatientDetails" and 1	PASSED	3.168 s
3	Then Error message "US phone numbers should be in this format: (999) 999-9999." is displayed under phone field	PASSED	0.011 s

Validate the patient information form submission with invalid character

<div>PASSED</div> <div>DURATION - 3.108 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 3:39:23.768 PM // 3:39:26.876 PM /</div>		
<div>Validating the New Patient form with Valid/Invalid/MissingData</div>		
<div>@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithInvalidCharacter</div>		



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 2	PASSED	3.095 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	PASSED	0.011 s

Validate the patient information form submission with invalid data for BP

PASSED	DURATION - 2.952 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:39:26.880 PM // 3:39:29.832 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_04ValidatingtheNewPatientformWithInvalidBPdata				



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for BP field from "PatientDetails" and 3	PASSED	2.940 s
3	Then Error message "BP should be in Systolic and Diastolic" is displayed under BP field	PASSED	0.010 s

Validate the patient information form submission with invalid data

PASSED	DURATION - 3.061 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:39:29.840 PM // 3:39:32.901 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_05ValidatingtheNewPatientformWithInvalidDOB				



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4	PASSED	3.049 s
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	PASSED	0.010 s

Validate the patient information form submission with invalid data

PASSED	DURATION - 3.015 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:39:32.905 PM // 3:39:35.920 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_06ValidatingtheNewPatientformWithInvalidExi *				



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5	PASSED	3.003 s
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	PASSED	0.010 s


Validate attendance form submission with invalid data

PASSED	DURATION - 2.777 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:39:35.929 PM // 3:39:38.706 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_07ValidatingtheNewPatientformWithInvalidEmail				



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid email from "PatientDetails" and 6	PASSED	2.765 s
3	Then Error message "You have entered an invalid format." is displayed under email	PASSED	0.010 s

Validate attendance form submission with valid data for Low risk


FAILED	DURATION - 4.405 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:39:38.709 PM // 3:39:43.114 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF*				

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.029 s
2	When Patient submits new patient form with valid data for low from "PatientDetails" and 7	PASSED	3.970 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	FAILED	0.026 s
	<pre>java.lang.AssertionError: expected [LOW] but found [Normal] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.PatientObjectMandatorySD. patient_can_see_the_risk_of_sepsis_status_to_be_on_the_saved_form(PatientObjectMandatorySD.java:231) at ?.Patient can see the risk of sepsis status to be "LOW" on the saved form(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:84) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.376 s
	My screenshot		
			



Validate attendance form submission with valid data for Low risk

<div>FAILED</div> <div>DURATION - 30.302 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 2</div></div> <div></div>
<div>/ 3:39:43.121 PM // 3:40:13.423 PM /</div>		
<div>Validating the New Patient form with Valid/Invalid/MissingData</div>		
<div>@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF*</div>		

#	Step / Hook Details	Status	Duration
1	<p>Given Patient is on New patient form for entering patient info</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@name='CancelEdit']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, findElement {using=xpath, value=//button[@name='CancelEdit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvbq55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p>	FAILED	30.049 s



#	Step / Hook Details	Status	Duration
	<pre> atjdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) atorg.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) atjava.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) atjava.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) atjava.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) atjava.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) atjava.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) atjava.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) atjava.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) atorg.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) atpageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:308) atstepDefinitions.PatientObjectMandatorySD.patient_is_on_new_patient_form_for_entering_patient_info(PatientObjectMandatorySD.java:205) at?.Patient is on New patient form for entering patient info(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:82) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.251 s
2	When Patient submits new patient form with valid data for low from "PatientDetails" and 8	SKIPPED	0.000 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.000 s

Validate attendance form submission with valid data for Medium risk

PASSED DURATION - 4.515 s / 3:40:13.438 PM // 3:40:17.953 PM / Validating the New Patient form with Valid/Invalid/MissingData @PatientInformationWithValidandInvalidAndMissingData @TS_09ValidatingtheNewPatientformWithValidDataF *		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data for medium from "PatientDetails" and 9	PASSED	4.091 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved patient form	PASSED	0.422 s

Validate attendance form submission with valid data for Medium risk

PASSED	DURATION - 3.733 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:40:17.959 PM // 3:40:21.692 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_09ValidatingtheNewPatientformWithValidDataF *				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with valid data for medium from "PatientDetails" and 10	PASSED	3.716 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved patient form	PASSED	0.016 s

Validate attendance form submission with valid data for High risk



FAILED	DURATION - 26.119 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:40:21.701 PM // 3:40:47.820 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_10ValidatingtheNewPatientformWithValidDataF*				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with valid data for high from "PatientDetails" and 11	FAILED	26.115 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //input[@name='Email__c'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver		

#	Step / Hook Details	Status	Duration
	<p>info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.sendKeys(Unknown Source) at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:432) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_high_from_and(PatientObjectMandatorySD.java:262) at ?.Patient submits new patient form with valid data for high from "PatientDetails" and 11(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:105) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
3	Then Patient can see the risk of sepsis field to be "High" on the saved form	SKIPPED	0.000 s

Validate attendance form submission with valid data for High risk



FAILED	DURATION - 0.004 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:40:47.864 PM // 3:40:47.868 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_10ValidatingtheNewPatientformWithValidDataF *				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with valid data for high from "PatientDetails" and 12 <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, findElement {using=xpath, value=//div[contains(text(),'New')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_high_from_and(PatientObjectMandatorySD.java:261) at ?.Patient submits new patient form with valid data for high from "PatientDetails" and 12(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:105) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) </p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre>		
3	Then Patient can see the risk of sepsis field to be "High" on the saved form	SKIPPED	0.000 s

Validate attendance form submission with valid data for Critical risk



FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:40:47.873 PM // 3:40:47.877 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_11ValidatingtheNewPatientformWithValidDataF*				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data for critical from "PatientDetails" and 13 <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, findElement {using=xpath, value=//div[contains(text()),'New']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:284) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 13(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:116) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45) </pre>		
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

Validate attendance form submission with valid data for Critical risk

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:40:47.882 PM // 3:40:47.884 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_11ValidatingtheNewPatientformWithValidDataF *				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with valid data for critical from "PatientDetails" and 14	FAILED	0.001 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, findElement {using=xpath, value=//div[contains(text(),'New')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvbq55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:223) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:284) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 14(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:116) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.000 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: </pre>		

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45)</p>		
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

Validitate Blood Profile upload files

FAILED	DURATION - 0.003 s	Scenarios		Steps	
/ 3:40:47.889 PM // 3:40:47.892 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Validitate Blood Profile upload files

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:40:47.889 PM // 3:40:47.892 PM /				
Validitate Blood Profile upload files				
@TS_01ValiditateBloodProfileuploadfiles @UploadBloodReport				

#	Step / Hook Details	Status	Duration
1	<p>Given Patient is on related tab in saved patient form</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, findElement {using=xpath, value=//tbody/tr[1]/th[1]/span[1]/a[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:50475/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at pageObjects.UploadFileBloodReport.selectPatientId(UploadFileBloodReport.java:78) at stepDefinitions.UploadFileBloodReportSD.patient_is_on_related_tab_in_saved_patient_form(UploadFileBloodReportSD.java:22) at ?.Patient is on related tab in saved patient form(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/06UploadFileBloodReport.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [275775d603446044485969e51299eda6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50475}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:50475/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 275775d603446044485969e51299eda6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at applicationHooks.AppHooks.afterstep(AppHooks.java:45)	FAILED	0.001 s
2	When Patient clicks on the upload file option	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Patient should able to upload a file with a successful message "1 file was uploaded."	SKIPPED	0.000 s