

# Cucumber Report

Dec 18, 2023, 5:32:39 PM

**Start : Dec 18, 5:31:04.902 PM**

**End : Dec 18, 5:32:38.613 PM**

**Duration : 1 m 33.711 s**

Features







PASSED - 5  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 33  
FAILED - 11  
SKIPPED - 0

Steps

PASSED - 117  
FAILED - 11  
SKIPPED - 11



<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>SalesforceLoginSepsisapp</u>	5.608 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient information</u>	4.715 s	5	5	0	0	15	15	0	0
<u>Validitate Existing Morbidities</u>	3.753 s	13	13	0	0	44	44	0	0
<u>Validating Medication and Vitals Information</u>	2.606 s	9	9	0	0	27	27	0	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	1 m 16.520 s	15	4	11	0	46	24	11	11
<u>Validitate Blood Profile upload files</u>	0.431 s	1	1	0	0	3	3	0	0


#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid data</u>
2		<u>Validate the patient information form submission with invalid data</u>
3		<u>Validate patient information form submission with invalid data</u>
4		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
5		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
6		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
7		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
8		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
9		<u>Validate patient information form submission with valid data for risk of Sepsis</u>

#	Feature Name	Scenario Name
10	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate attendance form submission with valid data for Critical risk</u>
11		<u>Validate attendance form submission with valid data for Critical risk</u>


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TS_01LoginPage		1	1	0	0	1	1	0	0
@Login		1	1	0	0	1	1	0	0
@TS_01_ValidatePersonalInfo		1	1	0	0	1	1	0	0
@NewPatientInformation		5	5	0	0	1	1	0	0
@TS_02_ValidateContactInfo		1	1	0	0	1	1	0	0
@TS_03_ValidateEmergencycontact		1	1	0	0	1	1	0	0
@TS_04_ValidateProviderInformation		1	1	0	0	1	1	0	0
@TS_05_ValidateMedicalHistory		1	1	0	0	1	1	0	0
@TS_01ValidateExistingMorbidities-availabletochosen		1	1	0	0	1	1	0	0
@ExistingMorbidities		13	13	0	0	1	1	0	0
@TS_02ValidateUndoExistingMorbidities		1	1	0	0	1	1	0	0
@TS_03ValidateTheotherTextbox		1	1	0	0	1	1	0	0
@TS_04ValidateTheAllergyCheckbox		1	1	0	0	1	1	0	0
@TS_05ValidateTheotherTextboxinExistingInfections		1	1	0	0	1	1	0	0
@TS_06ValidateHabitsOption-availabletochosen		1	1	0	0	1	1	0	0
@TS_07ValidatePhysicalFitnessoption-availabletochosen		1	1	0	0	1	1	0	0
@TS_08ValidateFamilyHistory-moreoptionsavailabletochosen		1	1	0	0	1	1	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@TS_09ValidateFamilyHistory-leftarrowbtn	1	1	0	0	1	1	0	0
@TS_10ValidateFitnessFrequencyDropDown	1	1	0	0	1	1	0	0
@TS_11ValidateTheSurgeriesCheckbox	1	1	0	0	1	1	0	0
@TS_12ValidateImmunizationDropDown	1	1	0	0	1	1	0	0
@TS_13ValidateInternationalTravelCheckbox	1	1	0	0	1	1	0	0
@TS_02Medication	1	1	0	0	1	1	0	0
@Vitals	9	9	0	0	1	1	0	0
@TS_03Temparature	1	1	0	0	1	1	0	0
@TS_04HeartRate	1	1	0	0	1	1	0	0
@TS_05RespiratoryRate	1	1	0	0	1	1	0	0
@TS_06BP	1	1	0	0	1	1	0	0
@TS_07Glucose	1	1	0	0	1	1	0	0
@TS_08GlucoseValue	1	1	0	0	1	1	0	0
@TS_09WBC	1	1	0	0	1	1	0	0
@TS_10ValidateSaveButton	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	15	4	11	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@TS_02ValidatingtheNewPatientformWithInvalidData	1	1	0	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithInvalidCharacter	1	1	0	0	1	0	1	0
@TS_04ValidatingtheNewPatientformWithInvalidBPdata	1	1	0	0	1	0	1	0
@TS_05ValidatingtheNewPatientformWithInvalidDOB	1	0	1	0	1	0	1	0
@TS_06ValidatingtheNewPatientformWithInvalidExisMorb	1	0	1	0	1	0	1	0
@TS_07ValidatingtheNewPatientformWithInValidEmail	1	0	1	0	1	0	1	0
@TS_08ValidatingtheNewPatientformWithValidDataForSepsisStatus	6	0	6	0	1	0	1	0
@TS_09ValidatingtheNewPatientformWithValidDataForCritical	2	0	2	0	1	0	1	0
@TS_01ValiditateBloodProfileuploadfiles	1	1	0	0	1	1	0	0
@UploadBloodReport	1	1	0	0	1	1	0	0



#	<b>Feature Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	5.608 s
2	<u>Validating the New Patient information</u>	5	5	0	0	4.715 s
3	<u>Validitate Existing Morbidities</u>	13	13	0	0	3.753 s
4	<u>Validating Medication and Vitals Information</u>	9	9	0	0	2.606 s
5	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	15	4	11	0	1 m 16.520 s
6	<u>Validitate Blood Profile upload files</u>	1	1	0	0	0.431 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	5.607 s
2	<u>Validating the New Patient information</u>	<u>Validating the PersonalInfo</u>	3	3	0	0	2.422 s
3		<u>Validating the contactinfo</u>	3	3	0	0	0.927 s
4		<u>Validating the EmergencyContact</u>	3	3	0	0	0.336 s
5		<u>Validating the ProviderInformation</u>	3	3	0	0	0.539 s
6		<u>Validating the EmergencyContact</u>	3	3	0	0	0.458 s
7	<u>Validitate Existing Morbidities</u>	<u>Validate Existing Morbidities available to chosen</u>	4	4	0	0	0.259 s
8		<u>Validate the Undo button on Existing Morbidities</u>	3	3	0	0	0.074 s
9		<u>Validate the Other textbox</u>	4	4	0	0	0.301 s
10		<u>Validate the Allergy Checkbox</u>	3	3	0	0	0.267 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validate Existing Morbidities</u>	<u>Validate the Other textbox in Existing Infections</u>	4	4	0	0	0.296 s
12		<u>Validate selecting Habits options from available to chosen</u>	5	5	0	0	0.442 s
13		<u>Validate selecting Physical fitness options from available to chosen</u>	3	3	0	0	0.330 s
14		<u>Validate selecting Family History options more than one from available to chosen</u>	3	3	0	0	0.611 s
15		<u>Validate selecting Family History left arrow from chosen to available</u>	3	3	0	0	0.281 s
16		<u>Validate Fitness Frequency DropDown</u>	3	3	0	0	0.212 s
17		<u>Validate the Surgeries Checkbox</u>	3	3	0	0	0.143 s
18		<u>Validate Immunization DropDown</u>	3	3	0	0	0.208 s
19		<u>Validate the International Travel Checkbox</u>	3	3	0	0	0.238 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
20	<u>Validating Medication and Vitals Information</u>	<u>The Patient is logged in to Saleforce app(Sepsis)</u>	3	3	0	0	0.129 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Validating Medication and Vitals Information</u>	<u>Validate Temperature</u>	3	3	0	0	0.102 s
22		<u>Validate Heart Rate</u>	3	3	0	0	0.095 s
23		<u>Validate Respiratory Rate</u>	3	3	0	0	0.093 s
24		<u>Validate BP</u>	3	3	0	0	0.110 s
25		<u>Validate Glucose</u>	3	3	0	0	0.138 s
26		<u>Validate Glucose Value</u>	3	3	0	0	0.075 s
27		<u>Validate WBC</u>	3	3	0	0	0.212 s
28		<u>Validate Save Button</u>	3	3	0	0	1.615 s
29	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	4	0	0	3.000 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		<u>Validate the patient information form submission with invalid phonefield</u>	3	3	0	0	3.121 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid character</u>	3	3	0	0	3.132 s
32		<u>Validate the patient information form submission with invalid data for BP</u>	3	3	0	0	2.941 s
33		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	33.053 s
34		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	20.077 s
35		<u>Validate patient information form submission with invalid data</u>	3	1	1	1	0.311 s
36		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	1.353 s
37		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	1.356 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
38		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	1.369 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	1.340 s
40		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	1.352 s
41		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	1.323 s
42		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	1.368 s
43		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	1.344 s
44	<u>Validitate Blood Profile upload files</u>	<u>Validitate Blood Profile upload files</u>	3	3	0	0	0.431 s

## SalesforceLoginSepsisapp




### Validate loginPage





#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.553 s
2	When The patient enter valid "username" and "password"	PASSED	0.156 s
3	And The user click on login button	PASSED	3.622 s
4	Then The user redirected to SalesForceHomepage	PASSED	1.266 s

### Validating the New Patient information





### Validating the PersonalInfo

PASSED	DURATION - 2.422 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:10.558 PM // 5:31:12.980 PM /				
<i>Validating the New Patient information</i>				
@TS_01_ValidatePersonalInfo @NewPatientInformation				


#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form	PASSED	1.646 s
2	When Patient enters "Kelly", "Rob", Gender, Race, "11/1/2023" and "atena4656" on personal information	PASSED	0.733 s
3	Then Patient can see the "Kelly", "Rob", "11/1/2023", "atena4656" and other details entered on personal information	PASSED	0.041 s

### Validating the contactinfo

PASSED	DURATION - 0.927 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:12.989 PM // 5:31:13.916 PM /				
<i>Validating the New Patient information</i>				
@TS_02_ValidateContactInfo @NewPatientInformation				


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters the "815-456-9999", "kelly@gmail.com", "United States", "Egmore St", "Bayarea" and "77433" on contact information	PASSED	0.872 s
3	Then Patient can see the "815-456-9999", "kelly@gmail.com", "United States", "Egmore St", "Bayarea" and "77433" entered on contact information	PASSED	0.052 s

### Validating the EmergencyContact

PASSED	DURATION - 0.336 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:13.924 PM // 5:31:14.260 PM /				
<i>Validating the New Patient information</i>				
@TS_03_ValidateEmergencycontact @NewPatientInformation				


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "Kiya" and "716-456-7890"	PASSED	0.313 s
3	Then Patient can see the "Kiya" and "716-456-7890" entered on emergency contact info	PASSED	0.021 s

### Validating the ProviderInformation

PASSED	DURATION - 0.539 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:14.267 PM // 5:31:14.806 PM /				
<i>Validating the New Patient information</i>				
@TS_04_ValidateProviderInformation @NewPatientInformation				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com"	PASSED	0.479 s
3	Then Patient can see the "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com" entered on provider information	PASSED	0.057 s

### Validating the EmergencyContact




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "12.00" and "60" on medical history	PASSED	0.430 s
3	Then Patient can see the "12.00" and "60" entered on medical history	PASSED	0.027 s

## Validate Existing Morbidities




## Validate Existing Morbidities available to chosen



#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.002 s
2	When Patient selects an existing morbidity in the list available	PASSED	0.059 s


#	Step / Hook Details	Status	Duration
3	And clicks the right arrow	PASSED	0.187 s
4	Then Patient should able to see the selected option "High Cholesterol" in the chosen list box	PASSED	0.009 s

### Validate the Undo button on Existing Morbidities



#	Step / Hook Details	Status	Duration
1	Given Patient is on chosen list box of existing morbidities	PASSED	0.000 s
2	When Patient clicks on undo button	PASSED	0.061 s
3	Then Patient should be able to see the error msg "An option must be selected"	PASSED	0.011 s

### Validate the Other textbox



#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects "other" as an existing morbidity in the list available	PASSED	0.046 s
3	And clicks the right arrow of existing morbidities listbox	PASSED	0.185 s
4	Then Patient should be able enter the "Sinusitis" in the text box	PASSED	0.068 s

## Validate the Allergy Checkbox

PASSED	DURATION - 0.267 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:15.933 PM // 5:31:16.200 PM /				
<i>Validate Existing Morbidities</i>				
@TS_04ValidateTheAllergyCheckbox @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.000 s
2	When Patient selects the allergy check box	PASSED	0.067 s
3	Then Patient should be able enter the text "peanuts" in the text box	PASSED	0.198 s

## Validate the Other textbox in Existing Infections

PASSED	DURATION - 0.296 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:31:16.206 PM // 5:31:16.502 PM /				
<i>Validate Existing Morbidities</i>				
@TS_05ValidateTheotherTextboxinExistingInfections @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.002 s
2	When Patient selects an existing infection in the list available	PASSED	0.035 s
3	And clicks the right arrow of existing Infections listbox	PASSED	0.191 s
4	Then Patient should be able enter the "Pneumonia" in the text box of existing infections	PASSED	0.065 s

## Validate selecting Habits options from available to chosen





#	Step / Hook Details	Status	Duration
1	Given Patient selects a habit in the list available	PASSED	0.061 s
2	When Patient clicks the right arrow	PASSED	0.190 s
3	And Patient selects one more option	PASSED	0.037 s
4	And Patient clicks the right arrow	PASSED	0.134 s
5	Then Patient should able to see the "Alcohol", "Drugs" in the chosen list box	PASSED	0.018 s

### Validate selecting Physical fitness options from available to chosen





#	Step / Hook Details	Status	Duration
1	Given Patient selects a fitness option in the list available	PASSED	0.137 s
2	When clicks on the right arrow	PASSED	0.181 s
3	Then Patient should able to see the selected option "Yoga" in the fitness chosen list box	PASSED	0.010 s

### Validate selecting Family History options more than one from available to chosen

PASSED	DURATION - 0.611 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:17.291 PM // 5:31:17.902 PM /				
<i>Validate Existing Morbidities</i>				
@TS_08ValidateFamilyHistory- moreoptionsavailabletochosen @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient selects more than one option holding shift from the list available	PASSED	0.451 s
2	When Patient clicks on the right arrow of Family History	PASSED	0.131 s
3	Then Patient should able to see the selected "Diabetes", "Thyroid" in the chosen list box	PASSED	0.027 s

### Validate selecting Family History left arrow from chosen to available

PASSED	DURATION - 0.281 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:17.927 PM // 5:31:18.208 PM /				
<i>Validate Existing Morbidities</i>				
@TS_09ValidateFamilyHistory-leftarrowbtn @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient selects an option holding from the list chosen	PASSED	0.132 s
2	When Patient clicks on the left arrow of Family History	PASSED	0.137 s
3	Then Patient should not be able to see the selected "Diabetes" in the chosen list box	PASSED	0.011 s

### Validate Fitness Frequency DropDown

PASSED	DURATION - 0.212 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:18.213 PM // 5:31:18.425 PM /	Validate Existing Morbidities	@TS_10ValidateFitnessFrequencyDropDown @ExistingMorbidities		

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Fitness Frequency dropdown	PASSED	0.027 s
3	Then Patient should be able to select an option from the Fitness Frequency dropdown	PASSED	0.183 s

### Validate the Surgeries Checkbox

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:18.430 PM // 5:31:18.573 PM /	Validate Existing Morbidities	@TS_11ValidateTheSurgeriesCheckbox @ExistingMorbidities		

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.001 s
2	When Patient selects the surgeries check box	PASSED	0.000 s
3	Then Patient should be able enter the text "Heart Surgery" in the text box	PASSED	0.142 s

### Validate Immunization DropDown

PASSED	DURATION - 0.208 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:18.581 PM // 5:31:18.789 PM /				
<i>Validate Existing Morbidities</i>				
@TS_12ValidateImmunizationDropDown @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Immunization dropdown	PASSED	0.014 s
3	Then Patient should be able to select an option from the Immunization dropdown	PASSED	0.194 s

### Validate the International Travel Checkbox

PASSED	DURATION - 0.238 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:18.794 PM // 5:31:19.032 PM /				
<i>Validate Existing Morbidities</i>				
@TS_13ValidateInternationalTravelCheckbox @ExistingMorbidities				

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient selects the International Travel check box	PASSED	0.050 s
3	Then Patient should be able enter the "India" in the Enter Country Name text box	PASSED	0.186 s

### Validating Medication and Vitals Information

PASSED	DURATION - 2.606 s	Scenarios Total - 9 Pass - 9 Fail - 0 Skip - 0		Steps Total - 27 Pass - 27 Fail - 0 Skip - 0	
/ 5:31:19.037 PM // 5:31:21.643 PM /					

### The Patient is logged in to Saleforce app(Sepsis)

PASSED	DURATION - 0.129 s	0.15 0.1 .05 0	1 2 3	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:19.037 PM // 5:31:19.166 PM /					
<i>Validating Medication and Vitals Information</i>					
@TS_02Medication @Vitals					

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Current Medication textbox	PASSED	0.064 s
3	Then Patient enter "Vitamin D" in textbox	PASSED	0.062 s


### Validate Temperature

PASSED	DURATION - 0.102 s	0.15 0.1 .05 0	1 2 3	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:19.170 PM // 5:31:19.272 PM /					
<i>Validating Medication and Vitals Information</i>					
@TS_03Temparature @Vitals					

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Temperature textBox	PASSED	0.057 s


#	Step / Hook Details	Status	Duration
3	Then Patient enter Temperature "98.8" in textBox	PASSED	0.043 s

### Validate Heart Rate




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Heartrate textBox	PASSED	0.060 s
3	Then Patient enter Heart Rate "90" in textBox	PASSED	0.035 s

### Validate Respiratory Rate




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Respiratory Rate textBox	PASSED	0.056 s
3	Then Patient enter Reaspiratory Rate "15" in textBox	PASSED	0.035 s

### Validate BP




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on BP textBox	PASSED	0.058 s
3	Then Patient enter BP "110/80" in textBox	PASSED	0.049 s

### Validate Glucose




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Glucose dropdown	PASSED	0.064 s
3	Then Patient select Glucose from dropdown	PASSED	0.073 s

### Validate Glucose Value




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Glucose Value textBox	PASSED	0.033 s
3	Then Patient enter Glucose Value "100" in textBox	PASSED	0.041 s

### Validate WBC



#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on WBC textBox	PASSED	0.163 s
3	Then Patient enter WBC "3000" in textBox	PASSED	0.047 s

### Validate Save Button




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on save button	PASSED	0.415 s
3	Then the form should be saved successfully by displaying a message	PASSED	1.198 s

### Validating the New Patient form with Valid/Invalid/MissingData




### Validate the patient information form submission with missing data



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient details	PASSED	0.147 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	2.671 s


#	Step / Hook Details	Status	Duration
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.168 s
4	Then Error message "Complete this field." is displayed	PASSED	0.013 s

### Validate the patient information form submission with invalid phonefield

PASSED	DURATION - 3.121 s	 Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:24.662 PM // 5:31:27.783 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData	


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for phone field from "PatientDetails" and 1	PASSED	3.107 s
3	Then Error message "US phone numbers should be in this format: (999) 999-9999." is displayed under phone field	PASSED	0.013 s

### Validate the patient information form submission with invalid character

PASSED	DURATION - 3.132 s	 Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:27.788 PM // 5:31:30.920 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithInvalidCha*	



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 2	PASSED	3.120 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	PASSED	0.011 s

### Validate the patient information form submission with invalid data for BP


PASSED	DURATION - 2.941 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:31:30.925 PM // 5:31:33.866 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingDat-a @TS_04ValidatingtheNewPatientformWithInvalidBPdata		

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for BP field from "PatientDetails" and 3	PASSED	2.928 s
3	Then Error message "BP should be in Systolic and Diastolic" is displayed under BP field	PASSED	0.011 s


### Validate the patient information form submission with invalid data

FAILED	DURATION - 33.053 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 5:31:33.871 PM // 5:32:06.924 PM /	Validating the New Patient form with Valid/Invalid/MissingData	@PatientInformationWithValidandInvalidAndMissingDat-a @TS_05ValidatingtheNewPatientformWithInvalidDOB		


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='fieldLevelErrors']//a[text()='DOB']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bf4d8327ea352a6a9a6c81f51, findElement {using=xpath, value=/div[@class='fieldLevelErrors']//a[text()='DOB']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvgb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	32.769 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:virtualAuthenticators: true} Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source)     at pageObjects.PatientObjectMandatory.reviewInvalidDOBClick(PatientObjectMandatory.java:412)     at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(PatientObjectMandatorySD.java:149)     at ?.Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:51) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.283 s
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s


### Validate the patient information form submission with invalid data




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	<p>When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bfbf4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_1221}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfbf4d8327ea352a6a9a6c81f51)] -&gt; xpath: //button[@name='CancelEdit']] Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)</p>	FAILED	19.778 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:349) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(PatientObjectMandatorySD.java:163)     at ?.Patient submits new patient form entering other for morbidities from "PatientDetails" and 5(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:62) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.296 s
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.000 s


### Validate patient information form submission with invalid data



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid email from "PatientDetails" and 6 <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size  (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bfb4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_1221}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDatumDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss</pre>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<p>and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfbf4d8327ea352a6a9a6c81f51)] -&gt; xpath: //button[@name='CancelEdit']] Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.cancelButton(PatientObjectMandatory.java:349) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_email_from_and(PatientObjectMandatorySD.java:186) at ?.Patient submits new patient form with invalid email from "PatientDetails" and 6(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:73) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.291 s
3	Then Error message "You have entered an invalid format." is displayed under email	SKIPPED	0.000 s


## Validate patient information form submission with valid data for risk of Sepsis



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	<p>When Patient submits new patient form with valid data from "PatientDetails" and 7</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;div title="..." data-aura-rendered-by="2241:0"&gt;New&lt;/div&gt; is not clickable at point (2057, 135). Other element would receive the click: &lt;div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bfb4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfb4d8327ea352a6a9a6c81f51)] -&gt; xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bfb4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source)</pre>	FAILED	1.084 s

#	Step / Hook Details	Status	Duration
	<pre>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:217) at ?.Patient submits new patient form with valid data from "PatientDetails" and 7(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.267 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.001 s

### Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 8 <pre>org.openqa.selenium.ElementClickInterceptionException: element click intercepted: Element &lt;div title="..." data-aura-rendered-by="2241:0"&gt;New&lt;/div&gt; is not clickable at point (2057, 135). Other element would receive the click: &lt;div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.</pre>	FAILED	1.078 s

#	Step / Hook Details	Status	Duration
	<pre>chrome.ChromeDriver Command: [0f7b8bfbf4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfbf4d8327ea352a6a9a6c81f51)] -&gt; xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD. java:217) at ?.Patient submits new patient form with valid data from "PatientDetails" and 8(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/ test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.276 s

#	Step / Hook Details	Status	Duration
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.001 s


## Validate patient information form submission with valid data for risk of Sepsis



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 9  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div title="..." data-aura-rendered-by="2241:0">New</div> is not clickable at point (2057, 135). Other element would receive the click: <div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;">...</div> (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bfbf4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfbf4d8327ea352a6a9a6c81f51)] -> xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	1.083 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:217) at ?.Patient submits new patient form with valid data from "PatientDetails" and 9(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.285 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.000 s

### Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 10	FAILED	1.079 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;div title="..." data-aura-rendered-by="2241:0"&gt;New&lt;/div&gt; is not clickable at point (2057, 135). Other element would receive the click: &lt;div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bfbf4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDatumDir: /var/folders/r3/5_bhvb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfbf4d8327ea352a6a9a6c81f51)] -&gt; xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:217) at ?.Patient submits new patient form with valid data from "PatientDetails" and 10(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.259 s

#	Step / Hook Details	Status	Duration
			
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.001 s


### Validate patient information form submission with valid data for risk of Sepsis



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 11  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div title="..." data-aura-rendered-by="2241:0">New</div> is not clickable at point (2057, 135). Other element would receive the click: <div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;">...</div> (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bf4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDatumDir: /var/folders/r3/5_bhvb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bf4d8327ea352a6a9a6c81f51)] -> xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bf4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)	FAILED	1.083 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:217) at ?.Patient submits new patient form with valid data from "PatientDetails" and 11(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.268 s
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s


### Validate patient information form submission with valid data for risk of Sepsis



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	<p>When Patient submits new patient form with valid data from "PatientDetails" and 12</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;div title="..." data-aura-rendered-by="2241:0"&gt;New&lt;/div&gt; is not clickable at point (2057, 135). Other element would receive the click: &lt;div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bfb4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfb4d8327ea352a6a9a6c81f51)] -&gt; xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bfb4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source)</pre>	FAILED	1.045 s

#	Step / Hook Details	Status	Duration
	<pre>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:217) at ?.Patient submits new patient form with valid data from "PatientDetails" and 12(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.276 s
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s

### Validate attendance form submission with valid data for Critical risk




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	<p>When Patient submits new patient form with valid data for critical from "PatientDetails" and 13</p> <pre>org.openqa.selenium.ElementClickInterceptionException: element click intercepted: Element &lt;div title="..." data-aura-rendered-by="2241:0"&gt;New&lt;/div&gt; is not clickable at point (2057, 135). Other element would receive the click: &lt;div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.</pre>	FAILED	1.103 s

#	Step / Hook Details	Status	Duration
	<pre>chrome.ChromeDriver Command: [0f7b8bfbf4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfbf4d8327ea352a6a9a6c81f51)] -&gt; xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:250) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 13(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:98) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.263 s

#	Step / Hook Details	Status	Duration
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.001 s


## Validate attendance form submission with valid data for Critical risk




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	<p>When Patient submits new patient form with valid data for critical from "PatientDetails" and 14</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;div title="..." data-aura-rendered-by="2241:0"&gt;New&lt;/div&gt; is not clickable at point (2057, 135). Other element would receive the click: &lt;div role="dialog" aria-labelledby="title_3217:0" aria-describedby="content_3217:0" tabindex="-1" aria-modal="true" class="panel slds-modal slds-fade-in-open" data-aura-rendered-by="3232:0" style="opacity: 1;"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f7b8bfbf4d8327ea352a6a9a6c81f51, clickElement {id=F83AC0E87C7407EDBB4EDA7BC348DB0D_element_541}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53164}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53164/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (0f7b8bfbf4d8327ea352a6a9a6c81f51)] -&gt; xpath: //div[contains(text(),'New')]] Session ID: 0f7b8bfbf4d8327ea352a6a9a6c81f51 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	1.073 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor112.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.newPatientform(PatientObjectMandatory.java:232) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:250)   at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 14(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:98) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.269 s
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

## Validate Blood Profile upload files



## Validate Blood Profile upload files



#	Step / Hook Details	Status	Duration
1	Given Patient is on related tab in saved patient form	PASSED	0.430 s
2	When Patient clicks on the upload file option	PASSED	0.000 s
3	Then Patient should able to upload a file with a successful message "1 file was uploaded."	PASSED	0.000 s