Cucumber Report

Start : Dec 01, 8:35:00.310 PM	End : Dec 01, 8:35:01.605 PM	Duration : 1.295 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 11

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Validating the New Patient form with Valid/Invalid/MissingData	*1.295 s*	5	0	5	0	16	0	5	11

| #	Feature Name	Scenario Name
1	*Validating the New Patient form with Valid/Invalid/MissingData*	*Validate the patient information form submission with missing data*
2		*Validate the patient information form submission with invalid data*
3		*Validate the patient information form submission with invalid data*
4		*Validate the patient information form submission with invalid data*
5		*Validate attendance form submission with valid data*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PatientInformationWithValidandInvalidAndMissingData	5	0	5	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	0	1	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Validating the New Patient form with Valid/Invalid/MissingData*	5	0	5	0	1.295 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating the New Patient form with Valid/Invalid/MissingData	Validate the patient information form submission with missing data	4	0	1	3	0.315 s
2		Validate the patient information form submission with invalid data	3	0	1	2	0.205 s
3		Validate the patient information form submission with invalid data	3	0	1	2	0.230 s
4		Validate the patient information form submission with invalid data	3	0	1	2	0.229 s
5		Validate attendance form submission with valid data	3	0	1	2	0.240 s

Validating the New Patient form with Valid/Invalid/MissingData

FAILED	DURATION - 1.295 s	Scenarios		Steps	
		Total - 5		Total - 16	
/ 8:35:00.310 PM // 8:35:01.605 PM /		Pass - 0		Pass - 0	
		Fail - 5	5	Fail - 5	16
		Skip - 0		Skip - 11	

Validate the patient information form submission with missing data

FAILED	DURATION - 0.315 s		Steps	
/ 8:35:00.312 PM // 8:35:00.627 PM /			Total - 4	
Validating the New Patient form with Valid/Invalid/MissingData			Pass - 0	
			Fail - 1	4
@PatientInformationWithValidandInvalidAndMissingData @TS_01ValidatingtheNewPatientformWithMissingData			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	FAILED	0.101 s

	java.lang.StackOverflowError
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

| #	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.202 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 2	SKIPPED	0.001 s
3	And Error message "We hit a snag." is displayed and review the following field	SKIPPED	0.000 s
4	Then Error message "Complete this field." is displayed	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

FAILED	DURATION - 0.205 s
/ 8:35:00.670 PM // 8:35:00.875 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.017 s

	java.lang.StackOverflowError
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	    at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	    at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	    at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.184 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 3	SKIPPED	0.000 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

FAILED	DURATION - 0.230 s		Steps
/ 8:35:00.888 PM // 8:35:01.118 PM /			Total - 3
Validating the New Patient form with Valid/Invalid/MissingData			Pass - 0
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.015 s
	java.lang.StackOverflowError at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

| #	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.211 s

#	Step / Hook Details	Status	Duration
	My screenshot		
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4	SKIPPED	0.000 s
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

Validate the patient information form submission with invalid data

FAILED	DURATION - 0.229 s
/ 8:35:01.128 PM // 8:35:01.357 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.015 s

	java.lang.StackOverflowError
	  at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	  at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	  at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	  at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	  at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	  at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	  at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	  at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	  at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	  at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	  at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	  at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	  at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	  at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	  at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

| #	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.211 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5	SKIPPED	0.000 s
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.001 s

Validate attendance form submission with valid data

FAILED	DURATION - 0.240 s
/ 8:35:01.365 PM // 8:35:01.605 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithValidData	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	FAILED	0.017 s

	java.lang.StackOverflowError
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	   at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	   at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	   at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	   at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	   at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	   at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	   at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	   at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	   at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	   at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	   at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	   at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)
	   at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)
	   at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)
	   at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		

#	Step / Hook Details	Status	Duration
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66)		
	at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25)		
	at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		

#	Step / Hook Details	Status	Duration
	at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19) at driverFactory.AbstractComponents.<init>(AbstractComponents.java:66) at pageObjects.PatientObjectMandatory.<init>(PatientObjectMandatory.java:25) at pageObjects.PatientObjectMandatory.getInstance(PatientObjectMandatory.java:19)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.215 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 6	SKIPPED	0.002 s
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.001 s