

# Cucumber Report

Dec 3, 2023, 9:31:31 PM

**Start : Dec 03, 9:31:19.476 PM**

**End : Dec 03, 9:31:31.445 PM**

**Duration : 11.969 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 2**


**FAILED - 4**

**SKIPPED - 0**

**PASSED - 12**

**FAILED - 4**

**SKIPPED - 4**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SalesforceLoginSepsisapp</u>	8.705 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	3.221 s	5	1	4	0	16	8	4	4

#	Feature Name	Scenario Name
1	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with invalid data</u>
2		<u>Validate the patient information form submission with invalid data</u>
3		<u>Validate the patient information form submission with invalid data</u>
4		<u>Validate attendance form submission with valid data</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TS_01LoginPage	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	5	1	4	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0
@TS_02ValidatingtheNewPatientformWithInvalidData	3	0	3	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithValidData	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	8.705 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	5	1	4	0	3.221 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	8.704 s
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate the patient information form submission with missing data</u>	4	4	0	0	2.189 s
3		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.274 s
4		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.245 s
5		<u>Validate the patient information form submission with invalid data</u>	3	1	1	1	0.244 s
6		<u>Validate attendance form submission with valid data</u>	3	1	1	1	0.232 s

## SalesforceLoginSepsisapp



<b>PASSED</b>	DURATION - 8.705 s	Scenarios		Steps	
/ 9:31:19.476 PM // 9:31:28.181 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Validate loginPage



<div>PASSED</div> <div>DURATION - 8.704 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:31:19.477 PM // 9:31:28.181 PM /</div>			
<div>SalesforceLoginSepsisapp</div>			
<div>@TS_01LoginPage @Login</div>			

#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.476 s
2	When The patient enter valid "username" and "password"	PASSED	0.161 s
3	And The user click on login button	PASSED	6.854 s
4	Then The user redirected to SalesforceHomepage	PASSED	1.202 s

## Validating the New Patient form with Valid/Invalid/MissingData



<b>FAILED</b>	DURATION - 3.221 s	Scenarios		Steps	
/ 9:31:28.224 PM // 9:31:31.445 PM /		Total - 5		Total - 16	
		Pass - 1		Pass - 8	
		Fail - 4		Fail - 8	
		Skip - 0		Skip - 0	

## Validate the patient information form submission with missing data

<b>PASSED</b>	<b>DURATION - 2.189 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:31:28.226 PM // 9:31:30.415 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_01ValidatingtheNewPatientformWithMissingData				

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering details	PASSED	0.113 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	1.775 s
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.287 s
4	Then Error message "Complete this field." is displayed	PASSED	0.012 s


### Validate the patient information form submission with invalid data

<b>FAILED</b>	<b>DURATION - 0.274 s</b>		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:31:30.425 PM // 9:31:30.699 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData				



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 3  io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for textfields from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581)		


#	Step / Hook Details	Status	Duration
	<p>Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_invalid_data_for_textfields_from_and(java.lang.String,java.lang.String)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:68)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  ... 44 more  Caused by: java.lang.IllegalArgumentException: argument type mismatch  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.267 s
	My screenshot 		
3	Then Error message "Please enter only Alphabets" is displayed under textfields	SKIPPED	0.000 s

### Validate the patient information form submission with invalid data



<b>FAILED</b> DURATION - 0.245 s / 9:31:30.708 PM // 9:31:30.953 PM / Validating the New Patient form with Valid/Invalid/MissingData @PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with invalid data for DOB from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.  patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:808)  at org.testng.TestRunner.run(TestRunner.java:603)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383)  at org.testng.SuiteRunner.run(SuiteRunner.java:326)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_invalid_data_for_dob_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 44 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.241 s
	My screenshot		
			
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	SKIPPED	0.000 s

**Validate the patient information form submission with invalid data**



FAILED		DURATION - 0.244 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:31:30.961 PM // 9:31:31.205 PM /						
Validating the New Patient form with Valid/Invalid/MissingData						
@PatientInformationWithValidandInvalidAndMissingData a @TS_02ValidatingtheNewPatientformWithInvalidData						

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5  io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form entering other for morbidities from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_entering_other_for_morbidities_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 44 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.242 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	SKIPPED	0.000 s


### Validate attendance form submission with valid data

<div>FAILED</div> <div>DURATION - 0.232 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:31:31.213 PM // 9:31:31.445 PM /				
Validating the New Patient form with Valid/Invalid/MissingData				
@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithValidData				

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 6 io.cucumber.core.exception.CucumberException: Could not invoke step [Patient submits new patient form with valid data from {string} and {int}] defined at 'stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_from_and(java.lang.String,java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 44 more Caused by: java.lang.IllegalArgumentException: argument type mismatch </pre>		



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.229 s
	My screenshot		
			
3	Then Patient form is successfully created with the success message "Patient "PT-0049" was created."	SKIPPED	0.000 s