

Cucumber Report

Dec 19, 2023, 5:57:19 PM

Start : Dec 19, 5:56:41.815 PM

End : Dec 19, 5:57:19.152 PM

Duration : 37.337 s

Features






PASSED - 4
FAILED - 2
SKIPPED - 0

Scenarios

PASSED - 28
FAILED - 9
SKIPPED - 0

Steps

PASSED - 100
FAILED - 9
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SalesforceLoginSepsisapp</u>	5.627 s	1	1	0	0	4	4	0	0
<u>Validating the New Patient information</u>	5.368 s	5	5	0	0	15	15	0	0
<u>Validitate Existing Morbidities</u>	3.823 s	13	13	0	0	44	44	0	0
<u>Validating Medication and Vitals Information</u>	2.471 s	9	8	1	0	27	26	1	0
<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	19.799 s	8	0	8	0	24	8	8	8
<u>Validitate Blood Profile upload files</u>	0.168 s	1	1	0	0	3	3	0	0

#	Feature Name	Scenario Name
1	<u>Validating Medication and Vitals Information</u>	<u>Validate Save Button</u>
2	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate patient information form submission with valid data for risk of Sepsis</u>
3		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
4		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
5		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
6		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
7		<u>Validate patient information form submission with valid data for risk of Sepsis</u>
8		<u>Validate attendance form submission with valid data for Critical risk</u>
9		<u>Validate attendance form submission with valid data for Critical risk</u>


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TS_01LoginPage		1	1	0	0	1	1	0	0
@Login		1	1	0	0	1	1	0	0
@TS_01_ValidatePersonalInfo		1	1	0	0	1	1	0	0
@NewPatientInformation		5	5	0	0	1	1	0	0
@TS_02_ValidateContactInfo		1	1	0	0	1	1	0	0
@TS_03_ValidateEmergencycontact		1	1	0	0	1	1	0	0
@TS_04_ValidateProviderInformation		1	1	0	0	1	1	0	0
@TS_05_ValidateMedicalHistory		1	1	0	0	1	1	0	0
@TS_01ValidateExistingMorbidities-availabletochosen		1	1	0	0	1	1	0	0
@ExistingMorbidities		13	13	0	0	1	1	0	0
@TS_02ValidateUndoExistingMorbidities		1	1	0	0	1	1	0	0
@TS_03ValidateTheotherTextbox		1	1	0	0	1	1	0	0
@TS_04ValidateTheAllergyCheckbox		1	1	0	0	1	1	0	0
@TS_05ValidateTheotherTextboxinExistingInfections		1	1	0	0	1	1	0	0
@TS_06ValidateHabitsOption-availabletochosen		1	1	0	0	1	1	0	0
@TS_07ValidatePhysicalFitnessoption-availabletochosen		1	1	0	0	1	1	0	0
@TS_08ValidateFamilyHistory-moreoptionsavailabletochosen		1	1	0	0	1	1	0	0

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@TS_09ValidateFamilyHistory-leftarrowbtn		1	1	0	0	1	1	0	0
@TS_10ValidateFitnessFrequencyDropDown		1	1	0	0	1	1	0	0
@TS_11ValidateTheSurgeriesCheckbox		1	1	0	0	1	1	0	0
@TS_12ValidateImmunizationDropDown		1	1	0	0	1	1	0	0
@TS_13ValidateInternationalTravelCheckbox		1	1	0	0	1	1	0	0
@TS_02Medication		1	1	0	0	1	0	1	0
@Vitals		9	8	1	0	1	0	1	0
@TS_03Temparature		1	1	0	0	1	0	1	0
@TS_04HeartRate		1	1	0	0	1	0	1	0
@TS_05RespiratoryRate		1	1	0	0	1	0	1	0
@TS_06BP		1	1	0	0	1	0	1	0
@TS_07Glucose		1	1	0	0	1	0	1	0
@TS_08GlucoseValue		1	1	0	0	1	0	1	0
@TS_09WBC		1	1	0	0	1	0	1	0
@TS_10ValidateSaveButton		1	0	1	0	1	0	1	0
@PatientInformationWithValidandInvalidAndMissingData		8	0	8	0	1	0	1	0
@TS_09ValidatingtheNewPatientformWithValidDataForCritical		2	0	2	0	1	0	1	0


TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@TS_01ValiditateBloodProfileuploadfiles		1	1	0	0	1	1	0	0
@UploadBloodReport		1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	1	1	0	0	5.627 s
2	<u>Validating the New Patient information</u>	5	5	0	0	5.368 s
3	<u>Validitate Existing Morbidities</u>	13	13	0	0	3.823 s
4	<u>Validating Medication and Vitals Information</u>	9	8	1	0	2.471 s
5	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	8	0	8	0	19.799 s
6	<u>Validitate Blood Profile upload files</u>	1	1	0	0	0.168 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SalesforceLoginSepsisapp</u>	<u>Validate loginPage</u>	4	4	0	0	5.626 s
2	<u>Validating the New Patient information</u>	<u>Validating the PersonalInfo</u>	3	3	0	0	3.207 s
3		<u>Validating the contactinfo</u>	3	3	0	0	0.731 s
4		<u>Validating the EmergencyContact</u>	3	3	0	0	0.345 s
5		<u>Validating the ProviderInformation</u>	3	3	0	0	0.525 s
6		<u>Validating the EmergencyContact</u>	3	3	0	0	0.523 s
7	<u>Validitate Existing Morbidities</u>	<u>Validate Existing Morbidities available to chosen</u>	4	4	0	0	0.273 s
8		<u>Validate the Undo button on Existing Morbidities</u>	3	3	0	0	0.079 s
9		<u>Validate the Other textbox</u>	4	4	0	0	0.304 s
10		<u>Validate the Allergy Checkbox</u>	3	3	0	0	0.272 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validate Existing Morbidities</u>	<u>Validate the Other textbox in Existing Infections</u>	4	4	0	0	0.293 s
12		<u>Validate selecting Habits options from available to chosen</u>	5	5	0	0	0.433 s
13		<u>Validate selecting Physical fitness options from available to chosen</u>	3	3	0	0	0.352 s
14		<u>Validate selecting Family History options more than one from available to chosen</u>	3	3	0	0	0.622 s
15		<u>Validate selecting Family History left arrow from chosen to available</u>	3	3	0	0	0.276 s
16		<u>Validate Fitness Frequency DropDown</u>	3	3	0	0	0.205 s
17		<u>Validate the Surgeries Checkbox</u>	3	3	0	0	0.149 s
18		<u>Validate Immunization DropDown</u>	3	3	0	0	0.223 s
19		<u>Validate the International Travel Checkbox</u>	3	3	0	0	0.277 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Validating Medication and Vitals Information</u>	<u>The Patient is logged in to Saleforce app(Sepsis)</u>	3	3	0	0	0.129 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Validating Medication and Vitals Information</u>	<u>Validate Temperature</u>	3	3	0	0	0.103 s
22		<u>Validate Heart Rate</u>	3	3	0	0	0.093 s
23		<u>Validate Respiratory Rate</u>	3	3	0	0	0.096 s
24		<u>Validate BP</u>	3	3	0	0	0.115 s
25		<u>Validate Glucose</u>	3	3	0	0	0.164 s
26		<u>Validate Glucose Value</u>	3	3	0	0	0.074 s
27		<u>Validate WBC</u>	3	3	0	0	0.214 s
28		<u>Validate Save Button</u>	3	2	1	0	1.440 s
29	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	0.858 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	10.280 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Validating the New Patient form with Valid/Invalid/MissingData</u>	<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	0.299 s
32		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	4.496 s
33		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	1.350 s
34		<u>Validate patient information form submission with valid data for risk of Sepsis</u>	3	1	1	1	0.818 s
35		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	1.371 s
36		<u>Validate attendance form submission with valid data for Critical risk</u>	3	1	1	1	0.288 s
37	<u>Validitate Blood Profile upload files</u>	<u>Validitate Blood Profile upload files</u>	3	3	0	0	0.168 s

SalesforceLoginSepsisapp



Validate loginPage





#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.461 s
2	When The patient enter valid "username" and "password"	PASSED	0.209 s
3	And The user click on login button	PASSED	3.871 s
4	Then The user redirected to SalesForceHomepage	PASSED	1.076 s

Validating the New Patient information





Validating the PersonalInfo

PASSED	DURATION - 3.207 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:47.486 PM // 5:56:50.693 PM /				
<i>Validating the New Patient information</i>				
@TS_01_ValidatePersonalInfo @NewPatientInformation				


#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form	PASSED	2.184 s
2	When Patient enters "Kelly", "Rob", Gender, Race, "11/1/2023" and "atena4656" on personal information	PASSED	0.980 s
3	Then Patient can see the "Kelly", "Rob", "11/1/2023", "atena4656" and other details entered on personal information	PASSED	0.041 s

Validating the contactinfo

PASSED	DURATION - 0.731 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:50.702 PM // 5:56:51.433 PM /				
<i>Validating the New Patient information</i>				
@TS_02_ValidateContactInfo @NewPatientInformation				



#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters the "815-456-9999", "kelly@gmail.com", "United States", "Egmore St", "Bayarea" and "77433" on contact information	PASSED	0.675 s
3	Then Patient can see the "815-456-9999", "kelly@gmail.com", "United States", "Egmore St", "Bayarea" and "77433" entered on contact information	PASSED	0.053 s

Validating the EmergencyContact

PASSED	DURATION - 0.345 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:51.442 PM // 5:56:51.787 PM /				
<i>Validating the New Patient information</i>				
@TS_03_ValidateEmergencycontact @NewPatientInformation				


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "Kiya" and "716-456-7890"	PASSED	0.323 s
3	Then Patient can see the "Kiya" and "716-456-7890" entered on emergency contact info	PASSED	0.019 s

Validating the ProviderInformation

PASSED	DURATION - 0.525 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:51.797 PM // 5:56:52.322 PM /				
<i>Validating the New Patient information</i>				
@TS_04_ValidateProviderInformation @NewPatientInformation				


#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com"	PASSED	0.473 s
3	Then Patient can see the "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com" entered on provider information	PASSED	0.049 s

Validating the EmergencyContact




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "12.00" and "60" on medical history	PASSED	0.504 s
3	Then Patient can see the "12.00" and "60" entered on medical history	PASSED	0.018 s

Validate Existing Morbidities




Validate Existing Morbidities available to chosen



#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.002 s
2	When Patient selects an existing morbidity in the list available	PASSED	0.064 s


#	Step / Hook Details	Status	Duration
3	And clicks the right arrow	PASSED	0.196 s
4	Then Patient should able to see the selected option "High Cholesterol" in the chosen list box	PASSED	0.009 s

Validate the Undo button on Existing Morbidities





#	Step / Hook Details	Status	Duration
1	Given Patient is on chosen list box of existing morbidities	PASSED	0.000 s
2	When Patient clicks on undo button	PASSED	0.060 s
3	Then Patient should be able to see the error msg "An option must be selected"	PASSED	0.015 s

Validate the Other textbox




#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.000 s
2	When Patient selects "other" as an existing morbidity in the list available	PASSED	0.046 s
3	And clicks the right arrow of existing morbidities listbox	PASSED	0.185 s
4	Then Patient should be able enter the "Sinusitis" in the text box	PASSED	0.070 s

Validate the Allergy Checkbox

PASSED	DURATION - 0.272 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:53.534 PM // 5:56:53.806 PM /				
<i>Validate Existing Morbidities</i>				
@TS_04ValidateTheAllergyCheckbox @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects the allergy check box	PASSED	0.066 s
3	Then Patient should be able enter the text "peanuts" in the text box	PASSED	0.204 s

Validate the Other textbox in Existing Infections

PASSED	DURATION - 0.293 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:56:53.812 PM // 5:56:54.105 PM /				
<i>Validate Existing Morbidities</i>				
@TS_05ValidateTheotherTextboxinExistingInfections @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.000 s
2	When Patient selects an existing infection in the list available	PASSED	0.034 s
3	And clicks the right arrow of existing Infections listbox	PASSED	0.191 s
4	Then Patient should be able enter the "Pneumonia" in the text box of existing infections	PASSED	0.066 s

Validate selecting Habits options from available to chosen





#	Step / Hook Details	Status	Duration
1	Given Patient selects a habit in the list available	PASSED	0.062 s
2	When Patient clicks the right arrow	PASSED	0.184 s
3	And Patient selects one more option	PASSED	0.037 s
4	And Patient clicks the right arrow	PASSED	0.131 s
5	Then Patient should able to see the "Alcohol", "Drugs" in the chosen list box	PASSED	0.016 s

Validate selecting Physical fitness options from available to chosen





#	Step / Hook Details	Status	Duration
1	Given Patient selects a fitness option in the list available	PASSED	0.148 s
2	When clicks on the right arrow	PASSED	0.193 s
3	Then Patient should able to see the selected option "Yoga" in the fitness chosen list box	PASSED	0.010 s

Validate selecting Family History options more than one from available to chosen

PASSED	DURATION - 0.622 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:54.907 PM // 5:56:55.529 PM /				
<i>Validate Existing Morbidities</i>				
@TS_08ValidateFamilyHistory- moreoptionsavailabletochosen @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient selects more than one option holding shift from the list available	PASSED	0.465 s
2	When Patient clicks on the right arrow of Family History	PASSED	0.128 s
3	Then Patient should able to see the selected "Diabetes", "Thyroid" in the chosen list box	PASSED	0.028 s

Validate selecting Family History left arrow from chosen to available

PASSED	DURATION - 0.276 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:55.533 PM // 5:56:55.809 PM /				
<i>Validate Existing Morbidities</i>				
@TS_09ValidateFamilyHistory-leftarrowbtn @ExistingMorbidities				



#	Step / Hook Details	Status	Duration
1	Given Patient selects an option holding from the list chosen	PASSED	0.130 s
2	When Patient clicks on the left arrow of Family History	PASSED	0.135 s
3	Then Patient should not be able to see the selected "Diabetes" in the chosen list box	PASSED	0.011 s

Validate Fitness Frequency DropDown

PASSED	DURATION - 0.205 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:55.814 PM // 5:56:56.019 PM /				
<i>Validate Existing Morbidities</i>				
@TS_10ValidateFitnessFrequencyDropDown @ExistingMorbidities				



#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.001 s
2	When Patient clicks on Fitness Frequency dropdown	PASSED	0.026 s
3	Then Patient should be able to select an option from the Fitness Frequency dropdown	PASSED	0.177 s

Validate the Surgeries Checkbox

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:56.025 PM // 5:56:56.174 PM /				
<i>Validate Existing Morbidities</i>				
@TS_11ValidateTheSurgeriesCheckbox @ExistingMorbidities				



#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient selects the surgeries check box	PASSED	0.001 s
3	Then Patient should be able enter the text "Heart Surgery" in the text box	PASSED	0.148 s

Validate Immunization DropDown

PASSED	DURATION - 0.223 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:56.178 PM // 5:56:56.401 PM /				
<i>Validate Existing Morbidities</i>				
@TS_12ValidateImmunizationDropDown @ExistingMorbidities				


#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Immunization dropdown	PASSED	0.011 s
3	Then Patient should be able to select an option from the Immunization dropdown	PASSED	0.211 s

Validate the International Travel Checkbox


PASSED	DURATION - 0.277 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:56:56.409 PM // 5:56:56.686 PM /				
<i>Validate Existing Morbidities</i>				
@TS_13ValidateInternationalTravelCheckbox @ExistingMorbidities				

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient selects the International Travel check box	PASSED	0.087 s
3	Then Patient should be able enter the "India" in the Enter Country Name text box	PASSED	0.188 s

Validating Medication and Vitals Information




The Patient is logged in to Saleforce app(Sepsis)



#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Current Medication textbox	PASSED	0.065 s
3	Then Patient enter "Vitamin D" in textbox	PASSED	0.062 s


Validate Temperature



#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on Temperature textBox	PASSED	0.058 s


#	Step / Hook Details	Status	Duration
3	Then Patient enter Temperature "98.8" in textBox	PASSED	0.043 s

Validate Heart Rate




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Heartrate textBox	PASSED	0.059 s
3	Then Patient enter Heart Rate "90" in textBox	PASSED	0.033 s

Validate Respiratory Rate




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Respiratory Rate textBox	PASSED	0.059 s
3	Then Patient enter Reaspiratory Rate "15" in textBox	PASSED	0.037 s

Validate BP




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on BP textBox	PASSED	0.058 s
3	Then Patient enter BP "110/80" in textBox	PASSED	0.056 s

Validate Glucose




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Glucose dropdown	PASSED	0.089 s
3	Then Patient select Glucose from dropdown	PASSED	0.073 s

Validate Glucose Value




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Glucose Value textBox	PASSED	0.034 s
3	Then Patient enter Glucose Value "100" in textBox	PASSED	0.040 s


Validate WBC



#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on WBC textBox	PASSED	0.171 s
3	Then Patient enter WBC "3000" in textBox	PASSED	0.042 s

Validate Save Button




#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on save button	PASSED	0.371 s
3	Then the form should be saved successfully by displaying a message java.lang.AssertionError: expected [Patient "PT-0431" was created.] but found [] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.VitalsSD.the_form_should_be_saved_succesfully_by_displaying_a_message(VitalsSD.java:123) at ?.the form should be saved successfully by displaying a message(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/04Vitals.feature:56) * Not displayable characters are replaced by '?'.	FAILED	0.750 s
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.318 s


Validating the New Patient form with Valid/Invalid/MissingData




Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.001 s
2	<p>When Patient submits new patient form with valid data from "PatientDetails" and 7</p> <pre>org.openqa.selenium.JavascriptException: Javascript error: Cannot read properties of undefined (reading 'defaultView') (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323e50ac4c92f9466f5ddf241b764497, clickElement {id=0329381F5F07D0FBE774F2D0BC5BFA98_element_571}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (/span[text()='New Patient'])[1]/..] Session ID: 323e50ac4c92f9466f5ddf241b764497</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p>	FAILED	0.614 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:240) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 7(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.243 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.000 s

Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	<p>When Patient submits new patient form with valid data from "PatientDetails" and 8</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (/span[text()='New Patient'])[1]/..] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 323e50ac4c92f9466f5ddf241b764497 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at driverFactory.AbstractComponents.waitForElementToappear(AbstractComponents.java:26) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:239) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 8(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.</pre>	FAILED	10.045 s
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.233 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.001 s


Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 9 org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'defaultView') (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323e50ac4c92f9466f5ddf241b764497, clickElement {id=0329381F5F07D0FBE774F2D0BC5BFA98_element_571}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (/span[text()='New Patient'])[1]..] Session ID: 323e50ac4c92f9466f5ddf241b764497 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)	FAILED	0.045 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:240) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 9(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.252 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.000 s


Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 10 <pre>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'defaultView') (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323e50ac4c92f9466f5ddf241b764497, clickElement {id=0329381F5F07D0FBE774F2D0BC5BFA98_element_571}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</pre>	FAILED	4.258 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (//span[text()='New Patient'])[1]/..] Session ID: 323e50ac4c92f9466f5ddf241b764497 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:240) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 10(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.237 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.000 s


Validate patient information form submission with valid data for risk of Sepsis




#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	<p>When Patient submits new patient form with valid data from "PatientDetails" and 11</p> <pre>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'defaultView') (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323e50ac4c92f9466f5ddf241b764497, clickElement {id=0329381F5F07D0FBE774F2D0BC5BFA98_element_571}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (/span[text()='New Patient'])[1]..] Session ID: 323e50ac4c92f9466f5ddf241b764497 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)</pre>	FAILED	1.109 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:240) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 11(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.240 s
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s


Validate patient information form submission with valid data for risk of Sepsis



#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 12 <pre>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'defaultView') (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323e50ac4c92f9466f5ddf241b764497, clickElement {id=0329381F5F07D0FBE774F2D0BC5BFA98_element_571}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</pre>	FAILED	0.578 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (//span[text()='New Patient'])[1]/..] Session ID: 323e50ac4c92f9466f5ddf241b764497 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:240) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 12(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.239 s
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s


Validate attendance form submission with valid data for Critical risk




#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	<p>When Patient submits new patient form with valid data for critical from "PatientDetails" and 13</p> <pre>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'defaultView') (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323e50ac4c92f9466f5ddf241b764497, clickElement {id=0329381F5F07D0FBE774F2D0BC5BFA98_element_571}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (/span[text()='New Patient'])[1]..] Session ID: 323e50ac4c92f9466f5ddf241b764497 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)</pre>	FAILED	1.117 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:240) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:253) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 13(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:98) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.253 s
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s


Validate attendance form submission with valid data for Critical risk





#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with valid data for critical from "PatientDetails" and 14 org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'defaultView') (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [323e50ac4c92f9466f5ddf241b764497, clickElement {id=0329381F5F07D0FBE774F2D0BC5BFA98_element_571}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/r3/5_bhvqb55bq..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58942}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (323e50ac4c92f9466f5ddf241b764497)] -> xpath: (//span[text()='New Patient']][1]/..] Session ID: 323e50ac4c92f9466f5ddf241b764497 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor104.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy30.click(Unknown Source) at pageObjects.PatientObjectMandatory.patientObjectSelect(PatientObjectMandatory.java:240) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:253) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 14(file:///Users/kalai/Documents/GitLab/Sepsis- Application/src/test/resources/features/05patientObjectMandatory.feature:98) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.244 s
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

Validate Blood Profile upload files

PASSED	DURATION - 0.168 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:57:18.984 PM // 5:57:19.152 PM /					

Validate Blood Profile upload files

PASSED	DURATION - 0.168 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:57:18.984 PM // 5:57:19.152 PM /					
Validate Blood Profile upload files					
@TS_01ValidateBloodProfileuploadfiles @UploadBloodReport					

#	Step / Hook Details	Status	Duration
1	Given Patient is on related tab in saved patient form	PASSED	0.167 s
2	When Patient clicks on the upload file option	PASSED	0.000 s
3	Then Patient should able to upload a file with a successful message "1 file was uploaded."	PASSED	0.000 s