Cucumber Report

| Start : Dec 17, 10:19:07.677 PM	End : Dec 17, 10:21:36.731 PM	Duration : 2 m 29.054 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 36 FAILED - 8 SKIPPED - 0	PASSED - 122 FAILED - 8 SKIPPED - 9

6

44

139

Pass %
66 %

Pass %
81 %

Pass %
87 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
SalesforceLoginSepsisapp	*11.018 s*	*1*	*1*	*0*	*0*	*4*	*4*	*0*	*0*
Validating the New Patient information	*5.047 s*	*5*	*5*	*0*	*0*	*15*	*15*	*0*	*0*
Validitate Existing Morbidities	*3.813 s*	*13*	*13*	*0*	*0*	*44*	*44*	*0*	*0*
Validating Medication and Vitals Information	*2.183 s*	*9*	*9*	*0*	*0*	*27*	*27*	*0*	*0*
Validating the New Patient form with Valid/Invalid/MissingData	*1 m 56.569 s*	*15*	*8*	*7*	*0*	*46*	*32*	*7*	*7*
Validitate Blood Profile upload files	*10.329 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*

#	Feature Name	Scenario Name
1	*Validating the New Patient form with Valid/Invalid/MissingData*	*Validate patient information form submission with valid data for risk of Sepsis*
2		*Validate patient information form submission with valid data for risk of Sepsis*
3		*Validate patient information form submission with valid data for risk of Sepsis*
4		*Validate patient information form submission with valid data for risk of Sepsis*
5		*Validate patient information form submission with valid data for risk of Sepsis*
6		*Validate attendance form submission with valid data for Critical risk*
7		*Validate attendance form submission with valid data for Critical risk*
8	*Validitate Blood Profile upload files*	*Validitate Blood Profile upload files*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@TS_01LoginPage	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0
@TS_01_ValidatePersonalInfo	1	1	0	0	1	1	0	0
@NewPatientInformation	5	5	0	0	1	1	0	0
@TS_02_ValidateContactInfo	1	1	0	0	1	1	0	0
@TS_03_ValidateEmergencycontact	1	1	0	0	1	1	0	0
@TS_04_ValidateProviderInformation	1	1	0	0	1	1	0	0
@TS_05_ValidateMedicalHistory	1	1	0	0	1	1	0	0
@TS_01ValidateExistingMorbidities-availabletochosen	1	1	0	0	1	1	0	0
@ExistingMorbidities	13	13	0	0	1	1	0	0
@TS_02ValidateUndoExistingMorbidities	1	1	0	0	1	1	0	0
@TS_03ValidateTheotherTextbox	1	1	0	0	1	1	0	0
@TS_04ValidateTheAllergyCheckbox	1	1	0	0	1	1	0	0
@TS_05ValidateTheotherTextboxinExistingInfections	1	1	0	0	1	1	0	0
@TS_06ValidateHabitsOption-availabletochosen	1	1	0	0	1	1	0	0
@TS_07ValidatePhysicalFitnessoption-availabletochosen	1	1	0	0	1	1	0	0
@TS_08ValidateFamilyHistory-moreoptionsavailabletochosen	1	1	0	0	1	1	0	0

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@TS_09ValidateFamilyHistory-leftarrowbtn	1	1	0	0	1	1	0	0
@TS_10ValidateFitnessFrequencyDropDown	1	1	0	0	1	1	0	0
@TS_11ValidateTheSurgeriesCheckbox	1	1	0	0	1	1	0	0
@TS_12ValidateImmunizationDropDown	1	1	0	0	1	1	0	0
@TS_13ValidateInternationalTravelCheckbox	1	1	0	0	1	1	0	0
@TS_02Medication	1	1	0	0	1	1	0	0
@Vitals	9	9	0	0	1	1	0	0
@TS_03Temparature	1	1	0	0	1	1	0	0
@TS_04HeartRate	1	1	0	0	1	1	0	0
@TS_05RespiratoryRate	1	1	0	0	1	1	0	0
@TS_06BP	1	1	0	0	1	1	0	0
@TS_07Glucose	1	1	0	0	1	1	0	0
@TS_08GlucoseValue	1	1	0	0	1	1	0	0
@TS_09WBC	1	1	0	0	1	1	0	0
@TS_10ValidateSaveButton	1	1	0	0	1	1	0	0
@PatientInformationWithValidandInvalidAndMissingData	15	8	7	0	1	0	1	0
@TS_01ValidatingtheNewPatientformWithMissingData	1	1	0	0	1	0	1	0

TAG	Scenario				Feature			
Name	*T*	*P*	*F*	*S*	*T*	*P*	*F*	*S*
@TS_02ValidatingtheNewPatientformWithInvalidData	1	1	0	0	1	0	1	0
@TS_03ValidatingtheNewPatientformWithInvalidCharacter	1	1	0	0	1	0	1	0
@TS_04ValidatingtheNewPatientformWithInvalidBPdata	1	1	0	0	1	0	1	0
@TS_05ValidatingtheNewPatientformWithInvalidDOB	1	1	0	0	1	0	1	0
@TS_06ValidatingtheNewPatientformWithInvalidExisMorb	1	1	0	0	1	0	1	0
@TS_07ValidatingtheNewPatientformWithInValidEmail	1	1	0	0	1	0	1	0
@TS_08ValidatingtheNewPatientformWithValidDataForSepsisStatus	6	1	5	0	1	0	1	0
@TS_09ValidatingtheNewPatientformWithValidDataForCritical	2	0	2	0	1	0	1	0
@TS_01ValiditateBloodProfileuploadfiles	1	0	1	0	1	0	1	0
@UploadBloodReport	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	SalesforceLoginSepsisapp	1	1	0	0	11.018 s
2	Validating the New Patient information	5	5	0	0	5.047 s
3	Validitate Existing Morbidities	13	13	0	0	3.813 s
4	Validating Medication and Vitals Information	9	9	0	0	2.183 s
5	Validating the New Patient form with Valid/Invalid/MissingData	15	8	7	0	1 m 56.569 s
6	Validitate Blood Profile upload files	1	0	1	0	10.329 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	SalesforceLoginSepsisapp	Validate loginPage	4	4	0	0	11.017 s
2	Validating the New Patient information	Validating the PersonalInfo	3	3	0	0	2.759 s
3		Validating the contactinfo	3	3	0	0	0.917 s
4		Validating the EmergencyContact	3	3	0	0	0.337 s
5		Validating the ProviderInformation	3	3	0	0	0.549 s
6		Validating the EmergencyContact	3	3	0	0	0.447 s
7	Validitate Existing Morbidities	Validate Existing Morbidities available to chosen	4	4	0	0	0.271 s
8		Validate the Undo button on Existing Morbidities	3	3	0	0	0.076 s
9		Validate the Other textbox	4	4	0	0	0.311 s
10		Validate the Allergy Checkbox	3	3	0	0	0.281 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Validitate Existing Morbidities	Validate the Other textbox in Existing Infections	4	4	0	0	0.300 s
12		Validate selecting Habits options from available to chosen	5	5	0	0	0.444 s
13		Validate selecting Physical fitness options from available to chosen	3	3	0	0	0.348 s
14		Validate selecting Family History options more than one from available to chosen	3	3	0	0	0.610 s
15		Validate selecting Family History left arrow from chosen to available	3	3	0	0	0.274 s
16		Validate Fitness Frequency DropDown	3	3	0	0	0.204 s
17		Validate the Surgeries Checkbox	3	3	0	0	0.147 s
18		Validate Immunization DropDown	3	3	0	0	0.216 s
19		Validate the International Travel Checkbox	3	3	0	0	0.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
20	Validating Medication and Vitals Information	The Patient is logged in to Saleforce app(Sepsis)	3	3	0	0	0.157 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Validating Medication and Vitals Information	Validate Temperature	3	3	0	0	0.100 s
22		Validate Heart Rate	3	3	0	0	0.096 s
23		Validate Respiratory Rate	3	3	0	0	0.093 s
24		Validate BP	3	3	0	0	0.112 s
25		Validate Glucose	3	3	0	0	0.143 s
26		Validate Glucose Value	3	3	0	0	0.074 s
27		Validate WBC	3	3	0	0	0.217 s
28		Validate Save Button	3	3	0	0	1.159 s
29	Validating the New Patient form with Valid/Invalid/MissingData	Validate the patient information form submission with missing data	4	4	0	0	2.982 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		*Validate the patient information form submission with invalid phonefield*	3	3	0	0	3.206 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31	Validating the New Patient form with Valid/Invalid/MissingData	Validate the patient information form submission with invalid character	3	3	0	0	3.098 s
32		Validate the patient information form submission with invalid data for BP	3	3	0	0	2.966 s
33		Validate the patient information form submission with invalid data	3	3	0	0	3.020 s
34		Validate the patient information form submission with invalid data	3	3	0	0	2.992 s
35		Validate patient information form submission with invalid data	3	3	0	0	2.734 s
36		Validate patient information form submission with valid data for risk of Sepsis	3	3	0	0	28.695 s
37		Validate patient information form submission with valid data for risk of Sepsis	3	1	1	1	31.086 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
38		*Validate patient information form submission with valid data for risk of Sepsis*	3	1	1	1	0.924 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
39	Validating the New Patient form with Valid/Invalid/MissingData	Validate patient information form submission with valid data for risk of Sepsis	3	1	1	1	0.926 s
40		Validate patient information form submission with valid data for risk of Sepsis	3	1	1	1	0.942 s
41		Validate patient information form submission with valid data for risk of Sepsis	3	1	1	1	0.928 s
42		Validate attendance form submission with valid data for Critical risk	3	1	1	1	0.972 s
43		Validate attendance form submission with valid data for Critical risk	3	1	1	1	30.994 s
44	Validitate Blood Profile upload files	Validitate Blood Profile upload files	3	0	1	2	10.329 s

SalesforceLoginSepsisapp

PASSED	*DURATION - 11.018 s*	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
/ 10:19:07.677 PM // 10:19:18.695 PM /			

Validate loginPage

PASSED	*DURATION - 11.017 s*		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
/ 10:19:07.678 PM // 10:19:18.695 PM /			
SalesforceLoginSepsisapp			
@TS_01LoginPage @Login			

#	Step / Hook Details	Status	Duration
1	Given The patient is on Signin page of salesforce application	PASSED	0.540 s
2	When The patient enter valid "username" and "password"	PASSED	0.269 s
3	And The user click on login button	PASSED	9.090 s
4	Then The user redirected to SalesForceHomepage	PASSED	1.108 s

Validating the New Patient information

PASSED	*DURATION - 5.047 s*	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	Steps Total - 15 Pass - 15 Fail - 0 Skip - 0
/ 10:19:18.744 PM // 10:19:23.791 PM /			

Validating the PersonalInfo

PASSED	DURATION - 2.759 s
/ 10:19:18.747 PM // 10:19:21.506 PM /	
Validating the New Patient information	
@TS_01_ValidatePersonalInfo @NewPatientInformation	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form	PASSED	1.956 s
2	When Patient enters "Kelly","Rob",Gender, Race, "11/1/2023" and "atena4656" on personal information	PASSED	0.760 s
3	Then Patient can see the "Kelly","Rob","11/1/2023","atena4656"and other details entered on personal information	PASSED	0.039 s

Validating the contactinfo

PASSED	DURATION - 0.917 s
/ 10:19:21.517 PM // 10:19:22.434 PM /	
Validating the New Patient information	
@TS_02_ValidateContactInfo @NewPatientInformation	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters the "815-456-9999" , "kelly@gmail.com", "United States", "Egmore St","Bayarea" and "77433" on contact information	PASSED	0.864 s
3	Then Patient can see the "815-456-9999" , "kelly@gmail.com", "United States", "Egmore St","Bayarea" and "77433" entered on contact information	PASSED	0.050 s

Validating the EmergencyContact

PASSED	*DURATION - 0.337 s*	
/ 10:19:22.440 PM // 10:19:22.777 PM /		
Validating the New Patient information		
@TS_03_ValidateEmergencycontact @NewPatientInformation		

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters "Kiya" and "716-456-7890"	PASSED	0.313 s
3	Then Patient can see the "Kiya" and "716-456-7890"entered on emergency contact info	PASSED	0.020 s

Validating the ProviderInformation

PASSED	*DURATION - 0.549 s*	
/ 10:19:22.785 PM // 10:19:23.334 PM /		
Validating the New Patient information		
@TS_04_ValidateProviderInformation @NewPatientInformation		

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient enters "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com"	PASSED	0.510 s
3	Then Patient can see the "Klein" and "321-456-7890" and "BrightClinic" and "klein@gmail.com" entered on provider information	PASSED	0.037 s

Validating the EmergencyContact

PASSED	*DURATION - 0.447 s*
/ 10:19:23.344 PM // 10:19:23.791 PM /	
Validating the New Patient information	
@TS_05_ValidateMedicalHistory @NewPatientInformation	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient enters "12.00" and "60" on medical history	PASSED	0.427 s
3	Then Patient can see the "12.00" and "60" entered on medical history	PASSED	0.017 s

Validitate Existing Morbidities

PASSED	*DURATION - 3.813 s*
/ 10:19:23.805 PM // 10:19:27.618 PM /	

Scenarios
Total - 13
Pass - 13
Fail - 0
Skip - 0

Steps
Total - 44
Pass - 44
Fail - 0
Skip - 0

Validate Existing Morbidities available to chosen

PASSED	*DURATION - 0.271 s*
/ 10:19:23.805 PM // 10:19:24.076 PM /	
Validitate Existing Morbidities	
@TS_01ValidateExistingMorbidities-availabletochosen @ExistingMorbidities	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects an existing morbidity in the list available	PASSED	0.061 s

#	Step / Hook Details	Status	Duration
3	And clicks the right arrow	PASSED	0.199 s
4	Then Patient should able to see the selected option "High Cholesterol" in the chosen list box	PASSED	0.009 s

Validate the Undo button on Existing Morbidities

PASSED	DURATION - 0.076 s		Steps	
/ 10:19:24.081 PM // 10:19:24.157 PM /			Total - 3	
			Pass - 3	
Validitate Existing Morbidities			Fail - 0	
@TS_02ValidateUndoExistingMorbidities @ExistingMorbidities			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Patient is on chosen list box of existing morbidities	PASSED	0.000 s
2	When Patient clicks on undo button	PASSED	0.063 s
3	Then Patient should be able to see the error msg "An option must be selected"	PASSED	0.011 s

Validate the Other textbox

PASSED	DURATION - 0.311 s		Steps	
/ 10:19:24.163 PM // 10:19:24.474 PM /			Total - 4	
			Pass - 4	
Validitate Existing Morbidities			Fail - 0	
@TS_03ValidateTheotherTextbox @ExistingMorbidities			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.000 s
2	When Patient selects "other" as an existing morbidity in the list available	PASSED	0.047 s
3	And clicks the right arrow of existing morbidities listbox	PASSED	0.194 s
4	Then Patient should be able enter the "Sinuscitis" in the text box	PASSED	0.069 s

Validate the Allergy Checkbox

PASSED	*DURATION - 0.281 s*	Steps
/ 10:19:24.479 PM // 10:19:24.760 PM /		Total - 3
		Pass - 3
Validitate Existing Morbidities		Fail - 0
@TS_04ValidateTheAllergyCheckbox @ExistingMorbidities		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects the allergy check box	PASSED	0.072 s
3	Then Patient should be able enter the text "peanuts" in the text box	PASSED	0.206 s

Validate the Other textbox in Existing Infections

PASSED	*DURATION - 0.300 s*	Steps
/ 10:19:24.768 PM // 10:19:25.068 PM /		Total - 4
		Pass - 4
Validitate Existing Morbidities		Fail - 0
@TS_05ValidateTheotherTextboxinExistingInfections @ExistingMorbidities		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on available list box of existing morbidities	PASSED	0.001 s
2	When Patient selects an existing infection in the list available	PASSED	0.036 s
3	And clicks the right arrow of existing Infections listbox	PASSED	0.198 s
4	Then Patient should be able enter the "Pneumonia" in the text box of existing infections	PASSED	0.063 s

### Validate selecting Habits options from available to chosen

PASSED	DURATION - 0.444 s		
/ 10:19:25.073 PM // 10:19:25.517 PM /			
Validitate Existing Morbidities			
@TS_06ValidateHabitsOption-availabletochosen @ExistingMorbidities			

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given Patient selects a habit in the list available	PASSED	0.065 s
2	When Patient clicks the right arrow	PASSED	0.182 s
3	And Patient selects one more option	PASSED	0.038 s
4	And Patient clicks the right arrow	PASSED	0.137 s
5	Then Patient should able to see the "Alcohol","Drugs" in the chosen list box	PASSED	0.019 s

## Validate selecting Physical fitness options from available to chosen

PASSED	DURATION - 0.348 s		
/ 10:19:25.521 PM // 10:19:25.869 PM /			
Validitate Existing Morbidities			
@ExistingMorbidities @TS_07ValidatePhysicalFitnessoption-availabletochosen			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Patient selects a fitness option in the list available	PASSED	0.148 s
2	When clicks on the right arrow	PASSED	0.189 s
3	Then Patient should able to see the selected option "Yoga" in the fitness chosen list box	PASSED	0.010 s

## Validate selecting Family History options more than one from available to chosen

PASSED	*DURATION - 0.610 s*
/ 10:19:25.874 PM // 10:19:26.484 PM /	
Validitate Existing Morbidities	
@TS_08ValidateFamilyHistory-moreoptionsavailabletochosen @ExistingMorbidities	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Patient selects more than one option holding shift from the list available	PASSED	0.458 s
2	When Patient clicks on the right arrow of Family History	PASSED	0.128 s
3	Then Patient should able to see the selected "Diabetes", "Thyroid" in the chosen list box	PASSED	0.023 s

### Validate selecting Family History left arrow from chosen to available

PASSED	*DURATION - 0.274 s*
/ 10:19:26.488 PM // 10:19:26.762 PM /	
Validitate Existing Morbidities	
@TS_09ValidateFamilyHistory-leftarrowbtn @ExistingMorbidities	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Patient selects an option holding from the list chosen	PASSED	0.130 s
2	When Patient clicks on the left arrow of Family History	PASSED	0.133 s
3	Then Patient should not be able to see the selected "Diabetes" in the chosen list box	PASSED	0.010 s

Validate Fitness Frequency DropDown

PASSED	DURATION - 0.204 s		Steps

/ 10:19:26.769 PM // 10:19:26.973 PM /

Total - 3
Pass - 3
Fail - 0
Skip - 0

Validitate Existing Morbidities

@TS_10ValidateFitnessFrequencyDropDown
@ExistingMorbidities

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Fitness Frequency dropdown	PASSED	0.011 s
3	Then Patient should be able to select an option from the Fitness Frequency dropdown	PASSED	0.191 s

Validate the Surgeries Checkbox

PASSED	DURATION - 0.147 s		Steps

/ 10:19:26.978 PM // 10:19:27.125 PM /

Total - 3
Pass - 3
Fail - 0
Skip - 0

Validitate Existing Morbidities

@TS_11ValidateTheSurgeriesCheckbox
@ExistingMorbidities

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.001 s
2	When Patient selects the surgeries check box	PASSED	0.000 s
3	Then Patient should be able enter the text "Heart Surgery" in the text box	PASSED	0.146 s

Validate Immunization DropDown

PASSED	DURATION - 0.216 s

/ 10:19:27.130 PM // 10:19:27.346 PM /

Validitate Existing Morbidities

@TS_12ValidateImmunizationDropDown
@ExistingMorbidities

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.000 s
2	When Patient clicks on Immunization dropdown	PASSED	0.023 s
3	Then Patient should be able to select an option from the Immunization dropdown	PASSED	0.191 s

Validate the International Travel Checkbox

PASSED	DURATION - 0.268 s

/ 10:19:27.350 PM // 10:19:27.618 PM /

Validitate Existing Morbidities

@TS_13ValidateInternationalTravelCheckbox
@ExistingMorbidities

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Patient is on existing morbidities section	PASSED	0.001 s
2	When Patient selects the International Travel check box	PASSED	0.055 s
3	Then Patient should be able enter the "India" in the Enter Country Name text box	PASSED	0.210 s

### Validating Medication and Vitals Information

PASSED	DURATION - 2.183 s		Scenarios Total - 9 Pass - 9 Fail - 0 Skip - 0	9	Steps Total - 27 Pass - 27 Fail - 0 Skip - 0	27
/ 10:19:27.624 PM // 10:19:29.807 PM /						

The Patient is logged in to Saleforce app(Sepsis)

PASSED	DURATION - 0.157 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 10:19:27.624 PM // 10:19:27.781 PM /				
Validating Medication and Vitals Information				
@TS_02Medication @Vitals				

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Current Medication textbox	PASSED	0.092 s
3	Then Patient enter "Vitamin D" in textbox	PASSED	0.062 s

Validate Temperature

PASSED	DURATION - 0.100 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 10:19:27.786 PM // 10:19:27.886 PM /				
Validating Medication and Vitals Information				
@TS_03Temparature @Vitals				

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Temperature textBox	PASSED	0.058 s

#	Step / Hook Details	Status	Duration
3	Then Patient enter Temperature "98.8" in textBox	PASSED	0.042 s

Validate Heart Rate

PASSED	DURATION - 0.096 s		Steps
/ 10:19:27.890 PM // 10:19:27.986 PM /			Total - 3
			Pass - 3
Validating Medication and Vitals Information			Fail - 0
			Skip - 0
@TS_04HeartRate @Vitals			

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Heartrate textBox	PASSED	0.058 s
3	Then Patient enter Heart Rate "90" in textBox	PASSED	0.037 s

Validate Respiratory Rate

PASSED	DURATION - 0.093 s		Steps
/ 10:19:27.990 PM // 10:19:28.083 PM /			Total - 3
			Pass - 3
Validating Medication and Vitals Information			Fail - 0
			Skip - 0
@TS_05RespiratoryRate @Vitals			

| #	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Respiratory Rate textBox	PASSED	0.057 s
3	Then Patient enter Reaspiratory Rate "15" in textBox	PASSED	0.035 s

Validate BP

PASSED	*DURATION - 0.112 s*
/ 10:19:28.087 PM // 10:19:28.199 PM /	
Validating Medication and Vitals Information	
@TS_06BP @Vitals	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.001 s
2	When Patient clicks on BP textBox	PASSED	0.059 s
3	Then Patient enter BP "110/80" in textBox	PASSED	0.052 s

Validate Glucose

PASSED	*DURATION - 0.143 s*
/ 10:19:28.203 PM // 10:19:28.346 PM /	
Validating Medication and Vitals Information	
@Vitals @TS_07Glucose	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Glucose dropdown	PASSED	0.065 s
3	Then Patient select Glucose from dropdown	PASSED	0.075 s

Validate Glucose Value

PASSED	DURATION - 0.074 s
/ 10:19:28.349 PM // 10:19:28.423 PM /	
Validating Medication and Vitals Information	
@TS_08GlucoseValue @Vitals	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on Glucose Value textBox	PASSED	0.034 s
3	Then Patient enter Glucose Value "100" in textBox	PASSED	0.040 s

Validate WBC

PASSED	DURATION - 0.217 s
/ 10:19:28.427 PM // 10:19:28.644 PM /	
Validating Medication and Vitals Information	
@TS_09WBC @Vitals	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on WBC textBox	PASSED	0.174 s
3	Then Patient enter WBC "3000" in textBox	PASSED	0.043 s

Validate Save Button

PASSED	*DURATION - 1.159 s*	
/ 10:19:28.648 PM // 10:19:29.807 PM /		
Validating Medication and Vitals Information		
@TS_10ValidateSaveButton @Vitals		

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on Sepsis App Patients page	PASSED	0.000 s
2	When Patient clicks on save button	PASSED	0.421 s
3	Then the form should be saved succesfully by displaying a message	PASSED	0.737 s

Validating the New Patient form with Valid/Invalid/MissingData

FAILED	*DURATION - 1 m 56.569 s*
/ 10:19:29.822 PM // 10:21:26.391 PM /	

Scenarios
Total - 15
Pass - 8
Fail - 7
Skip - 0

Steps
Total - 46
Pass - 32
Fail - 7
Skip - 7

Validate the patient information form submission with missing data

PASSED	*DURATION - 2.982 s*	
/ 10:19:29.822 PM // 10:19:32.804 PM /		
Validating the New Patient form with Valid/Invalid/MissingData		
@PatientInformationWithValidandInvalidAndMissingData @TS_01ValidatingtheNewPatientformWithMissingData		

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient details	PASSED	0.178 s
2	When Patient submits new patient form with missing data from "PatientDetails" and 0	PASSED	2.624 s

#	Step / Hook Details	Status	Duration
3	And Error message "We hit a snag." is displayed and review the following field	PASSED	0.160 s
4	Then Error message "Complete this field." is displayed	PASSED	0.014 s

Validate the patient information form submission with invalid phonefield

PASSED	DURATION - 3.206 s		Steps

/ 10:19:32.811 PM // 10:19:36.017 PM /

Validating the New Patient form with Valid/Invalid/MissingData

@PatientInformationWithValidandInvalidAndMissingData @TS_02ValidatingtheNewPatientformWithInvalidData

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for phone field from "PatientDetails" and 1	PASSED	3.194 s
3	Then Error message "US phone numbers should be in this format: (999) 999-9999." is displayed under phone field	PASSED	0.010 s

Validate the patient information form submission with invalid character

PASSED	DURATION - 3.098 s		Steps

/ 10:19:36.022 PM // 10:19:39.120 PM /

Validating the New Patient form with Valid/Invalid/MissingData

@PatientInformationWithValidandInvalidAndMissingData @TS_03ValidatingtheNewPatientformWithInvalidCha *

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid data for textfields from "PatientDetails" and 2	PASSED	3.086 s
3	Then Error message "Please enter only Alphabets" is displayed under textfields	PASSED	0.010 s

Validate the patient information form submission with invalid data for BP

PASSED	DURATION - 2.966 s
/ 10:19:39.132 PM // 10:19:42.098 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_04ValidatingtheNewPatientformWithInvalidBPdata	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for BP field from "PatientDetails" and 3	PASSED	2.954 s
3	Then Error message "BP should be in Systolic and Diastolic" is displayed under BP field	PASSED	0.010 s

Validate the patient information form submission with invalid data

PASSED	DURATION - 3.020 s
/ 10:19:42.108 PM // 10:19:45.128 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_05ValidatingtheNewPatientformWithInvalidDOB	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with invalid data for DOB from "PatientDetails" and 4	PASSED	3.006 s
3	Then Error message "DOB cannot be in future.pls change it to sometime past." is displayed under DOB field	PASSED	0.011 s

## Validate the patient information form submission with invalid data

PASSED	*DURATION - 2.992 s*

/ 10:19:45.133 PM // 10:19:48.125 PM /

Validating the New Patient form with Valid/Invalid/MissingData

@PatientInformationWithValidandInvalidAndMissingData @TS_06ValidatingtheNewPatientformWithInvalidExi *

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form entering other for morbidities from "PatientDetails" and 5	PASSED	2.980 s
3	Then Error message "Please explain only other existing morbidities!" is displayed under existing morbidity	PASSED	0.010 s

Validate patient information form submission with invalid data

PASSED	*DURATION - 2.734 s*

/ 10:19:48.131 PM // 10:19:50.865 PM /

Validating the New Patient form with Valid/Invalid/MissingData

@PatientInformationWithValidandInvalidAndMissingData @TS_07ValidatingtheNewPatientformWithInValidEmail

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.000 s
2	When Patient submits new patient form with invalid email from "PatientDetails" and 6	PASSED	2.691 s
3	Then Error message "You have entered an invalid format." is displayed under email	PASSED	0.041 s

Validate patient information form submission with valid data for risk of Sepsis

PASSED	DURATION - 28.695 s		Steps
/ 10:19:50.868 PM // 10:20:19.563 PM /			Total - 3
Validating the New Patient form with Valid/Invalid/MissingData			Pass - 3
@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF*			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 7	PASSED	28.199 s
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	PASSED	0.492 s

Validate patient information form submission with valid data for risk of Sepsis

FAILED	DURATION - 31.086 s		Steps
/ 10:20:19.574 PM // 10:20:50.660 PM /			Total - 3
Validating the New Patient form with Valid/Invalid/MissingData			Pass - 1
@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF*			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 8	FAILED	30.795 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='Phone__c']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [087d1ad5a2a00a055e391a2a433f8ab3, findElement {using=xpath, value=//input[@name='Phone__c']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

| #	Step / Hook Details	Status	Duration

	true} Session ID: 087d1ad5a2a00a055e391a2a433f8ab3
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy30.getWrappedElement(Unknown Source)
	    at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	    at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	    at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465)
	    at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:463)
	    at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216)
	    at ?.Patient submits new patient form with valid data from "PatientDetails" and 8(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.288 s

#	Step / Hook Details	Status	Duration
3	Then Patient can see the risk of sepsis status to be "LOW" on the saved form	SKIPPED	0.000 s

## Validate patient information form submission with valid data for risk of Sepsis

FAILED	DURATION - 0.924 s		Steps
/ 10:20:50.680 PM // 10:20:51.604 PM /			Total - 3
Validating the New Patient form with Valid/Invalid/MissingData			Pass - 1
@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF *			Fail - 1 / Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 9	FAILED	0.678 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [087d1ad5a2a00a055e391a2a433f8ab3, sendKeysToElement {id=BEA654FC983DEF09C26088A0E8EBB412_element_1879, value=[Ljava.lang.CharSequence;@3b4e0786}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (087d1ad5a2a00a055e391a2a433f8ab3)] -> xpath: //input[@name='DOB__c']] Session ID: 087d1ad5a2a00a055e391a2a433f8ab3
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy30.sendKeys(Unknown Source) at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:462) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 9(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.244 s
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.000 s

Validate patient information form submission with valid data for risk of Sepsis

| FAILED	DURATION - 0.926 s
/ 10:20:51.610 PM // 10:20:52.536 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF *	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 10	FAILED	0.687 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [087d1ad5a2a00a055e391a2a433f8ab3, sendKeysToElement {id=BEA654FC983DEF09C26088A0E8EBB412_element_1895, value=[Ljava.lang.CharSequence;@7fa1c05f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (087d1ad5a2a00a055e391a2a433f8ab3)] -> xpath: //input[@name='Phone__c']] Session ID: 087d1ad5a2a00a055e391a2a433f8ab3
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	    at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy30.sendKeys(Unknown Source)
	    at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:464)
	    at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216)
	    at ?.Patient submits new patient form with valid data from "PatientDetails" and 10(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.238 s

#	Step / Hook Details	Status	Duration
	My screenshot 		
3	Then Patient can see the risk of sepsis status to be "Medium" on the saved form	SKIPPED	0.000 s

Validate patient information form submission with valid data for risk of Sepsis

FAILED	DURATION - 0.942 s
/ 10:20:52.541 PM // 10:20:53.483 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF *	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 11	FAILED	0.711 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [087d1ad5a2a00a055e391a2a433f8ab3, sendKeysToElement {id=BEA654FC983DEF09C26088A0E8EBB412_element_1911, value=[Ljava.lang.CharSequence;@4ea4e0f3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (087d1ad5a2a00a055e391a2a433f8ab3)] -> xpath: //input[@name='Email__c']] Session ID: 087d1ad5a2a00a055e391a2a433f8ab3 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy30.sendKeys(Unknown Source) at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:465) at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216) at ?.Patient submits new patient form with valid data from "PatientDetails" and 11(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.230 s
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s

Validate patient information form submission with valid data for risk of Sepsis

FAILED DURATION - 0.928 s		Steps
/ 10:20:53.488 PM // 10:20:54.416 PM /		Total - 3
Validating the New Patient form with Valid/Invalid/MissingData		Pass - 1 Fail - 1
@PatientInformationWithValidandInvalidAndMissingData @TS_08ValidatingtheNewPatientformWithValidDataF *		Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on New patient form for entering patient info	PASSED	0.000 s
2	When Patient submits new patient form with valid data from "PatientDetails" and 12	FAILED	0.711 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=120.0.6099.109) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [087d1ad5a2a00a055e391a2a433f8ab3, sendKeysToElement {id=BEA654FC983DEF09C26088A0E8EBB412_element_1929, value=[Ljava.lang.CharSequence;@7f0e0db3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (087d1ad5a2a00a055e391a2a433f8ab3)] -> xpath: //input[@name='Email__c']] Session ID: 087d1ad5a2a00a055e391a2a433f8ab3
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	   at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	   at jdk.proxy2/jdk.proxy2.$Proxy30.sendKeys(Unknown Source)
	   at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:465)
	   at stepDefinitions.PatientObjectMandatorySD.patient_submits_new_patient_form_with_valid_data_from_and(PatientObjectMandatorySD.java:216)
	   at ?.Patient submits new patient form with valid data from "PatientDetails" and 12(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:83)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.216 s
	My screenshot		

#	Step / Hook Details	Status	Duration
3	Then Patient can see the risk of sepsis status to be "High" on the saved form	SKIPPED	0.000 s

Validate attendance form submission with valid data for Critical risk

| FAILED	DURATION - 0.972 s
/ 10:20:54.420 PM // 10:20:55.392 PM /	
Validating the New Patient form with Valid/Invalid/MissingData	
@PatientInformationWithValidandInvalidAndMissingData @TS_09ValidatingtheNewPatientformWithValidDataF*	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data for critical from "PatientDetails" and 13	FAILED	0.721 s

org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found   (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [087d1ad5a2a00a055e391a2a433f8ab3, sendKeysToElement {id=BEA654FC983DEF09C26088A0E8EBB412_element_1945, value=[Ljava. lang.CharSequence;@29f94912}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (087d1ad5a2a00a055e391a2a433f8ab3)] -> xpath: //input[@name='Phone__c']] Session ID: 087d1ad5a2a00a055e391a2a433f8ab3

    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at jdk.internal.reflect.GeneratedMethodAccessor113.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy30.sendKeys(Unknown Source) at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:464) at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:248) at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 13(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:98) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.249 s
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

Validate attendance form submission with valid data for Critical risk

| FAILED	DURATION - 30.994 s		Steps
/ 10:20:55.397 PM // 10:21:26.391 PM /			Total - 3
Validating the New Patient form with Valid/Invalid/MissingData			Pass - 1
@PatientInformationWithValidandInvalidAndMissingData @TS_09ValidatingtheNewPatientformWithValidDataF *			Fail - 1 Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Patient is on same patient form	PASSED	0.001 s
2	When Patient submits new patient form with valid data for critical from "PatientDetails" and 14	FAILED	30.737 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='Email__c']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [087d1ad5a2a00a055e391a2a433f8ab3, findElement {using=xpath, value=//input[@name='Email__c']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 087d1ad5a2a00a055e391a2a433f8ab3
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy30.sendKeys(Unknown Source)
	    at pageObjects.PatientObjectMandatory.sendPatientData(PatientObjectMandatory.java:465)
	    at stepDefinitions.PatientObjectMandatorySD. patient_submits_new_patient_form_with_valid_data_for_critical_from_and(PatientObjectMandatorySD.java:248)
	    at ?.Patient submits new patient form with valid data for critical from "PatientDetails" and 14(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/05patientObjectMandatory.feature:98)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.253 s
	My screenshot		

#	Step / Hook Details	Status	Duration
3	Then Patient can see the risk of sepsis field to be "Critical" on the saved patient form	SKIPPED	0.000 s

Validitate Blood Profile upload files

FAILED	DURATION - 10.329 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 10:21:26.402 PM // 10:21:36.731 PM /					

Validitate Blood Profile upload files

FAILED	DURATION - 10.329 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 10:21:26.402 PM // 10:21:36.731 PM /				
Validitate Blood Profile upload files				
@TS_01ValiditateBloodProfileuploadfiles @UploadBloodReport				

#	Step / Hook Details	Status	Duration
1	Given Patient is on related tab in saved patient form	FAILED	10.091 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on mac (087d1ad5a2a00a055e391a2a433f8ab3)] -> xpath: //a[@id='relatedListsTab__item']] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: /var/folders/r3/5_bhvqb55bq. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54122}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54122/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true} Session ID: 087d1ad5a2a00a055e391a2a433f8ab3
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)
	   at driverFactory.AbstractComponents.waitForElementToappear(AbstractComponents.java:26)
	   at pageObjects.UploadFileBloodReport.ClickRelatedTab(UploadFileBloodReport.java:83)
	   at stepDefinitions.UploadFileBloodReportSD.patient_is_on_related_tab_in_saved_patient_form(UploadFileBloodReportSD.java:23)
	   at ?.Patient is on related tab in saved patient form(file:///Users/kalai/Documents/GitLab/Sepsis-Application/src/test/resources/features/06UploadFileBloodReport.feature:6)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - applicationHooks.AppHooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.236 s
2	When Patient clicks on the upload file option	SKIPPED	0.000 s
3	Then Patient should able to upload a file with a successful message "1 file was uploaded."	SKIPPED	0.000 s