CUSTOMER SUPPORT TICKET PRIORITY PREDICTION AND AUTOMATED ASSIGNMENT SYSTEM

PROJECT DOCUMENTATION

Team ID	SWTID-2026-1620
Team Size	5
Team Leader	Kalaivanan K
Team Members	Mohamed Idriz S M A Santhanaraj K Sanjay Roy R Revankumar D
College Name	Government College of Engineering, Thanjavur.
Academic Year	2026-2027

Table of Contents

1. INTRODUCTION 4
   1.1 Project Overview 4
   1.2 Purpose 5
   1.3 Problem Statement 6
   1.4 Scope of the Project 6
   1.5 Intended Users 6
   1.6 Expected Outcome 6
   1.7 Organization of the Report 6
   1.8 Background: Salesforce, Flow and Agentforce 7
2. IDEATION PHASE 8
   2.1 Problem Statement (Customer Problem Statement Template) 8
   2.2 Empathy Map Canvas 9
   2.3 Brainstorming and Idea Prioritization 10
3. REQUIREMENT ANALYSIS PHASE 13
   3.1 Customer Journey Map 14
   3.2 Solution Requirements 15
   3.3 Data Flow Diagram 16
   3.4 Technology Stack 17
4. PROJECT DESIGN PHASE 18
   4.1 Problem-Solution Fit 19
   4.2 Proposed Solution 20
   4.3 Solution Architecture 21
   4.4 Data Model Design 21
   4.5 Priority Classification Design 21
5. PROJECT PLANNING AND SCHEDULING 22
   5.1 Project Planning 22
   5.2 Product Backlog, Sprint Schedule and Estimation 23
   5.3 Project Tracker, Velocity and Burndown Chart 23
   5.4 Risk Management 24
6. PROJECT DEVELOPMENT PHASE 25
   Milestone 1: Salesforce Account 27
   Milestone 2: Data Management - Objects 27
   Milestone 3: Auto-Launched Flow 29
   Milestone 4: Agentforce Configuration 30
   6.5 Worked Scenarios 32

6.6 Security and Access Configuration 35
6.7 Activation and Deployment Checklist 41
6.8 User Guide 42
6.9 Implementation Challenges and Solutions 43
7. FUNCTIONAL AND PERFORMANCE TESTING 44
7.1 Test Strategy 44
7.2 Test Environment 44
7.3 Functional Test Cases 45
7.4 Performance and Non-Functional Testing 46
7.5 Defects and Lessons Learned 46
8. ADVANTAGES AND DISADVANTAGES 47
Advantages 47
Disadvantages 48
Summary comparison with the manual process 48
9. CONCLUSION 49
Learning outcomes 49
10. FUTURE SCOPE 50
Suggested roadmap 50
11. APPENDIX 51
A. Custom Object: Support Ticket Intelligence 51
B. Key Salesforce Records: Account, Contact, User, Task 51
C. Flow: Support_Ticket_Intellegence - Auto-Launched Flow 52
D. Agentforce Subagent: Support Ticket Priority Analysis 52
E. Agentforce Action: Flow-based Support Ticket Intelligence action 53
F. Glossary 53
G. Troubleshooting Guide 53
H. References 53

1. INTRODUCTION

1.1 Project Overview

Modern businesses depend on responsive customer support. Every product, subscription or service generates questions, complaints and fault reports, and these arrive through portals, e-mail, chat and phone. A support team may receive hundreds or thousands of tickets in a single day. Not all of them carry the same urgency: a payment gateway that has stopped working is far more serious than a question about a report layout. Yet in many organizations the first step - reading each ticket and deciding how urgent it is - is still done manually.

Manual prioritization is slow, inconsistent and dependent on the person reading the ticket. Two agents can classify the same description differently, urgent words can be overlooked in a long queue, and managers spend time reassigning tickets that landed with the wrong person. The result is delayed responses to the issues that matter most.

This project provides a Salesforce-based solution that analyzes ticket information, classifies urgency, assigns the appropriate support level and initiates automation for critical cases. It combines three Salesforce capabilities:

- **Data model** - a custom object, *Support Ticket Intelligence*, related to Account, Contact and User records.
- **Automation** - an Auto-Launched Flow that retrieves the latest ticket for an account, evaluates its description, sets the priority and creates a task for urgent tickets.
- **Conversational AI** - an Agentforce subagent, *Support Ticket Priority Analysis*, which lets a support user trigger the whole process by simply giving an Account Name in a chat.

The user supplies only the Account Name. The system returns the account id, ticket id, priority level, assigned agent and an action message - a complete answer to "how urgent is this customer's latest ticket and who is handling it?"

1.2 Purpose

The purpose of the project is to reduce the manual effort and delay involved in handling support tickets by letting Salesforce automation and Agentforce perform the first-level analysis. The specific objectives are listed below.

- Automatically classify support tickets as High, Medium or Low priority.
- Retrieve the latest support ticket associated with a customer Account.
- Reduce manual prioritization and assignment effort.
- Create an urgent handling task for High-priority tickets.
- Use Agentforce to analyze ticket details and trigger backend automation.
- Improve ticket response and resolution efficiency.

1.3 Problem Statement

Customer support teams receive a large number of tickets daily, but prioritization and assignment are often manual. This leads to delays in resolving critical issues and poor customer satisfaction. There is a need for a system that automatically classifies ticket priority, assigns tickets to the right support agent, reduces response time and uses AI to understand urgency.

1.4 Scope of the Project

The scope of the implemented solution is deliberately focused so that every part can be demonstrated end to end.

In scope	Out of scope (future scope)
Custom object with eleven fields for ticket data	Machine-learning based sentiment or urgency scoring
Keyword-based priority classification in Flow	Multi-language keyword libraries
Automatic Task creation for High-priority tickets	Complex skill-based or round-robin routing
Assignment label "Senior Support Agent" for High priority	Omni-Channel queues and capacity-based routing
Optional SLA risk check (ticket older than two days)	Full SLA monitoring with escalation chains
Agentforce subagent with one Flow-based action	Billing, subscription or account-update requests
Conversational output of five variables	Dashboards for priority trends and resolution analytics

Table 1: Scope of the project

1.5 Intended Users

User	Interest in the system
Support Agent	Wants critical tickets surfaced first so that urgent customer problems are handled quickly.
Customer	Wants urgent issues resolved quickly so that the support experience improves.
Support Manager	Wants tickets assigned to the right support level automatically so that workload is balanced.
Agentforce (AI Agent)	Analyzes ticket details and triggers automation so that manual work is reduced.
System Administrator	Configures the Salesforce environment, object, Flow and Agentforce subagent.

Table 2: Stakeholders and their interests

1.6 Expected Outcome

- Faster ticket resolution
- Improved customer satisfaction
- Reduced manual effort
- Intelligent ticket handling
- Better team productivity

1.7 Organization of the Report

Section	Content
1. Introduction	Overview, purpose, problem, scope and users
2. Ideation Phase	Problem statements, empathy map, brainstorming and idea selection
3. Requirement Analysis	Customer journey, functional and non-functional requirements, data flow, technology stack
4. Project Design	Problem-solution fit, proposed solution, solution architecture
5. Planning and Scheduling	Agile approach, product backlog, sprint schedule, velocity and burndown
6. Project Development	Developer org, data model, Flow and Agentforce configuration, output
7. Testing	Functional and performance testing with test cases
8. Advantages and Disadvantages	Benefits and limitations
9-11. Conclusion, Future Scope, Appendix	Summary, enhancements and reference material

Table 3: Report organization

1.8 Background: Salesforce, Flow and Agentforce

Salesforce Customer 360 and the Service Cloud model

Salesforce is a cloud-based Customer Relationship Management (CRM) platform. Customer information is held in **objects**, which are comparable to database tables. Standard objects such as Account, Contact, User and Task come with the platform; custom objects, named with the suffix __c, are created by administrators for business-specific data. Fields, relationships, page layouts and security settings are configured with clicks rather than code, which makes the platform suitable for rapid solution building.

Salesforce Flow

Flow Builder is Salesforce's declarative automation tool. A flow is a visual sequence of elements: **Get Records** retrieves data, **Assignment** stores values in variables, **Decision** branches logic, and **Create Records** inserts new data. Flows can be record-triggered, scheduled, screen-based or **auto-launched**. An auto-launched flow has no user interface and no trigger of its own; it is started by something else - Apex, a process, or, in this project, an Agentforce action.

Agentforce

Agentforce is Salesforce's framework for building autonomous AI agents that work with CRM data and business processes. An agent is organized into **topics** (also called subagents in the current builder). Each topic has a classification description that tells the reasoning engine when it applies, a scope that limits what it may do, natural-language instructions that describe the steps to follow, and **actions** - for example a Flow - that the agent can call. Because actions are backed by Flows, the agent never needs direct, unchecked access to records: it reasons about the conversation, and the Flow does the work.

Why combine them?

A Flow alone can classify a ticket but needs someone to start it and read the result. An agent alone can converse but should not modify records on its own authority. Together they give a safe pattern: the agent collects the Account Name conversationally, the Flow performs the deterministic work, and the agent explains the result in plain language. The instructions in the subagent state this explicitly: *"Do not update records directly or send emails. Use Flow for all actions."*

2. IDEATION PHASE

The ideation phase establishes *why* the system is needed before deciding *how* to build it. It uses three design-thinking tools: a customer problem statement, an empathy map canvas and a brainstorming and prioritization session.

2.1 Problem Statement (Customer Problem Statement Template)

The template below captures five problem statements from the viewpoint of different people involved in ticket handling. Each states who the person is, what they are trying to do, what stops them, the underlying cause and how it makes them feel.

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Support Agent	focus on critical tickets first	tickets are not always prioritized automatically	ticket prioritization can be manual	frustrated
PS-2	Customer	get urgent issues resolved quickly	critical issues may wait behind lower-priority tickets	support teams handle large ticket volumes	concerned
PS-3	Support Manager	assign tickets to the right support level	assignment may require manual decisions	ticket urgency is not consistently analyzed	overwhelmed
PS-4	Support Agent	identify urgent issues from descriptions	important keywords can be missed	ticket descriptions contain different urgency signals	uncertain
PS-5	Support Manager	reduce SLA-related risk	older unresolved tickets may remain unnoticed	SLA risk needs additional checking	concerned

Table 4: Customer problem statements




Figure 1: Problem statements - challenges in managing support tickets today

The illustration summarizes the same challenges visually: a high volume of tickets, manual prioritization, incorrect assignment, delayed resolution and a poor customer experience. The **need** is for a smart system that can classify ticket priority, assign tickets to the right agent or team and reduce response time using AI. The **goal** is faster resolutions, higher customer satisfaction and a more efficient support team.

Analysis of each problem statement

- **PS-1 (Support Agent - focus):** without automatic prioritization, an agent opens tickets in arrival order and discovers urgency only after reading. The solution moves that decision to the Flow so that urgent tickets are identified before an agent looks at them.
- **PS-2 (Customer - speed):** customers cannot see internal queues; they only experience waiting. Automatic High-priority task creation shortens the time between submission and action.
- **PS-3 (Manager - assignment):** managers want consistent routing. The Flow assigns High-priority work to the Senior Support Agent level by rule, not by individual judgement.
- **PS-4 (Agent - keywords):** urgency words such as "urgent" or "failure" can be buried in long descriptions. A CONTAINS condition never skips a word.

- **PS-5 (Manager - SLA):** older unresolved tickets can slip through. The optional SLA decision in the Flow checks whether the ticket is older than two days.

2.2 Empathy Map Canvas

An empathy map helps the team understand the primary user - here the **Support Agent** - by describing what the user thinks and feels, hears, sees, says and does, and what pains and gains they experience.




Figure 2: Empathy map canvas for the support user

Quadrant	Support Agent
Think & Feel	Wants critical issues identified quickly so urgent customer problems receive attention.
Hear	Receives customer issue descriptions and support requests.
See	Ticket status, issue type, description, priority level, assignment and SLA risk.
Say & Do	Reviews tickets, handles assigned cases and focuses on urgent support issues.
Pain	Manual prioritization, missed urgency signals and delays in handling critical tickets.
Gain	Automatic priority classification, clearer assignment, urgent-task creation and reduced manual effort.

Table 5: Empathy map summary - Support Agent

Key insight. The empathy map shows that the agent's pain is not a lack of effort but a lack of early, reliable information about urgency. The gains the agent wants - classification, assignment and

task creation - are exactly what the Flow and Agentforce combination provides, which is why those functions form the core of the design.

2.3 Brainstorming and Idea Prioritization

The team listed ideas that could improve ticket handling and then rated them on impact and feasibility.




Figure 3: Brainstorming and idea prioritization board

Ideas considered

Idea	Strength	Weakness
Manual ticket registers	Simple, no tools needed	Slow, error prone, no automation
Spreadsheet-based ticket tracking	Easy to share and sort	No workflow, no AI, hard to scale
Standalone support portal	Custom interface possible	High development cost; separate from CRM data
Salesforce CRM with Agentforce	Flow automation, AI conversation, shared customer data	Needs configuration and maintenance

Table 6: Comparison of candidate approaches

Final selection

Salesforce CRM was selected because it offers automation through Salesforce Flow, AI-assisted ticket analysis through Agentforce, automatic priority classification, automatic urgent-task

creation and reduced manual support effort. Because tickets, accounts, contacts and users already live in the same platform, no integration layer is required.

3. REQUIREMENT ANALYSIS PHASE

Requirement analysis converts the problem statements into concrete statements of what the system must do and how well it must do it.

3.1 Customer Journey Map

The journey map follows a customer issue from creation to resolution and shows where the automation intervenes.



Figure 4: Customer journey map - from issue to resolution

Stages: Ticket Creation, Account Identification, Ticket Retrieval, Description Analysis, Priority Classification, Agent Assignment, Urgent Task Creation, Support Handling and Resolution.

Stage	What happens	System support
Ticket Creation	Customer reports an issue; a Support Ticket Intelligence record is created with description and issue type.	Custom object with auto-number TKT-{0000}
Account Identification	Support user provides the customer Account Name.	Agentforce input variable varAccountName
Ticket Retrieval	The most recent ticket for that account is found.	Get Records sorted by CreatedDate descending, first record only
Description Analysis	Description text is checked for urgency keywords.	Decision element with CONTAINS conditions
Priority Classification	High, Medium or Low is stored.	Assignment sets varPriorityLevel
Agent Assignment	Support level is chosen.	varAssignedTo = "Senior Support Agent" for High

Stage	What happens	System support
Urgent Task Creation	A task is raised for immediate action.	Create Records on Task (High only)
Support Handling	Agent works the ticket.	Task and ticket record page
Resolution	Status moves to Resolved; resolution time is recorded.	Status__c and Resolution_Time__c fields

Table 7: Stage-by-stage journey and system support

3.2 Solution Requirements

Functional requirements

FR No	Requirement	Realized by
FR-1	Support ticket creation and management	Support_Ticket_Intelligence__c object, fields, page layout
FR-2	Account and Contact association	Customer__c and Contact__c lookups
FR-3	Ticket description analysis	Flow decision "Analyze Description"
FR-4	Automatic priority classification	Flow assignments to varPriorityLevel
FR-5	High-priority task creation	Flow Create Records (Task)
FR-6	Support agent assignment	varAssignedTo; Assigned_To__c lookup to User
FR-7	SLA breach risk checking	Optional SLA decision; SLA_Breach_Risk__c checkbox
FR-8	Agentforce conversational analysis	Support Ticket Priority Analysis subagent

Table 8: Functional requirements

Non-functional requirements

NFR	Description
Usability	Clear Agentforce interaction and understandable priority messages
Reliability	Consistent priority classification based on configured conditions
Performance	Quick retrieval and analysis of the latest support ticket
Security	Controlled Salesforce access to customer and ticket information
Maintainability	Flow and Agentforce configuration can be updated
Scalability	Supports increasing support-ticket volumes through Salesforce automation

Table 9: Non-functional requirements

Requirement traceability

Each user story in the problem definition maps to at least one functional requirement, which in turn maps to a development element. This traceability is used later to design the test cases.

User story	Functional requirements	Development element
As a Support Agent, I want tickets automatically prioritized to focus on critical issues first	FR-3, FR-4	Flow: Analyze Description, Set Priority

User story	Functional requirements	Development element
As a Customer, I want urgent issues resolved quickly	FR-5, FR-6	Flow: Create Task, Set Assigned Agent
As a Manager, I want tickets assigned automatically to the right team	FR-6, FR-7	Flow: Assigned Agent, SLA decision
As an AI Agent, I want to analyze ticket details and trigger automation	FR-8	Agentforce subagent and Flow action

Table 10: Traceability matrix

3.3 Data Flow Diagram




Figure 5: Data flow diagram - from ticket to resolution

Flow: Customer / Support Request, Account, Latest Support Ticket, Ticket Description, Analyze Description, Priority Level, High/Medium/Low Decision, Agent Assignment, High-Priority Task (if applicable) and Final Response.

Agentforce path: the user provides an Account Name; the Agentforce *Support Ticket Priority Analysis* subagent calls the Auto-Launched Flow; the Flow performs ticket analysis and returns priority and assignment output; Agentforce presents the response to the user.




Figure 6: Interaction between the user, Agentforce, the Flow and Salesforce data

Data stores and processes

Element	Type	Description
Support user / agent	External entity	Supplies the Account Name and receives the response
Agentforce subagent	Process	Collects input, invokes the Flow action, formats output
Auto-Launched Flow	Process	Retrieves records, classifies priority, creates tasks
Account, Support_Ticket_Intelligence__c	Data store	Customer and ticket records read by the Flow
Task	Data store	Urgent handling tasks written for High-priority tickets

Table 11: Data flow components

3.4 Technology Stack

Layer	Technology
Platform	Salesforce
Database	Support_Ticket_Intelligence__c with Account, Contact, User and Task records
Logic	Auto-Launched Flow
AI	Agentforce
Agent Configuration	Support Ticket Priority Analysis subagent
Automation	Flow Decision, Assignment and Create Records
Output	Agentforce conversation response

Table 12: Technology stack

The entire stack is declarative. No Apex code, external service or middleware is required, which keeps the solution easy to maintain by administrators.

Assumptions and constraints

- Each customer is represented by one Account whose name is unique enough to be typed by the user.
- Ticket descriptions are written in English.
- Agentforce is available and enabled in the Salesforce organization.
- Priority rules are keyword based and reviewed by an administrator from time to time.
- The assigned agent is represented by the label Senior Support Agent for High priority tickets.

Software and access requirements

Requirement	Detail
Browser	Current version of Chrome, Edge or Firefox
Salesforce org	Developer Edition with Agentforce available
Permissions	System Administrator profile for building; support permission set for using
Internet	Stable connection for Setup, Flow Builder and Agentforce Builder

Table 13: Software and access requirements

4. PROJECT DESIGN PHASE

4.1 Problem-Solution Fit

Problem-solution fit confirms that the proposed solution actually addresses the problems identified during ideation.




Figure 7: Problem-solution fit canvas

Problem	Solution	Benefit
Manual ticket prioritization	Flow analyzes description and sets priority	Faster identification of urgent cases
Urgent issues may be missed	High-priority keyword decision	Critical cases receive attention
Manual task creation	Flow creates Task for High priority	Reduced manual effort
Manual support assignment	Flow sets assigned support level	More consistent handling
SLA risk can be overlooked	Optional SLA Risk decision	Better risk awareness
Need for conversational access	Agentforce subagent	AI-assisted interaction

Table 14: Problem-solution fit

4.2 Proposed Solution

Parameter	Description
Problem	Manual ticket prioritization and assignment causing delays in handling critical customer support issues
Solution	Salesforce-based Customer Support Ticket Priority Prediction and Automated Assignment System

Parameter	Description
Innovation	Agentforce AI + Auto-Launched Flow for analyzing ticket descriptions, automatically classifying priority, assigning support level and triggering urgent-task automation
Impact	Faster identification of critical tickets, reduced manual effort, improved response time and better support-team productivity
Business Model	Customer support operations involving customers, support agents, support managers and AI-assisted ticket handling
Scalability	Supports increasing support-ticket volumes through Salesforce automation, with scope for additional assignment rules, SLA monitoring and priority indicators

Table 15: Proposed solution canvas

Design principles

- **Deterministic core.** Priority is decided by explicit Flow conditions so that the same description always yields the same result and the logic can be audited.
- **AI as the interface.** Agentforce handles conversation and invocation; it does not directly edit data.
- **Single responsibility.** One subagent, one action, one Flow - each easy to test and replace.
- **Extensible variables.** Additional output variables can be added to the Flow and mapped to the agent action without redesign.

4.3 Solution Architecture




Figure 8: Solution architecture

Components: Users / Support Team, Agentforce, Support Ticket Priority Analysis, Auto-Launched Flow, Account and Ticket Data, Description Analysis, Priority Decision, Task / Assignment, Final Message and Agentforce Response.

Layered view

Layer	Component	Responsibility
Presentation	Agentforce conversation panel	Takes Account Name; shows ticket id, priority, agent and message
AI orchestration	Support Ticket Priority Analysis subagent	Classification, scope, instructions, action selection
Business logic	Auto-Launched Flow	Retrieve, analyze, classify, assign, create task, compose message
Data	Support_Ticket_Intelligence__c, Account, Contact, User, Task	Persistent storage of tickets and tasks

Table 16: Architecture layers

4.4 Data Model Design




Figure 9: Entity relationship view of the data model

The ticket object has three lookup relationships. **Customer__c** points to Account and is the key used by the Flow to find the latest ticket. **Contact__c** identifies the person who raised the issue. **Assigned_To__c** points to a User and records the responsible agent. The Task object is related to the ticket through its polymorphic `WhatId` field.

4.5 Priority Classification Design




Figure 10: Priority decision logic

Keyword in description	Matched outcome	Priority	Action
urgent / not working / failure	High Priority	High	Task + Senior Support Agent
issue / slow / delay	Medium Priority	Medium	Handled shortly
none of the above	Default outcome	Low	Queued for processing

Figure 11: Keyword rule matrix

The decision is evaluated in order. If the description contains any High keyword the High path is taken; otherwise Medium keywords are tested; anything else falls to the default outcome, Low. Because High is evaluated first, a description such as "urgent - slow response" is correctly classed High even though it also contains a Medium keyword.

5. PROJECT PLANNING AND SCHEDULING

5.1 Project Planning

- Agile methodology
- Epics, Stories and Story Points
- Sprint-based execution
- Velocity calculation used for estimation

The work was divided into small user stories grouped under epics. Each story was given story points (a relative measure of effort) and assigned to a sprint. After each sprint the completed points were compared with the plan to calculate velocity, which guides how much work to commit to the next sprint.

Agile terms used

Term	Meaning in this project
Epic	A large functional area such as Data Modeling or Automation
User story	A requirement written as "As a ... I want ... so that ..."
Story points	Relative size estimate (3, 5, 8)
Sprint	A short fixed time-box of six working days
Velocity	Story points completed per sprint

Table 17: Agile terminology

5.2 Product Backlog, Sprint Schedule and Estimation

Sprint	Epic	USN	User story / task	SP	Priority	Member
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to configure the Salesforce environment for Support Ticket Intelligence so that the support automation solution can be developed.	3	High	Member1
Sprint-2	Data Modeling	USN-2	As an admin, I want to create the Support Ticket Intelligence object with required fields and relationships so that ticket information is stored systematically.	5	High	Member2
Sprint-2	Data Modeling	USN-3	As a support user, I want tickets associated with Accounts and Contacts so that the latest customer ticket can be identified for analysis.	3	High	Member3
Sprint-3	Automation	USN-4	As a support agent, I want an Auto-Launched Flow to retrieve the latest ticket and analyze its description so that priority can be determined automatically.	5	High	Member4
Sprint-3	Automation	USN-5	As a support agent, I want tickets classified as High, Medium or Low based on configured urgency conditions so that critical issues receive attention first.	5	High	Member4

Sprint	Epic	USN	User story / task	SP	Priority	Member
Sprint-4	Agentforce & Automation	USN-6	As an AI Agent (Agentforce), I want to analyze ticket details and trigger the backend Flow so that manual prioritization is reduced.	8	High	Member1
Sprint-4	Task & Assignment	USN-7	As a support manager, I want High-priority tickets to create an urgent handling task and assign the appropriate support level so that critical tickets are handled quickly.	5	High	Member2
Sprint-5	SLA Management	USN-8	As a support manager, I want the system to check SLA breach risk for older unresolved tickets so that potential SLA issues can be identified.	5	Medium	Member3
Sprint-6	Agentforce & Conversational Support	USN-9	As a support user, I want to give an Account Name to Agentforce and receive the ticket ID, priority, assigned agent and action message so that I understand the outcome conversationally.	5	Medium	Member4

Table 18: Product backlog and sprint schedule

The backlog contains nine user stories totalling 44 story points: 3 in Sprint-1, 8 in Sprint-2, 10 in Sprint-3, 13 in Sprint-4, 5 in Sprint-5 and 5 in Sprint-6.

5.3 Project Tracker, Velocity and Burndown Chart

Sprint	Total story points	Duration	Sprint start	Sprint end (planned)	Points completed	Release date (actual)
Sprint-1	20	6 days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 days	31 Oct 2022	05 Nov 2022	-	-
Sprint-3	20	6 days	07 Nov 2022	12 Nov 2022	-	-
Sprint-4	20	6 days	14 Nov 2022	19 Nov 2022	-	-

Table 19: Project tracker (as supplied in the project template)

Velocity. Velocity is the number of story points completed in a sprint divided by the sprint length. For a sprint with 20 planned points and 6 working days the average velocity is 20 / 6 = 3.33 points per day. Across the six backlog sprints the planned average is 44 / 6 = 7.33 points per sprint.




Figure 12: Planned story points per sprint and planned burndown (based on the backlog above)

The burndown chart plots remaining story points against sprints. A line that stays close to the ideal diagonal indicates the team is on schedule; a line above it indicates slippage. Sprint-4 carries the largest share of points (13) because it holds the Agentforce and task-assignment stories, which are the heart of the system.

5.4 Risk Management

Risk	Impact	Mitigation
Agentforce not enabled in the org	Agent cannot be created	Enable Agentforce (Default) in Salesforce Go before building
Account Name typed differently from stored name	Flow finds no account	Prompt user for exact name; extend Flow with a not-found path
Description lacks keywords	Urgent ticket classed Low	Review and extend keyword list regularly
Flow not active	Action unavailable to agent	Save and activate the Flow before creating the action
Output variable not marked "Available for output"	Value missing in conversation	Tick the output option on every variable

Table 20: Risks and mitigations

6. PROJECT DEVELOPMENT PHASE

This section describes how the solution was built in Salesforce, from creating the developer organization to testing the finished Agentforce conversation. The learning outcomes of the development phase were data modelling, fields and relationships, Flow Builder and the configuration of Agentforce subagents and actions.

What you will learn

- Data modelling
- Fields and relationships
- Lightning App Builder
- Record-triggered and auto-launched flows
- Apex and Apex triggers (background)
- Batch Apex and Scheduled Apex (background)

Milestone 1: Salesforce Account

Activity 1: Creating a Developer Account

A Salesforce Developer Edition organization is a free, full-featured environment intended for learning and building. It was created from the developer sign-up page.

1. Go to `https://developer.salesforce.com/signup`.
2. On the sign-up form, enter the details listed below.
3. Click **Sign me up** after filling in the form.

Field	Value to enter
First name and Last name	Your name
Email	A valid e-mail address you can open
Role	Developer
Company	College name
Country	India
Postal code	PIN code
Username	A combination of your name and company, in the form username@organization.com (it need not be a real e-mail address)

Table 21: Developer sign-up form fields




Figure 13: Salesforce Developer Edition sign-up page

Activity 2: Account Activation

1. Open the inbox of the e-mail address used while signing up. The verification e-mail may take 5-10 minutes to arrive.
2. Click **Verify Account**.
3. Enter a password, answer a security question and click **Change Password**.
4. You are redirected to the Salesforce Setup page.




Figure 14: Verification e-mail received from Salesforce




Figure 15: Setting the password and security question




Figure 16: Salesforce Setup home page after activation

The Setup home page is the administrator's control centre. Everything in the following milestones - objects, flows and Agentforce - is configured from here using the Quick Find box.

Milestone 2: Data Management - Objects

Activity 1: Create the custom object

A custom object stores data that the standard objects do not cover. The following settings were used.

Setting	Value
Object label	Support Ticket Intelligence

Setting	Value
API name	Support_Ticket_Intelligence__c
Record name	Ticket Number (Auto Number, format TKT-{0000})
Allow reports / activities	Enabled, so that Tasks can be related to tickets
Deployment status	Deployed

Table 22: Custom object definition

1. Open **Setup > Object Manager > Create > Custom Object**.
2. Enter the label *Support Ticket Intelligence*; the API name is generated automatically.
3. Choose Auto Number as the record name data type with display format `TKT-{0000}`.
4. Tick **Allow Activities** and **Allow Reports**, set the status to Deployed and save.

Activity 2: Create the fields

Field label	API name	Data type	Description
Ticket Number	Ticket_Number__c	Auto Number	TKT-{0000}
Customer	Customer__c	Lookup (Account)	Related Account
Contact	Contact__c	Lookup (Contact)	Customer contact
Issue Type	Issue_Type__c	Picklist	Technical, Billing, General
Description	Description__c	Long Text Area	Issue details
Priority Level	Priority_Level__c	Picklist	Low, Medium, High
Status	Status__c	Picklist	New, In Progress, Resolved
Created Date	Created_Date__c	Date	Ticket date
Assigned To	Assigned_To__c	Lookup (User)	Support agent
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox	Risk flag
Resolution Time (hrs)	Resolution_Time__c	Number	Time taken

Table 23: Fields of Support Ticket Intelligence

Field-by-field rationale

- **Customer__c** is the join key between the Account the user names and the ticket. Without it the Flow cannot find the latest ticket.
- **Description__c** is the text analysed for keywords. A long text area allows complete customer explanations.
- **Priority_Level__c** holds the result of classification; its values (Low, Medium, High) match the Flow output exactly.
- **Status__c** tracks life-cycle progress from New through In Progress to Resolved.
- **Assigned_To__c** links the ticket to the responsible support agent.
- **SLA_Breach_Risk__c** is a checkbox that can be set when a ticket is at risk.

- **Resolution_Time__c** records hours taken and supports later performance analysis.

Activity 3: Create sample ticket data

Sample Account, Contact and ticket records were entered so the Flow and agent could be tested.

For example, an Account named *Abdul* with the contact *abdul rahaman* has ticket **TKT-0002** of issue type Technical whose description is *Urgent*, giving priority High and status New.




Figure 17: Support Ticket Intelligence record TKT-0002 with its Urgent Ticket Handling tasks

The record page shows the field values on the left and, in the activity timeline on the right, the *Urgent Ticket Handling* tasks that the Flow created. The red flag marks the High task priority. (Two tasks appear because the Flow was run more than once for the same account during testing.)

Milestone 3: Auto-Launched Flow

Auto-Launched Flow logic (modified for this project)

1. Flow type

Auto-Launched Flow (no trigger) - it is called from Agentforce.

2. Variables

Label	API name	Type	Input	Output
Account Name	varAccountName	Text	Yes	No

Table 24: Input variable

Label	API name	Type	Output
Account Id	varAccountId	Text	Yes
Ticket Id	varTicketId	Text	Yes
Priority Level	varPriorityLevel	Text	Yes
Assigned Agent	varAssignedTo	Text	Yes
Action Message	varActionMessage	Text	Yes

Table 25: Output variables

Each variable must have "Available for input" or "Available for output" ticked in its definition; otherwise Agentforce cannot see it when the Flow is added as an action.

3. Step-by-step flow implementation

Step	Element	Configuration
Step 1: Get Account	Get Records	Object: Account. Condition: Name Equals {!varAccountName}. Sort: CreatedDate descending. Store: only the first record. Label: Get Account.
Step 2: Assignment - store Account Id	Assignment	Label: Store Account Id. Set varAccountId = {!Get_Account.Id}.
Step 3: Get Ticket Record	Get Records	Object: Support_Ticket_Intelligence__c. Condition: Customer__c Equals {!varAccountId}. Sort: CreatedDate descending. Store: only the first record. Label: Get Ticket.
Step 4: Assignment - store Ticket Id	Assignment	Label: Store Ticket Id. Set varTicketId = {!Get_Ticket.Id}.
Step 5: Decision - Analyze Description	Decision	Outcomes: **High Priority** if the description contains "urgent", "not working" or "failure" (multiple CONTAINS conditions joined with OR); **Medium Priority** if it contains "issue", "slow" or "delay"; **Default outcome** is Low Priority.
Step 6: Assignment - set Priority Level	Assignment	High path: varPriorityLevel = "High". Medium path: varPriorityLevel = "Medium". Low path: varPriorityLevel = "Low".
Step 7: Decision - High Priority check	Decision	Label: Is High Priority. Condition: varPriorityLevel Equals "High".
Step 8: Create Task (High priority only)	Create Records	Object: Task. Subject = "Urgent Ticket Handling"; WhatId = {!varTicketId}; Priority = High; Status = Not Started.
Step 9: Assignment - assign agent	Assignment	Label: Set Assigned Agent. Set varAssignedTo = "Senior Support Agent".
Step 10: Optional SLA check	Decision	Decision "SLA Risk": if Created Date is older than 2 days, an optional internal flag or message can be set.
Step 11: Final output message	Assignment	Label: Set Final Message. Set varActionMessage as given in the table below.
Step 12: Save the Flow	-	Label: Support_Ticket_Intellegence. Save and activate.

Table 26: Flow implementation steps

Priority	varActionMessage
High	High priority ticket detected. Assigned to senior agent.
Medium	Ticket marked as medium priority. Will be handled shortly.
Low	Tickets are low priority and queued for processing.

Table 27: Final messages

4. Final flow structure

```
Start
 -> Get Account
 -> Assignment (Account Id)
 -> Get Ticket
 -> Assignment (Ticket Id)
```

```
-> Decision (Analyze Description)
-> Assignment (Priority Level)
-> Decision (High Priority)
-> Create Task
-> Assignment (Assigned Agent)
-> Optional SLA Decision
-> Assignment (Final Message)
-> End
```




Figure 18: Flow Builder canvas - Support_Ticket_Intellegence auto-launched flow

On the canvas the flow starts with the Autolaunched Flow start element, then **Get Account**, an assignment that stores the account, and **Get Ticket**. The **Analyze Description** decision branches into three paths. The High path runs *High Path* assignment, **Create Task**, *Set Assigned Agent* and *Set Final Message*; the Medium path sets the priority and *Final Medium Message*; the Low path sets the priority and *Final Low Message*. Every path ends at an End element.

5. Final outcome of the flow

- Takes Account Name as input
- Fetches the latest support ticket
- Analyzes the description using keywords
- Sets the priority automatically
- Creates a task for urgent cases
- Returns output to Agentforce

Design notes on the Flow

- **Sorting by CreatedDate descending with "only first record"** guarantees the most recent ticket is analysed, matching the user's expectation of "the latest ticket".
- **CONTAINS is not case sensitive** in Flow, so "Urgent", "URGENT" and "urgent" are all matched.
- **High is tested first** so the most serious outcome always wins when keywords overlap.
- **Create Records runs only on the High path**, so Medium and Low tickets generate no tasks and no noise.
- **Output variables are set on every path** so the agent always receives a message.

Milestone 4: Agentforce Configuration

Agentforce is enabled from Salesforce Go, a default agent is opened in the builder, and a new subagent is created to wrap the Flow.

Step 1: Open Salesforce Go

Click the gear icon in the top-right corner and choose **Salesforce Go**.




Figure 19: Gear icon > Setup menu > Salesforce Go

Step 2: Enable Agentforce (Default)

In Salesforce Go, search for *Default*, select **Agentforce (Default)** and enable it.




Figure 20: Searching Salesforce Go for Agentforce (Default)

Step 3: Turn on Agentforce

Select **Get Started**, then **Turn On**, then **Confirm**.

Step 4: Enable the Agent

Search *Agents* in the Quick Find box and enable the agent toggle. The **Default Agent** then appears in the agents list.




Figure 21: Agents page with the Agentforce Default agent

Step 5: Open in Builder

Select the Default Agent and click **Open in Builder**.




Figure 22: Agent detail page with the Open in Builder button

Step 6: Create a new subagent

In the builder open the **Subagents** panel and click **New**. Two options appear: *Add from Asset Library* and *New Subagent*. Choose **New Subagent**.




Figure 23: Agentforce Builder - Subagents panel with New Subagent option

Step 7: Click Next

The "Create a Topic" dialog opens. Describe the job of the topic and click **Next**.




Figure 24: Create a Topic dialog

Agentforce subagent configuration

Setting	Value
Name	Support Ticket Priority Analysis
API name	Support_Ticket_Priority_Analysis

Table 28: Subagent identity

Classification description

This topic analyzes customer support tickets to determine priority based on issue description and urgency. It handles user requests related to ticket status, issue severity and support prioritization.

Scope

Your job is only to analyze support ticket descriptions, determine the priority level (High, Medium, Low), and trigger backend automation for task assignment. Do not handle unrelated requests such as billing, subscription management, or account updates.

Instructions

1. Ask the user to provide the Account Name if not already given.
2. Retrieve the latest support ticket associated with the Account.
3. Read and analyze the ticket description.
4. Determine priority based on keywords: High - "urgent", "not working", "failure"; Medium - "issue", "slow", "delay"; Low - none of the above.
5. Set the priority level accordingly.
6. If the ticket is High Priority, trigger the Auto-Launched Flow and ensure a task is created for immediate handling.
7. Assign the ticket to the appropriate support level (for example a senior agent for High priority).
8. Return a clear response message: High - urgent handling is initiated; Medium - the issue will be handled shortly; Low - the ticket is queued.
9. Do not update records directly or send emails. Use Flow for all actions.




Figure 25: Topic configuration - name, classification description, scope and instructions




Figure 26: Selecting actions to include in the topic




Figure 27: Topics list showing Support Ticket Priority Analysis

Adding the action

Open the topic and, in **Topic Details**, choose **This Topic's Actions > New > Create New Action**.

The action wraps the Flow so the agent can call it.




Figure 28: Topic details - creating a new action

In the "Create an Agent Action" dialog, set **Reference Action Type** to *Flow* and select **Support_Ticket_Intellegence** from the list of active flows, then click **Next**.




Figure 29: Selecting the Flow as the reference action

Agent action description

Analyzes customer support tickets based on the provided account name, determines ticket priority using issue description, and triggers automation to assign tasks for high-priority cases.

Loading text: *Analyzing ticket details and determining priority...*

Input

Variable	Description	Data type	Require input	Collect from user
varAccountName	Enter the customer account name to fetch the latest support ticket and analyze its priority.	lightning__textType	Enabled	Enabled

Table 29: Action input

Outputs

Variable	Description	Data type	Show in conversation	Rendering
varAccountId	Returns the unique identifier of the customer account used to retrieve the support ticket.	lightning__textType	Enabled	Text
varActionMessage	Displays the final message indicating ticket priority and actions taken by the system.	lightning__textType	Enabled	Text
varAssignedTo	Indicates the support agent or team assigned to handle the ticket.	lightning__textType	Enabled	Text
varPriorityLevel	Represents the calculated ticket priority level (High, Medium, Low) based on issue description.	lightning__textType	Enabled	Text
varTicketId	Returns the unique identifier of the support ticket analyzed by the system.	lightning__textType	Enabled	Text

Table 30: Action outputs




Figure 30: Create an Agent Action - input and output configuration




Figure 31: Agent action configuration review before saving

Final output

After saving the action, the subagent was tested in the builder's **Conversation Preview**. The agent first asked: *"Could you please provide the Account Name so I can analyze your support ticket and determine its priority?"* The user answered **ABC**, and the agent returned the analysis of that account's latest ticket.




Figure 32: Conversation Preview - Agentforce returns the analysis for account "ABDUL"

The response lists the account name, the action message, the assigned agent, the priority level and the Salesforce record id of the analysed ticket - the five output variables configured in the action.

Note. If you would like to extend this scenario, you can add more variables to the flow and configure them in the agent. This helps achieve better outputs and is a good way to learn.

6.5 Worked Scenarios

Three scenarios show how the same Flow behaves for different ticket descriptions. They follow the exact conditions configured in the Decision element.

Scenario 1: High priority

Item	Value
Account Name (input)	Abdul
Latest ticket	TKT-0002 - Technical
Description	Urgent
Decision outcome	High Priority (contains "urgent")
Task created	Urgent Ticket Handling - Priority High - Status Not Started - WhatId = ticket
varAssignedTo	Senior Support Agent
varActionMessage	High priority ticket detected. Assigned to senior agent.

Table 31: Scenario 1 - High priority ticket

The ticket record and its two tasks in the earlier screenshot correspond to this scenario. The red flag in the activity timeline shows the task has High priority.

Scenario 2: Medium priority

Item	Value
Latest ticket	Technical
Description	"The report page is slow to load"
Decision outcome	Medium Priority (contains "slow")
Task created	None
varActionMessage	Ticket marked as medium priority. Will be handled shortly.

Table 32: Scenario 2 - Medium priority ticket

Scenario 3: Low priority

Item	Value
Latest ticket	General
Description	"Please share the user guide"
Decision outcome	Default outcome - Low Priority
Task created	None
varActionMessage	Tickets are low priority and queued for processing.

Table 33: Scenario 3 - Low priority ticket

Why keywords were chosen

The six keywords were selected because they are the words support customers most often use to signal severity. Words such as *urgent*, *not working* and *failure* indicate a service that is down or a deadline at risk and therefore belong to High. Words such as *issue*, *slow* and *delay* describe degraded service that still needs attention but is not an outage, so they map to Medium. Everything else - questions, requests for information or feedback - is Low.

6.6 Security and Access Configuration

Because the Flow and the agent read customer and ticket data, access should be restricted to the people who need it.

- **Object permissions.** Grant Read, Create and Edit on Support Ticket Intelligence to support users and agents through a permission set, rather than editing profiles.
- **Field-level security.** Make Description, Priority Level and Assigned To visible to support roles; restrict Resolution Time editing to managers if required.

- **Flow access.** Auto-launched flows run in the context chosen in the Flow settings; the default for an agent action is the running user, so that user needs access to Account, the ticket object and Task creation.
- **Agent access.** Only users who are assigned the agent permission set can talk to the Agentforce agent.
- **Sharing model.** Set the organization-wide default for the ticket object to Private if customer data must be protected by owner or role.

6.7 Activation and Deployment Checklist

#	Check	Done when
1	Custom object deployed	Object appears in the App Launcher and tab can be opened
2	All eleven fields created	Fields are visible on the page layout
3	Sample accounts and tickets inserted	At least one ticket per account
4	Flow saved and Active	Status shows Active in Flow list
5	Variables marked input / output	Flow appears with its inputs and outputs in the action wizard
6	Agentforce enabled	Default Agent visible under Agents
7	Subagent created with scope and instructions	Appears in Topics list
8	Action added and saved	Action listed under the subagent
9	Conversation tested	Account Name returns ticket id, priority, agent and message

Table 34: Deployment checklist

6.8 User Guide

For a support user

1. Open the Agentforce panel in Salesforce.
2. Ask the agent to analyse a support ticket.
3. When asked, type the exact Account Name.
4. Read the response: account id, ticket id, priority level, assigned agent and message.
5. If the priority is High, open the ticket and complete the Urgent Ticket Handling task.

For an administrator

1. To change keywords, open the Flow in Flow Builder and edit the Analyze Description decision.
2. Save as a new version and activate it.
3. To change the message, edit the Final Message assignments.

4. To add an output, create a new output variable, then edit the agent action to include it.
5. Test every change in Conversation Preview before releasing it.

6.9 Implementation Challenges and Solutions

Challenge	Solution
Agent did not display a value	Enabled "Show in Conversation" for each output
Flow not selectable as action	Saved and activated the Flow, then refreshed the action wizard
Priority conflicts when words overlap	Ordered the Decision so High is evaluated first
Repeated runs created repeated tasks	Recorded as a known limitation and added to the future roadmap
Agent should not edit data itself	Placed all data changes in the Flow and instructed the agent to use Flow only

Table 35: Challenges and solutions

7. FUNCTIONAL AND PERFORMANCE TESTING

Testing verified that each requirement was met by the configured object, Flow and Agentforce subagent. Screenshots captured in Salesforce - the Flow canvas, the ticket record with its tasks, the Agentforce configuration pages and the Conversation Preview - were used as evidence.

7.1 Test Strategy

- **Unit testing of the Flow** using the Flow debugger with a known Account Name.
- **Data validation** by inspecting ticket records and the tasks created.
- **Agent testing** using Conversation Preview in Agentforce Builder.
- **Negative testing** with an unknown account and a description without keywords.

7.2 Test Environment

Item	Detail
Platform	Salesforce Developer Edition organization
Automation	Flow Support_Ticket_Intellegence (active)
AI	Agentforce Default Agent with subagent Support Ticket Priority Analysis
Test data	Accounts such as Abdul and ABC with Support Ticket Intelligence records

Table 36: Test environment

7.3 Functional Test Cases

TC	Scenario	Input / data	Expected result	Evidence
TC-01	Ticket record creation	Create ticket for Account Abdul, type Technical, description "Urgent"	Record saved with auto number TKT-0002	Ticket record screenshot
TC-02	Account lookup	Account Name = Abdul	Flow returns the Account Id	Flow output
TC-03	Latest ticket retrieval	Account with several tickets	Newest ticket (CreatedDate desc) analysed	Flow design
TC-04	High priority keyword	Description contains "urgent", "not working" or "failure"	Priority = High; message "High priority ticket detected. Assigned to senior agent."	Ticket record shows High
TC-05	High priority task	Priority = High	Task "Urgent Ticket Handling", Priority High, Status Not Started, related to ticket	Activity timeline shows tasks
TC-06	Agent assignment	Priority = High	varAssignedTo = Senior Support Agent	Conversation preview
TC-07	Medium priority keyword	Description contains "issue", "slow" or "delay"	Priority = Medium; "Ticket marked as medium priority. Will be handled shortly."; no task	Flow path
TC-08	Low priority default	Description without any keyword	Priority = Low; "Tickets are low priority and queued for processing."; no task	Flow path

TC	Scenario	Input / data	Expected result	Evidence
TC-09	Keyword overlap	"Urgent - system is slow"	High takes precedence over Medium	Decision order
TC-10	Agent asks for input	User asks to analyse a ticket without a name	Agent asks for the Account Name	Conversation preview
TC-11	Agent output	Account Name = ABC	Agent shows account, message, assigned agent, priority and ticket id	Conversation preview
TC-12	Scope guard	Ask about billing or subscription	Agent declines; outside topic scope	Subagent scope
TC-13	Optional SLA check	Ticket older than two days	Optional flag or message may be set	SLA decision

Table 37: Functional test cases




Figure 33: Test evidence - agent requests Account Name and returns analysis




Figure 34: Test evidence - High-priority ticket with urgent tasks (TC-01, TC-04, TC-05)

7.4 Performance and Non-Functional Testing

Attribute	Check	Observation / design basis
Performance	Retrieval of latest ticket	Two indexed Get Records queries with sorting and a single-record limit keep the Flow light
Reliability	Same description gives the same result	Rule-based CONTAINS conditions are deterministic
Usability	Message clarity	Plain-language messages for each priority
Security	Access to ticket data	Governed by Salesforce profiles, permission sets and sharing
Maintainability	Change a keyword	Edit the Decision element and save a new Flow version
Scalability	Larger ticket volumes	Declarative automation runs within platform limits and requires no extra servers

Table 38: Non-functional checks

7.5 Defects and Lessons Learned

- The Flow must be **active** before it appears in the list of reference actions.
- Every Flow variable shown to the agent must be marked available for input or output.
- When the Flow is run repeatedly for the same account, it creates a new task each time; a duplicate-task check can be added in future.
- The Account Name is matched exactly; an unknown name produces no ticket, so a "not found" message path is a recommended improvement.

8. ADVANTAGES AND DISADVANTAGES

Advantages

- **Automatic Ticket Prioritization** - classifies tickets as High, Medium or Low based on the description.
- **Faster Identification of Critical Issues** - helps support agents focus on urgent tickets first.
- **Reduced Manual Effort** - automates ticket analysis, priority setting, task creation and assignment.
- **Intelligent Ticket Handling** - Agentforce analyzes ticket details and initiates the appropriate backend automation.
- **Automatic Urgent Task Creation** - High-priority tickets automatically create an Urgent Ticket Handling task.
- **Improved Support Assignment** - High-priority tickets are assigned to the appropriate support level, including a senior support agent.
- **Conversational Support** - users interact with Agentforce to analyze tickets and receive the outcome.
- **Better Response Time** - automation reduces delays in handling critical customer issues.
- **SLA Risk Awareness** - older unresolved tickets can be checked for potential SLA breach risk.
- **Scalable Support Operations** - Salesforce automation supports growing ticket volumes.
- **Improved Team Productivity** - reduces repetitive work and lets teams concentrate on resolution.

Disadvantages

- **Keyword-Based Priority Logic** - classification depends on configured keywords such as urgent, not working, failure, issue, slow and delay.
- **Limited Understanding of Context** - the current implementation may not capture every urgency signal.
- **Dependence on Accurate Ticket Data** - correct Account, Contact and ticket information is required.
- **Flow Configuration Dependency** - changes to ticket handling require maintenance of the Flow.

- **Agentforce Configuration Dependency** - responses and actions depend on properly configured subagent instructions and Flow actions.
- **Limited Scope of Agentforce** - the subagent is focused on ticket analysis; unrelated requests are out of scope.
- **SLA Monitoring is Limited** - only an optional SLA-risk check, not full monitoring and escalation.
- **Assignment Logic May Need Expansion** - more teams or sophisticated rules require further configuration.
- **Maintenance Required** - keywords, variables, outputs and assignment logic must evolve with requirements.
- **Limited Analytics** - priority-trend and resolution analytics are future scope.

Summary comparison with the manual process

Aspect	Manual process	Proposed system
Priority decision	Person reads and judges each ticket	Flow evaluates keywords instantly
Consistency	Varies between agents	Same rule every time
Urgent task creation	Created by hand, if remembered	Created automatically for High tickets
Assignment	Manager decides	Rule assigns Senior Support Agent
Access	Open the records and read	Ask Agentforce with an Account Name
Effort	High and repetitive	Low; staff focus on resolution

Table 39: Manual versus automated handling

9. CONCLUSION

The Customer Support Ticket Priority Prediction and Automated Assignment System demonstrates how Salesforce Flow and Agentforce can work together to reduce manual support-ticket handling. The solution retrieves the latest ticket for an Account, analyzes its description, classifies priority, creates an urgent task for High-priority cases, assigns a support level and returns a clear conversational response. This supports faster ticket handling, reduced manual effort, intelligent prioritization and better team productivity.

The project also shows a practical pattern for enterprise AI: let the agent handle conversation and intent, and let a Flow perform controlled, auditable actions on data. Because every element is declarative, an administrator can extend the keyword list, add new outputs or change assignment rules without writing code.

Learning outcomes

- Designing a custom object with lookup relationships and picklists.
- Building an auto-launched Flow with Get Records, Assignment, Decision and Create Records elements.
- Exposing a Flow as an Agentforce action with input and output variables.
- Writing subagent classification, scope and instructions that keep an AI agent safe and focused.
- Testing end to end through Conversation Preview.

10. FUTURE SCOPE

- Add more priority indicators and business rules.
- Extend Agentforce outputs with additional ticket information.
- Add more sophisticated SLA monitoring and escalation.
- Support additional support teams or assignment rules.
- Introduce analytics for priority trends and resolution performance.
- Add more variables and configure them in the Agentforce action for richer outputs.

Suggested roadmap

Phase	Enhancement	Value
Short term	Add a "not found" path and duplicate-task prevention in the Flow	More robust behaviour
Short term	Populate Priority_Level__c and Assigned_To__c on the ticket record from the Flow	Records reflect the decision
Medium term	Replace the fixed "Senior Support Agent" label with a real User or Queue lookup	True automated assignment
Medium term	Scheduled Flow or Batch Apex to set SLA_Breach_Risk__c for old unresolved tickets	Proactive SLA control
Long term	Reports and dashboards for priority mix and Resolution_Time__c	Management analytics
Long term	Prompt-template or model-based urgency scoring alongside keywords	Better handling of context

Table 40: Future roadmap

11. APPENDIX

A. Custom Object: Support Ticket Intelligence

Field label	API name	Type	Notes
Ticket Number	Ticket_Number__c	Auto Number	TKT-{0000}
Customer	Customer__c	Lookup (Account)	Key used by Flow
Contact	Contact__c	Lookup (Contact)	
Issue Type	Issue_Type__c	Picklist	Technical, Billing, General
Description	Description__c	Long Text Area	Analysed for keywords
Priority Level	Priority_Level__c	Picklist	Low, Medium, High
Status	Status__c	Picklist	New, In Progress, Resolved
Created Date	Created_Date__c	Date	
Assigned To	Assigned_To__c	Lookup (User)	
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox	
Resolution Time (hrs)	Resolution_Time__c	Number	

Table 41: Object field dictionary

B. Key Salesforce Records: Account, Contact, User, Task

Object	Role in the solution
Account	Customer organization; located by name from the user input
Contact	Person who raised the ticket
User	Support agent to whom the ticket can be assigned
Task	Urgent Ticket Handling task for High-priority tickets (Priority High, Status Not Started)

Table 42: Key standard objects

C. Flow: Support_Ticket_Intellegence - Auto-Launched Flow

Element	API / label	Purpose
Get Records	Get_Account	Find account by name
Assignment	Store Account Id	varAccountId
Get Records	Get_Ticket	Latest ticket for account
Assignment	Store Ticket Id	varTicketId
Decision	Analyze Description	High / Medium / Low
Assignment	High Path, Medium Path, Low Path	varPriorityLevel
Create Records	Create Task	Urgent Ticket Handling task
Assignment	Set Assigned Agent	varAssignedTo
Assignment	Set Final Message	varActionMessage

Table 43: Flow elements




Figure 35: Appendix C - Flow canvas

D. Agentforce Subagent: Support Ticket Priority Analysis

Property	Value
Name	Support Ticket Priority Analysis
API name	Support_Ticket_Priority_Analysis
Scope	Analyse ticket descriptions, set priority, trigger automation; no billing, subscription or account updates
Constraint	Do not update records directly or send e-mails; use Flow for all actions

Table 44: Subagent summary

E. Agentforce Action: Flow-based Support Ticket Intelligence action

Direction	Variable	Shown in conversation
Input	varAccountName	Collected from user
Output	varAccountId	Yes
Output	varTicketId	Yes
Output	varPriorityLevel	Yes
Output	varAssignedTo	Yes
Output	varActionMessage	Yes

Table 45: Action variables

F. Glossary

Term	Meaning
Agentforce	Salesforce framework for building AI agents that act on CRM data
Subagent / Topic	A focused area of an agent with its own scope, instructions and actions
Action	A capability, such as a Flow, that an agent can invoke

Term	Meaning
Auto-Launched Flow	A flow with no UI or trigger that is started by another process
Assignment element	Flow element that sets variable values
Decision element	Flow element that branches logic on conditions
Get Records	Flow element that reads records
Create Records	Flow element that inserts records
SLA	Service Level Agreement - agreed response or resolution time
Story point	Relative effort estimate for an agile story

Table 46: Glossary

G. Troubleshooting Guide

Symptom	Likely cause	Fix
Flow missing from action list	Flow not active or wrong type	Activate; ensure it is auto-launched
Output blank in chat	Variable not available for output or not shown in conversation	Tick output option; enable Show in Conversation
Agent does not ask for Account Name	Input not set to Collect Data From User	Enable Require Input and Collect Data From User
No ticket found	Account has no ticket or name mismatch	Create a ticket; type the exact account name
Agent answers unrelated questions	Scope too wide	Tighten scope text

Table 47: Troubleshooting

H. References

- Salesforce Developer sign-up: developer.salesforce.com/signup
- Salesforce Help - Flow Builder and Flow elements
- Salesforce Help - Agentforce Builder, subagents and agent actions
- Trailhead - Flow Basics and Agentforce modules

Thank You