

TO SUPPLY FOOD TO POOR

**College Name: Government Art And Science College For
Womem , puliyakulam .**

TEAM ID:

TEAM MEMBERS:

Team Leader Name: S.Kalaivani

Email: kalaivani2532006@gmail.com

Team Memeber1: N.Kalaivani

Email: nn6743211@gmail.com

Team Memeber2: P.Jamuna

Email: jamunaamsaveni@gmail.com

Team Memeber3: G.Sowndharya

Email: sowndharyaganeshan8@gmail.com

1.INTRODUCTION

1.1 Project Overview:

The project “To Supply Food to Poor” focuses on addressing the issue of hunger among underprivileged and

economically weaker sections of society. Many people struggle daily to meet their basic food requirements, which leads to malnutrition, poor health, and reduced quality of life. This project aims to create a structured system for collecting, managing, and distributing food to those in need. By collaborating with donors, NGOs, restaurants, and volunteers, the initiative ensures that surplus food and resources are effectively utilized instead of being wasted. The project also leverages technology (like a simple CRM or tracking system) to streamline food supply, identify beneficiaries, and monitor distribution for maximum impact.

1.2 purpose

It aims to reduce hunger and malnutrition by building a reliable system for collecting and distributing food. The project also focuses on preventing food wastage by redirecting surplus food from donors, hotels, and events to those in need. Ultimately, the project seeks to improve the quality of life for poor communities and move closer to a hunger-free society.

DEVELOPMENT PHASE

Creating Developer Account:

By using this URL - <https://developer.salesforce.com/signup>

salesforce

Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.

Sign up for your Developer Edition.

- ✓ Build apps fast with drag-and-drop tools
- ✓ Go further with Apex code
- ✓ Build AI agents with Agentforce
- ✓ Harmonize your data with Data Cloud
- ✓ Ground Agentforce with structured and unstructured data
- ✓ Integrate with anything using APIs



Sign up for your Developer Edition

A free Salesforce Platform environment with Agentforce and Data Cloud

First name	Last name
S. Kalai	vani
Job title	Work email
Salesforce	kalaivani2532006@
Company	Country/Region
Government Arts	India

Your org may be provisioned on or migrated to Hyperforce, Salesforce's public cloud infrastructure.

I agree to the Main Services Agreement – Developer Services and Salesforce Program Agreement. I acknowledge, as described in the Developer Documentation: (1) the Developer Edition includes autonomous and other generative AI features; and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 45 days.

We value your privacy. To learn more, visit our Privacy Statement.

I'm not a robot

reCAPTCHA
Privacy • Terms

Sign Me Up



Worldwide ▾

[Legal](#) [Terms of Service](#) [Privacy Information](#) [Responsible Disclosure](#) [Trust](#) [Contact](#)
[Cookie Preferences](#) [Your Privacy Choices](#)

© Copyright 2025 Salesforce, Inc. All rights reserved. Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

**Created objects: Venue , Drop-off Point ,Task ,
Volunteer , Execution Details**

Screenshot of a Salesforce Lightning Object Manager page titled "Execution Detail".

The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgL000001uWL/Details/view>.

The page shows the "Object Manager" tab selected in the top navigation bar.

The main content area displays the "Execution Detail" object details. The left sidebar lists various configuration tabs: Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The "Details" tab is currently active.

The "Details" section contains the following fields:

Field	Value
Description	
API Name	Execution_Detail_c
Custom	✓
Singular Label	Execution Detail
Plural Label	Execution Details
Enable Reports	
Track Activities	✓
Track Field History	✓
Deployment Status	Deployed
Help Settings	
Standard salesforce.com Help Window	

Buttons at the top right of the details section include "Edit" and "Delete".

The bottom of the screen shows the Windows taskbar with the search bar containing "Type here to search" and several pinned application icons.

Screenshot of a Salesforce Object Manager page for the "Volunteer" object.

The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01gL000001uG4k/Details/view>.

The page title is "Volunteer".

The left sidebar shows the following sections:

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

The main content area displays the "Details" tab for the "Volunteer" object.

Fields and their values:

Field	Value
Description	
API Name	Volunteer_c
Custom	✓
Singular Label	Volunteer
Plural Label	Volunteers
Enable Reports	✓
Track Activities	✓
Track Field History	✓
Deployment Status	Deployed
Help Settings	
Standard salesforce.com Help Window	

Buttons in the top right corner:

- Edit
- Delete

System status bar at the bottom:

- Type here to search
- Windows Start button
- Icons for File, Home, Task View, Start, Taskbar, and Network
- Network connection icon
- 08:12
- 05-09-2025
- ENG

Screenshot of a Salesforce Lightning setup page for the 'Task' object.

The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgL000001uUj/Details/view>.

The page title is "Task".

The left sidebar shows the following sections:

- Details
- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

The main content area displays the following details for the Task object:

Detail	Value
Description	
API Name	Task_c
Custom	✓
Singular Label	Task
Plural Label	Tasks
Enable Reports	✓
Track Activities	✓
Track Field History	✓
Deployment Status	Deployed
Help Settings	
Standard salesforce.com Help Window	

The status bar at the bottom shows the URL orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/one/one.app, the date 05-09-2025, and the time 08:12.

Screenshot of a Salesforce Object Manager page for Drop-Off Point.

The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgL000001ul1h/Details/view>.

The page title is "Drop-Off Point".

The left sidebar shows the following sections:

- Details
- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

The main details section displays the following information for the "Drop-Off Point" object:

Field	Value
Description	
API Name	Drop_Off_Point_c
Custom	✓
Singular Label	Drop-Off Point
Plural Label	Drop-Off Points
Enable Reports	✓
Track Activities	✓
Track Field History	✓
Deployment Status	Deployed
Help Settings	Standard salesforce.com Help Window

Buttons at the top right: Edit and Delete.

Bottom navigation bar includes the Windows Start button, a search bar, and various system icons.

The screenshot shows a browser window with multiple tabs open, including Gmail, Welcome to [redacted], Home | Sales, Venue | Sales, Student, https://[redacted], Login | Sales, and Login | Sales. The main content is a Salesforce setup page titled 'SETUP > OBJECT MANAGER' for the 'Venue' object. The page has a sidebar on the left with options like Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters. The main area displays the 'Details' tab for the 'Venue' object, showing fields such as API Name (Venue_c), Singular Label (Venue), Plural Label (Venues), and various status checkboxes (Enable Reports, Track Activities, Track Field History, Deployment Status). The status for all checkboxes is checked. At the bottom right of the details tab are 'Edit' and 'Delete' buttons. The browser's address bar shows the URL: https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgL000001uHHp/Details/view.

Creating a Custom Tab

gmail - Search X | M Welcome to X | Home|Sale X | Tabs | Salesf X | - Student X | https://deve X | Login|Sales X | Login|Sale X | +

← C https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/CustomTabs/page?address=%2F01rgL00000F28Ab%2Fe%3FretURL... A ⭐ ⚡ ...

Cloud icon Search Setup Home Object Manager

tab

SETUP Tabs

Feature Settings

Analytics

Tableau

Tableau Embedding

Tableau UAF Claims

Definition

User Interface

Console Settings

Loaded Console Tab Limit

Rename Tabs and Labels

Tabs

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label: Volunteers

Object: Volunteer

Tab Style: Box

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link: --None--

Enter a short description.

Description

Save Cancel

Didn't find what you're looking for?
Try using Global Search.

Type here to search

Windows Start button

08:16 05-09-2025 ENG

gmail - Search X | Welcome to X | Home | Sales X | Tabs | Sales X | - Student X | https://dev... X | Login | Sales X | Login | Sales X | +

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/CustomTabs/page?address=%2F01rgL00000F20I1%2Fe%3FretURL%3...

Search Setup

Setup Home Object Manager

tab

Feature Settings

Analytics

Tableau

Tableau Embedding

Tableau UAF Claims

Definition

User Interface

Console Settings

Loaded Console Tab Limit

Rename Tabs and Labels

Tabs

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label: Venues

Object: Venue

Tab Style: Alarm clock

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link: -None--

Description:

Save Cancel

Didn't find what you're looking for?
Try using Global Search.

Type here to search

Windows Start button

08:16
05-09-2025

The screenshot shows the Salesforce Lightning App Builder interface. At the top, there are several tabs in the browser: 'gmail - Search X', 'Welcome to X', 'Home | Sales X', 'Tabs | Sales X', '- Student X', 'https://dev...', 'Login | Sales X', 'Login | Sales X', and '+'. Below the tabs, the URL is https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/CustomTabs/page?address=%2F01rgL00000F1jqn%2Fe%3Fr?url%3... A star icon with a 'P' is visible.

The main area has a blue header with a cloud icon and the word 'Setup'. Below it, there's a search bar with 'Search Setup' and a toolbar with icons for star, plus, triangle, question mark, gear, bell, and user.

The left sidebar has a search bar with 'tab' and a tree view:

- Feature Settings
- Analytics
 - Tableau
 - Tableau Embedding
 - Tableau UAF Claims Definition
- User Interface
 - Console Settings
 - Loaded Console Tab Limit
 - Rename Tabs and Labels
 - Tabs

A message at the bottom of the sidebar says: "Didn't find what you're looking for? Try using Global Search."

The central workspace is titled 'Custom Tab Definition Edit' under 'Custom Object Tab Information'. It shows:

Tab Label	Tasks
Object	Task
Tab Style	Books

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab. Splash Page Custom Link: -None--

Enter a short description. Description: [Empty text area]

Buttons at the bottom right: Save and Cancel.

The bottom of the screen shows the Windows taskbar with icons for File Explorer, Edge, File, Google Chrome, and Microsoft Word. A search bar says 'Type here to search'. On the right, there are system icons for battery, signal, volume, and network, along with the text 'ENG 05-09-2022 08:16'.

Developed Lightning App

Screenshot of the Salesforce Lightning Experience App Manager page.

The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/NavigationMenus/home>.

The page title is "Lightning Experience App Manager".

The sidebar navigation includes:

- Salesforce Mobile App
- Mass Transfer Approval Requests
- Apps
 - App Manager (selected)
 - AppExchange Marketplace
 - Connected Apps
 - Connected Apps OAuth Usage
 - Manage Connected Apps
 - External Client Apps
 - External Client App Manager
 - OAuth Usage

The main content area displays a table of 27 items, sorted by App Name, filtered by All appmenuitems - TabSet Type, App Type.

App Name	Developer	Description	Last Modified	Type
All Tabs	AllTabSet		8/26/2025, 11:46 PM	Classic
Analytics Studio	Insights	Build CRM Analytics dashboards and apps	8/26/2025, 11:46 PM	Classic
App Launcher	AppLauncher	App Launcher tabs	8/26/2025, 11:46 PM	Classic
Approvals	Approvals	Manage approvals and approval flows	8/26/2025, 11:46 PM	Lightning
Automation	FlowsApp	Automate business processes and repetitive tasks.	8/26/2025, 11:54 PM	Lightning
Bolt Solutions	LightningBolt	Discover and manage business solutions designed for ...	8/26/2025, 11:46 PM	Lightning
Community	Community	Salesforce CRM Communities	8/26/2025, 11:46 PM	Classic
Content	Content	Salesforce CRM Content	8/26/2025, 11:46 PM	Classic
Data Cloud	Audience360	Build a thorough and complete understanding of your...	8/26/2025, 11:46 PM	Lightning
Data Manager	DataManager	Use Data Manager to view limits, monitor usage, and ...	8/26/2025, 11:46 PM	Lightning

The system tray at the bottom shows the Windows logo, a search bar, task icons (File Explorer, Edge, File, Google Chrome, Microsoft Edge), and system status indicators (battery, signal, volume, date/time).

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

- * App Name: food connect
- * Developer Name: food_connect
- Description: (empty)

App Branding

- Image: (empty)
- Primary Color Hex Value: #0070D2

Next

External Client App Manager OAuth Usage

9 Data Cloud Audience360 Build a thorough and complete understanding of your... 8/26/2025, 11:46 PM Lightning ✓
10 Data Manager DataManager Use Data Manager to view limits, monitor usage, and ... 8/26/2025, 11:46 PM Lightning ✓

08:31 05-09-2025

App Options

Navigation and Form Factor

- * Navigation Style:
 - Standard navigation
 - Console navigation
- * Supported Form Factors:
 - Desktop and phone
 - Desktop
 - Phone

Setup and Personalization



- Setup Experience:
 - Setup (full set of Setup options)
 - Service Setup
 - Data Cloud Setup
- App Personalization Settings
 - Disable end user personalization of nav items in this app
 - Disable temporary tabs for items outside of this app
 - Use Omni-Channel sidebar

Back Next

External Client App Manager OAuth Usage

9 Data Cloud Audience360 Build a thorough and complete understanding of your... 8/26/2025, 11:46 PM Lightning ✓
10 Data Manager DataManager Use Data Manager to view limits, monitor usage, and ... 8/26/2025, 11:46 PM Lightning ✓

08:32 05-09-2025



Creation of Relationship Fields In Objects

Screenshot of the Salesforce Setup interface showing the Object Manager - Task screen.

The URL in the browser is: https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgL000001uUj/FieldsAndRelationships/00NgL000...

The page title is: SETUP > OBJECT MANAGER

The main section title is: Task

The left sidebar menu (under Fields & Relationships) includes:

- Details
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

The central panel is titled "Custom Field Definition Edit" with buttons: Change Field Type, Save, Cancel.

The "Field Information" section contains the following fields:

Field Label	Drop-Off Point	Data Type	Lookup										
Field Name	Drop_Off_Point												
Description													
Help Text													
Data Owner	User	[User dropdown]											
Field Usage	-None-	[Field Usage dropdown]											
Data Sensitivity Level	-None-	[Data Sensitivity Level dropdown]											
Compliance Categorization	<table border="1"><tr><td>Available</td><td>Chosen</td></tr><tr><td>PII</td><td></td></tr><tr><td>HIPAA</td><td></td></tr><tr><td>GDPR</td><td></td></tr><tr><td>PCI</td><td></td></tr></table>			Available	Chosen	PII		HIPAA		GDPR		PCI	
Available	Chosen												
PII													
HIPAA													
GDPR													
PCI													

Screenshot of a Salesforce setup page showing the "Execution Detail" configuration.

The URL in the browser bar is: <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgL00001uWL/FieldsAndRelationships/00NgL00...>

The page title is "Execution Detail".

The main content area shows the "Custom Field Definition Edit" dialog for a field named "Volunteer".

Field Information:

- Field Label: Volunteer
- Field Name: Volunteer
- Description: (empty)
- Help Text: (empty)
- Data Owner: User
- Field Usage: --None--
- Data Sensitivity Level: --None--

Compliance Categorization:

- Available: PII, HIPAA, GDPR, PCI
- Chosen: (empty)

The sidebar on the left lists other setup categories:

- Details
- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

The bottom taskbar shows the Windows Start button, a search bar, and various pinned application icons (File Explorer, Edge, Task View, Google Chrome, Microsoft Store, File History, Task Scheduler). The system tray shows the date (05-09-2025), time (08:44), and battery status.

Screenshot of the Salesforce Setup interface showing the 'Execution Detail' page in the Object Manager.

The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ObjectManager/01lgL000001uWL/FieldsAndRelationships/00NgL000...>

The page title is 'Execution Detail | Salesforce'.

The main content area shows the 'Custom Field Definition Edit' screen for a field named 'Task'. The field label is 'Task', and the data type is 'Master-Detail'. Other settings include 'User' as the data owner, 'None' as the field usage, and 'None' as the data sensitivity level. In the 'Compliance Categorization' section, 'Available' is listed under PII and HIPAA, while 'Chosen' is listed under both.

The left sidebar lists various setup categories: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, and Related Lookup Filters.

The top navigation bar includes links for Setup, Home, Object Manager, and various system icons like search, refresh, and help.

The screenshot shows the Salesforce Setup interface. The top navigation bar includes tabs for 'gmail - Search', 'Welcome to Salesforce: Re...', 'Home | Salesforce', 'Volunteer | Salesforce', and '- Student'. The URL in the address bar is <https://orgfarm-c6ab04f7bd-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01lgL000001uG4k/FieldsAndRelationships/00NgL00...>. The main area shows the 'Object Manager' section for the 'Volunteer' object. A modal window titled 'Custom Field Definition Edit' is open, showing the 'Field Information' tab. The 'Field Label' is set to 'Drop-Off Point' and the 'Field Name' is 'Drop_Off_Point'. The 'Data Type' is 'Master-Detail'. The 'Data Owner' is set to 'User'. The 'Field Usage' dropdown shows '-None-' and the 'Data Sensitivity Level' dropdown also shows '-None-'. On the right, there is a 'Compliance Categorization' section with two lists: 'Available' (containing PII, HIPAA, GDPR, PCI) and 'Chosen' (empty). The bottom of the screen shows the Windows taskbar with the Start button, a search bar, and various pinned icons.

Create Flow to create a record in Venue object

gmail - Search | Welcome to Salesforce | Home | Salesforce | Flows | Salesforce | Flow Builder | - Student

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/builder_platform_interaction/flowBuilder.app

New Automation

Screen Automations

Showing 38 of 73 results

Search automations...

Filter By Triggered Scheduled Screen AutoLaunched

Types (5)

- Screen Flow**
Guides users through a business process that's launched from Lightning pages, Experience Cloud sites, quick actions, and more.
- User Provisioning Flow**
Create a user account and link it to a third-party service or app.
- Salesforce Scheduler Flow**
Create a new flow for use in Salesforce Scheduler Flow.



Contact Request Flow Individual-Object Linking Flow


Back

Get more on the AppExchange

Type here to search

08:51 05-09-2025





Create a Trigger

Developer Console - Personal - Microsoft Edge

https://orgfarm-c6ab04f7bd-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage

File ▾ Edit ▾ Debug ▾ Test ▾ Workspace ▾ Help ▾ < >

New

- Open CTRL+O
- Open Resource CTRL+SHIFT+O
- Open Lightning Resources CTRL+SHIFT+A
- Open Log CTRL+G
- Open Raw Log CTRL+SHIFT+G
- Download Log CTRL+ALT+G
- Save CTRL+S
- Save All CTRL+SHIFT+S
- Delete CTRL+DELETE
- Close CTRL+/_
- Close All CTRL+ALT+/_

Apex Class

Apex Trigger

Visualforce Page

Visualforce Component

Static Resource

Lightning Application

Lightning Component

Lightning Interface

Lightning Event

Lightning Tokens

```
point__c (before insert) {  
    trigger.new){  
        instance__c;  
    }  
}
```

Logs Tests Checkpoints Query Editor View State Progress Problems

User Application Operation Time ▾

https://orgfarm-c6ab04f7bd-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage#

Type here to search



Developer Console - Personal - Microsoft Edge

https://orgfarm-c6ab04f7bd-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage

File ▾ Edit ▾ Debug ▾ Test ▾ Workspace ▾ Help ▾ < >

DropOffTrigger.apxt

Code Coverage: None ▾ API Version: 64 ▾ Go To

```
trigger DropOffTrigger on Drop_Off_point_c (before insert) {
    for(Drop_Off_point_c Drop : Trigger.new){
        Drop.Distance__c = Drop.distance__c;
    }
}
```

New Apex Trigger

Name: dropofftrigger

sObject:

- AIPredictionEvent
- AIRecordInsight
- Account
- AccountChangeEvent
- AccountCleanInfoCha
- AccountContactRoleC
- ActivationTarget
- ActivationTargetPlatfc
- ActivationTargetSecur
- ActivationTrgtIntOrgA
- ActvTgtPlatformFieldv
- Address
- AgentWork
- AgentWorkChangeEv

Logs Tests Checkpoints Query Editor View State Progress Problems

User Application Operation Time

Filter Click here to filter the log list

Type here to search

Windows Start button

08:59 05-09-2025

Developer Console - Personal - Microsoft Edge

https://orgfarm-c6ab04f7bd-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage

File ▾ Edit ▾ Debug ▾ Test ▾ Workspace ▾ Help ▾ < >

DropOffTrigger.apxt

Code Coverage: None ▾ API Version: 64 ▾ Go To

```
1 trigger DropOffTrigger on Drop_Off_point__c (before insert) {  
2  
3     for(Drop_Off_point__c Drop : Trigger.new){  
4  
5         Drop.Distance__c = Drop.distance__c;  
6  
7     }  
8  
9 }
```

Logs Tests Checkpoints Query Editor View State Progress Problems

User	Application	Operation	Time ▾	Status	Read	Size

Filter Click here to filter the log list

Type here to search

Windows Start Menu Icons

08:59 05-09-2025

Creation of Users

gmail - Search | Welcome to | Home | Sales | Home | Sales | Venue Form | Users | Sales | Flows | Sales | - Student | +

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ManageUsers/page?address=%2F005gL00000731E%2Fe%3FisUserE... A ⭐ 🔍

Search Setup

Setup Home Object Manager

user

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

Prospector Users

Service

Embedded Service

SETUP

Users

Street Cause

User Edit

Save Save & New Cancel

General Information Required Information

First Name	Street	Role	<None Specified>
Last Name	Cause	User License	Salesforce Platform
Alias	scaus	Profile	NGOs Profile
Email	kalai2006@gmail.com	Active	<input checked="" type="checkbox"/>
Username	scaus2006@yellow.com	Marketing User	<input type="checkbox"/>
Nickname	User175673895072186956	Offline User	<input type="checkbox"/>
Title		Knowledge User	<input type="checkbox"/>
Company		Flow User	<input type="checkbox"/>
Department		Service Cloud User	<input type="checkbox"/>
Division		Site.com Contributor User	<input type="checkbox"/>
		Site.com Publisher User	<input type="checkbox"/>

09:02 05-09-2025

Screenshot of the Salesforce Lightning interface showing the User Edit screen.

The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/ManageUsers/page?address=%2F005gL0000072yD4%2Fe%3FisUserE...>

The page title is "User Edit".

The "General Information" section contains the following fields:

Field	Value
First Name	NSS
Last Name	NSS
Alias	hnss
Email	kala2006@gmail.com
Username	nsss12345@orange.com
Nickname	User175673884960288055
Title	(empty)
Company	(empty)
Department	(empty)
Division	(empty)
Role	<None Specified>
User License	Salesforce Platform
Profile	NGOs Profile
Active	<input checked="" type="checkbox"/>
Marketing User	<input type="checkbox"/>
Offline User	<input type="checkbox"/>
Knowledge User	<input type="checkbox"/>
Flow User	<input type="checkbox"/>
Service Cloud User	<input type="checkbox"/>
Site.com Contributor User	<input type="checkbox"/>
Site.com Publisher User	<input type="checkbox"/>

The sidebar on the left shows the following navigation paths:

- Permission Set Groups
- Permission Sets
- Profiles
- Public Groups
- Queues
- Roles
- User Management Settings
 - Users (selected)
 - Feature Settings
 - Data.com
 - Prospector Users (highlighted)
 - Service
 - Embedded Service

The bottom taskbar includes icons for File, Home, Sales, Home | Sales, Venue Form, Users | Sales, Flows | Sales, and Student.

The system status bar at the bottom right shows the date (05-09-2025), time (09:02), and language (ENG).

The screenshot shows the Salesforce Setup interface. The top navigation bar includes links for Home, Sales, Venue Form, Users | Sales, Flows | Sales, and a Student record. The main title is "Users". The left sidebar is titled "Setup" and contains sections for Home, Object Manager, and a search bar. The "Users" section is expanded, showing sub-options like Permission Set Groups, Permission Sets, Profiles, Public Groups, Queues, Roles, User Management Settings (with "Users" selected), Feature Settings, Data.com, Prospector Users, Service, and Embedded Service. The right pane displays the "User Edit" screen for a user named "Iksha Foundation". The screen has tabs for General Information, Advanced Settings, and Profile. The General Information tab shows the following fields:

Field	Value
First Name	Iksha Foundation
Last Name	Iksha Foundation
Alias	iiksh
Email	kalai2006@gmail.com
Username	ikshafoundation12345@blu
Nickname	User175673845380699787
Title	(empty)
Company	(empty)
Department	(empty)
Division	(empty)
Role	<None Specified>
User License	Salesforce Platform
Profile	NGOs Profile
Active	<input checked="" type="checkbox"/>
Marketing User	<input type="checkbox"/>
Offline User	<input type="checkbox"/>
Knowledge User	<input type="checkbox"/>
Flow User	<input type="checkbox"/>
Service Cloud User	<input type="checkbox"/>
Site.com Contributor User	<input type="checkbox"/>

Buttons at the bottom of the edit screen include "Save", "Save & New", and "Cancel". A "Help for this Page" link is also present.

Creation of Public Group

Screenshot of the Salesforce Lightning Setup interface showing the Public Groups page.

The browser tab bar shows multiple open tabs, including "Public Group".

The left sidebar navigation includes:

- Users
 - Public Groups
- Feature Settings
- Salesforce Files
- Content Deliveries and Public Links
- User Interface
 - Global Actions
 - Publisher Layouts
- Company Settings
 - Calendar Settings
 - Public Calendars and Resources

The main content area displays the "Public Groups" page with the following details:

Public Groups (Setup)

A public group is a set of users. It can contain individual users, other groups, the users in a particular role or territory, or the users in a role or territory plus all of the users below that role or territory in the hierarchy.

View: All | Edit | Create New View

Help for this Page ?

Action Label ↑ Group Name Created By Created Date


Action	Label ↑	Group Name	Created By	Created Date
Edit Del	Iksha	Iksha	vani.S.Kalai	9/1/2025, 8:10 AM
Edit Del	NSS	NSS	vani.S.Kalai	9/1/2025, 8:27 AM
Edit Del	Street_Cause	Street_Cause	vani.S.Kalai	9/1/2025, 8:28 AM

Didnt find what you're looking for?

Windows Start Menu search bar: Type here to search

Taskbar icons: Microsoft Edge, File Explorer, Microsoft Store, Google Chrome, Microsoft Teams, File History, Task View, and a battery icon.

System tray: Volume, Network, Battery, ENG, 09:05, 05-09-2025, and a notification icon.



gmail - Sear... X Welcome to X Home | Sales X Venue Form X Public Group X Users | Sales X Flows | Sales X - Student x +

https://orgfarm-c6ab04f7bd-dev-ed.develop.lightning.force.com/lightning/setup/PublicGroups/page?address=%2Fsetup%2Fown%2Fgroupedit.jsp%3F...

Search Setup

Setup Home Object Manager

publi

Users

Public Groups

Feature Settings

Salesforce Files

Content Deliveries and Public Links

User Interface

Global Actions

Publisher Layouts

Company Settings

Calendar Settings

Public Calendars and Resources

Group Membership

Group: NSS

Help for this Page

Group Information

Save Cancel

Edit Public Group

Label: NSS

Group Name: NSS

Grant Access Using Hierarchies

Description

Search: Public Groups for: Find

Available Members

Group: Iksha
Group: Street Cause

Selected Members

NSS NSS

Add

Didn't find what you're looking for?

Type here to search

09:04 05-09-2025

The screenshot shows the Salesforce Lightning Setup interface. The top navigation bar includes links for 'gmail - Search', 'Welcome to', 'Home | Sales', 'Venue Form', 'Public Group', 'Users | Sales', 'Flows | Sales', and '- Student'. The URL in the address bar is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/PublicGroups/page?address=%2Fsetup%2Fown%2Fgroupedit.jsp%3F...>. The main content area displays the 'Public Groups' setup page. On the left, a sidebar menu under 'Setup' shows sections like 'Users' (selected), 'Feature Settings', 'Salesforce Files', 'User Interface', 'Global Actions', 'Publisher Layouts', 'Company Settings', and 'Calendar Settings'. The 'Available Members' section lists 'Group: NSS' and 'Group: Street Cause'. The 'Selected Members' section lists 'Iksha Foundation' and 'Iksha Foundation'. The 'Group Information' section shows 'Label' as 'Iksha' and 'Group Name' as 'Iksha'. A checked checkbox for 'Grant Access Using Hierarchies' is present. A 'Save' button is visible.

Report Types

Screenshot of the Salesforce Lightning interface showing the setup for a custom report type.

The browser address bar shows the URL: <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/CustomReportTypeLightning/new>

The Salesforce header includes tabs for Home, Object Manager, and Setup. The Setup tab is active, showing a search bar with "repo" and a sidebar menu.

The sidebar menu includes:

- Feature Settings
- Analytics
- Reports & Dashboards
- Access Policies
- Historical Trending
- Report Types (selected)
- Reporting Snapshots
- Reports and Dashboards
- Settings

The main content area displays the "Custom Report Types" setup screen with the title "New Custom Report Type". Step 1 is "Define the Custom Report Type".

The "Select Primary Object" section asks to select the object for reports created with this report type. A search bar contains "Venues".

Buttons at the bottom right include "Cancel" and "Next".

The Windows taskbar at the bottom shows the Start button, a search bar with "Type here to search", and pinned icons for File Explorer, Microsoft Edge, File History, Google Chrome, and File Explorer again. The system tray shows battery level, signal strength, and the date/time: 05-09-2025 09:08.

The screenshot shows the Salesforce Lightning interface with the following details:

- Header:** The URL is https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/CustomReportTypeLightning/home.
- Left Sidebar (Setup):** Includes sections like Feature Settings, Analytics, Reports & Dashboards (with Report Types highlighted), Reporting Snapshots, Reports and Dashboards, and Settings.
- Main Content Area:**
 - Section Title:** Custom Report Types
 - Section Subtitle:** Build Custom Report Types
 - Description:** Help users create the reports they want with the new custom report type editor. Build report types that go beyond standard report types by defining the relationships between objects and adding fields via lookups.
 - Diagram:** A diagram illustrating the report type editor. It shows three boxes labeled A, B, and C. Box A is labeled "Select Objects". Box B is labeled "Define Relationships". Box C is labeled "Select which objects users can include in the report".
 - Checkboxes:** A checkbox for "Don't show me this page again" and a "Continue" button.
- Bottom Navigation:** Includes links like Program Definition Summ..., Program_Definition_sfcdSESV61, Review your analytics with a ..., Other Repor..., autopro..., and a date stamp 8/26/2025, 11:46 PM.
- System Bar:** Shows the Windows taskbar with various pinned icons and the system tray.

The screenshot shows the Salesforce Setup interface. On the left, the navigation sidebar is open, showing the 'Feature Settings' section with 'Analytics', 'Reports & Dashboards' (selected), and 'Security'. Under 'Reports & Dashboards', there are 'Access Policies', 'Historical Trending', 'Report Types' (selected), 'Reporting Snapshots', 'Reports and Dashboards', and 'Settings'. A message at the bottom says 'Didn't find what you're looking for? Try using Global Search.' The main area displays a custom report type titled 'Volunteers with Execution Details and Tasks'. The report layout contains two sections: 'Volunteers' and 'Execution Det...'. Both sections have search bars and lists of fields. The 'Volunteers' section includes fields like Volunteer ID, Volunteer Name, Address, Age, Available On, Contact Number, Created By, Created Date, Last Modified Date, Last Modified By, Last Activity Date, and Drop-Off Point. The 'Execution Det...' section includes fields like Execution Detail ID, Execution Detail ..., Created Date, Created By, Last Modified Date, Last Modified By, Last Activity Date, and Task. The total number of fields in the layout is 28. A 'Save' button is located in the top right corner.

The screenshot shows the Salesforce Setup interface. The navigation sidebar is identical to the previous screenshot, with 'Reports & Dashboards' selected. The main area displays a custom report type titled 'Venue with DropOff with Volunteer'. The report layout contains three sections: 'Venues', 'Drop-Off Points', and 'Volunteers'. Each section has a search bar and a list of fields. The 'Venues' section includes fields like Venue ID, Owner, Venue Name, and Created Date. The 'Drop-Off Points' section includes fields like Drop-Off Point ID, Owner, Drop-Off Point Name, and Created Date. The 'Volunteers' section includes fields like Volunteer ID, Volunteer Name, Created Date, and Created By. The total number of fields in the layout is 45. A 'Save' button is located in the top right corner.

REPORTS

gmail - Search | Welcome to | Report Build | Venue Form | Report Type | Users | Sales | Flows | Sales | - Student | +

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/one/one.app#eyJhb21wb25lbnREZWYiOiJyZXBvcnRzOnJlcG9ydEJ1aWxkZXIiLCJhdHRy... Añadir

FoodConnect Home Venues Tasks Drop-Off Points Execution Details Volunteers Reports Dashboards

Create Report

Category

Recently Used

- All
- Accounts & Contacts
- Opportunities
- Customer Support Reports
- Leads
- Campaigns
- Activities
- Contracts and Orders

Select a Report Type

Search Report Types...

Recently Used Report Types

Report Type Name	Category
Volunteers with Execution Details and Tasks	Custom
Venue with DropOff with Volunteer	Custom


Details

Volunteers with Execut... Custom Report Type

Start Report

Details Fields (28)

Description
Volunteers with Execution Details and Tasks



gmail - Search | Welcome to | Recent | Report | Venue Form | Report Type | Users | Sales | Flows | Sales | - Student | +

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/o/Report/home?queryScope=mru

FoodConnect Home Venues Tasks Drop-Off Points Execution Details Volunteers Reports Dashboards

Reports

Recent 3 items

Search recent reports... New Report New Folder

REPORTS	Report Name	Description	Folder	Created By	Created On	Subscribed
Recent	venue and Drop Off point		Private Reports	S. Kalai vani	9/1/2025, 8:49 AM	
Created by Me	Volunteer Task		Private Reports	S. Kalai vani	9/1/2025, 9:32 AM	
Private Reports	Sample Flow Report:	Which flows run, what's the status of each interview, and how long do users take to complete the screens?	Public Reports	Automated Process	8/26/2025, 11:46 PM	
Public Reports	Screen Flows					
All Reports						
FOLDERS						
All Folders						
Created by Me						
Shared with Me						
FAVORITES						

Type here to search

Windows Start button

09:21 05-09-2025 ENG

The screenshot shows a Salesforce Lightning interface for a report titled "venue and Drop Off point". The report is currently previewing a limited number of records, as indicated by the message "Previewing a limited number of records. Run the report to see everything." The preview area shows four columns: "Volunteer Name", "Venue Name", "Drop-Off Point Name", and "Distance". The "Update Preview Automatically" checkbox is checked. The left sidebar contains sections for "Outline", "Filters", "Groups", "Group Rows", "Add group...", "Volunteer Name", "Group Columns", "Add group...", "Columns", "Add column...", "Venue Name", "Drop-Off Point Name", and "# Distance". At the bottom, there are options for "Row Counts", "Detail Rows", "Subtotals", "Grand Total", and "Conditional Formatting". The top navigation bar includes tabs like "Report Build", "Report Type", "Users | Sales", "Flows | Sales", and "Student". The status bar at the bottom right shows the date "05-09-2025" and time "09:21".

The screenshot shows a Salesforce Report Builder interface. At the top, there's a navigation bar with various tabs like 'Report Build', 'Venue Form', 'Report Type', 'Users | Sales', 'Flows | Sales', and '- Student'. Below the navigation is a header with a search bar and a blue cloud icon. The main title of the report is 'Volunteer Task' under the section 'Volunteers with Execution Details and Tasks'. On the left, there's a sidebar titled 'Fields' with sections for 'Groups' (containing 'Add group...', 'Volunteer ID', and 'GROUP ROWS') and 'Columns' (containing 'Add column...', 'Volunteer Name', 'Execution Detail Name', and 'Volunteer:Owner Name'). The main preview area shows a message: 'Previewing a limited number of records. Run the report to see everything.' It lists several filter options: 'Volunteer ID ↑', 'Volunteer Name ↓', 'Execution Detail Name ↓', 'Volunteer:Owner Name ↓', 'Task:Rating ↓', 'Task:Date ↓', and 'Task: Task Name ↓'. A note below says 'No records returned in preview. Try running the report or editing report filters.' with two bullet points: 'Set the Created Date filter to All Time.' and 'Edit other filters in the filter panel.' At the bottom, there are checkboxes for 'Row Counts', 'Detail Rows', 'Subtotals', and 'Grand Total', all of which are checked. The status bar at the bottom right shows the date '05-09-2025' and time '09:20'.

Dashboards


Screenshot of a web browser showing a Salesforce Lightning dashboard titled "Organization Details".

The dashboard includes:

- A top navigation bar with tabs: Home, Venues, Tasks, Drop-Off Points, Execution Details, Volunteers, Reports, and Dashboards.
- A search bar labeled "Search...".
- A refresh button and a "Subscribe" dropdown menu.
- A section titled "Organization Details" with a note: "Last refreshed 3 days ago. Refresh this dashboard to see the latest data." and "As of Sep 1, 2025, 8:24 PM (Viewing as S. Kalai vani)".
- A large circular gauge chart titled "venue and Drop Off point" with a scale from 0 to 100, currently at approximately 75. The gauge has three segments: red (0-40), yellow (40-80), and green (80-100).
- Links: "View Report (venue and Drop Off point)" and "As of Sep 1, 2025, 8:24 PM".

The browser's address bar shows the URL: <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/r/Dashboard/01ZgL000003Zln7UAC/view?queryScope=userFolders>.

The operating system taskbar at the bottom shows the Windows logo, a search bar with "Type here to search", and pinned icons for File Explorer, Microsoft Edge, Google Chrome, Microsoft Word, and Microsoft Excel. The date and time are listed as "05-09-2025 09:26".



Screenshot of a Microsoft Edge browser window displaying a Salesforce Lightning dashboard titled "Task Execution Details".

The dashboard header includes the following tabs: Home, Venues, Tasks, Drop-Off Points, Execution Details, Volunteers, Reports, and Dashboards.

The main content area features two circular progress charts:

- venue and Drop Off point:** Progress is at approximately 60%.
- Volunteer Task:** Progress is at approximately 60%.

Below the charts, there are links to "View Report (venue and Drop Off point)" and "As of Sep 2, 2025, 8:49 AM".

The browser's address bar shows the URL: <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/r/Dashboard/01ZgL000003ZlQXUA0/view?queryScope=userFolders>.

The system status bar at the bottom shows the date and time: 05-09-2025 09:25, along with icons for battery, signal, and network.

The screenshot shows a web-based application interface for managing dashboards. At the top, there's a navigation bar with links for Home, Venues, Tasks, Drop-Off Points, Execution Details, Volunteers, Reports, and Dashboards. Below this is a sidebar with sections for Dashboards, Recent (8 items), DASHBOARDS (Recent, Created by Me, Private Dashboards, All Dashboards), FOLDERS (All Folders, Created by Me, Shared with Me), and FAVORITES (All Favorites). The main content area lists dashboards with columns for Dashboard Name, Description, Folder, Created By, Created On, and Subscribed. A detailed description of the 'Enablement Dashboard' is provided, noting it's the main dashboard for all Enablement analytics.

DASHBOARD	Dashboard Name	Description	Folder	Created By	Created On	Subscribed
Recent	Organization Details	Organization Details	Private Dashboards	S. Kalai vani	9/1/2025, 6:19 PM	
Created by Me	Volunteer Task Report	Volunteer Task Report	Private Dashboards	S. Kalai vani	9/1/2025, 6:22 PM	
Private Dashboards	Task Execution Details	Task Execution Details	Private Dashboards	S. Kalai vani	9/1/2025, 6:13 PM	
All Dashboards	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it, if you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Summer '24	Automated Process	8/26/2025, 11:46 PM	
FOLDERS	Custom Dashboards	Custom Dashboards	Private Dashboards	S. Kalai vani	9/3/2025, 7:48 AM	
Created by Me	Custom Dashboards	Custom Dashboards	Private Dashboards	S. Kalai vani	9/2/2025, 8:56 AM	
Shared with Me	Task Execution Details	Task Execution Details	Private Dashboards	S. Kalai vani	9/2/2025, 8:46 AM	
FAVORITES	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it, if you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Spring '24	Automated Process	8/26/2025, 11:46 PM	

Sharing Rules

gmail - Search | Welcome to | Recent | Dashboards | Venue Form | Sharing Settings | Users | Sales | Flows | Sales | Student

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/SecuritySharing/page?address=%2Fsetup%2Fown%2FshareRule...

Search Setup

Setup Home Object Manager

shar

Security

Guest User Sharing Rule Access Report Sharing Settings

Did you find what you're looking for?
Try using Global Search.

Sharing Settings

Drop-Off Point Sharing Rule

Use sharing rules to make automatic exceptions to your organization-wide sharing settings for defined sets of users.

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.

You can use sharing rules only to grant wider access to data, not to restrict access.

Label: Rule 3
Rule Name: Rule_3
Description:

Step 1: Select your rule type

Criteria Field Operator Value
Distance greater than 30 AND
Distance less or equal 50 AND
-None-- -None-- AND
-None-- -None-- AND
-None-- -None--

Add Filter Logic...
Additional Options: Include records owned by users who can't have an assigned role
Share with: Group: Street Cause
Access Level: Read Only
Created By: S. Kalai vani, 9/1/2025, 6:37 PM
Modified By: S. Kalai vani, 9/1/2025, 6:37 PM

Save Cancel

Type here to search

The screenshot shows the Salesforce Sharing Settings page. The URL in the browser is https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/SecuritySharing/page?address=%2Fsetup%2Fown%2FshareRule... . The page title is "Sharing Settings". The left sidebar shows "Setup" selected under "Sharing Settings". The main content area displays the "Drop-Off Point Sharing Rule" configuration screen. It includes fields for Label (Rule 2), Rule Name (Rule_2), and Description. Below this, there's a section titled "Step 1: Select your rule type" with a table for defining criteria. The table has columns for Criteria, Field, Operator, and Value. The first row defines a range from greater than 15 to less or equal 30. The second row has empty fields. The third row has empty fields. The fourth row has empty fields. The fifth row has empty fields. There are also sections for "Additional Options" (checkbox for including records owned by users who can't have an assigned role), "Share with" (Group: NSS), "Access Level" (Read Only), "Created By" (S. Kalai vani), "Modified By" (S. Kalai vani), and "Save" and "Cancel" buttons at the bottom.

gmail - Sear X | Welcome to X | Recent Das X | Venue Form X | Sharing Sett X | Users | Sales X | Flows | Sales X | - Student X | +

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/SecuritySharing/page?address=%2Fsetup%2Fown%2FshareRule... A^ ⭐ ⚡ ? ⚡ 🔍

Cloud Search Setup Search Setup

Setup Home Object Manager

Q shar

Security

Guest User Sharing Rule Access Report Sharing Settings

Didn't find what you're looking for?
Try using Global Search.

Sharing Settings

Drop-Off Point Sharing Rule

Use sharing rules to make automatic exceptions to your organization-wide sharing settings for defined sets of users.

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.

You can use sharing rules only to grant wider access to data, not to restrict access.

Label: Rule 1
Rule Name: Rule_1
Description:

Step 1: Select your rule type ! = Required Information

Criteria	Field	Operator	Value	Logic
1	Distance	less than	15	AND
2	-None-	-None-		AND
3	-None-	-None-		AND
4	-None-	-None-		AND
5	-None-	-None-		

Add Filter Logic...
Additional Options: Include records owned by users who can't have an assigned role i

Share with: Group: Iksha
Access Level: Read Only v
Created By: S. Kalai vani 9/1/2025, 6:32 PM
Modified By: S. Kalai vani 9/1/2025, 6:32 PM

Save Cancel

Type here to search

09:29 05-09-2025

The screenshot shows the Salesforce Sharing Settings page. The URL in the browser is <https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/lightning/setup/SecuritySharing/home>. The page title is "Sharing Settings". The left sidebar has a search bar and links for "Security", "Guest User Sharing Rule Access", "Report", and "Sharing Settings". A message says "Didn't find what you're looking for? Try using Global Search." The main content area contains sections for "Work Plan Template Sharing Rules", "Work Step Template Sharing Rules", "Work Type Sharing Rules", "Work Type Group Sharing Rules", "Drop-Off Point Sharing Rules", "Task Sharing Rules", and "Venue Sharing Rules". Each section includes "New" and "Recalculate" buttons. The "Drop-Off Point Sharing Rules" section shows three criteria rows:

Action	Criteria	Shared With	Access Level
Edit Del	Drop-Off Point: Distance LESS THAN 15	Group_Iksha	Read Only
Edit Del	(Drop-Off Point: Distance GREATER THAN 15) AND (Drop-Off Point: Distance LESS OR EQUAL 30)	Group_NSS	Read Only
Edit Del	(Drop-Off Point: Distance GREATER THAN 30) AND (Drop-Off Point: Distance LESS OR EQUAL 50)	Group_StreetCause	Read Only

The bottom of the screen shows a Windows taskbar with icons for File Explorer, Edge, Task View, and others. The system tray shows the date (05-09-2025), time (09:28), and battery status.

Home Page

gmail - Search | Welcome to | Recent | Dashboards | Sharing Settings | Lightning API | Flows | Sales - Student | +

https://orgfarm-c6ab04f7bd-dev-ed.lightning.force.com/visualEditor/appBuilder.app?retUrl=%2flightning%2fsetup%2flexiPageList%2fp... Activation... Save

Create a new Lightning page

Customize the Lightning Experience Home page.

App Page

Home Page

Record Page

Embedded Service Page

CDP Record Page

Voice Extension

Omni Supervisor Page

My Quarterly Performance

Last refresh Today at 7:33am

Closed: USD 235,000 Open (Comm): USD 320,000 Goal: USD 420,000

Einstein (10+)

7 Contact & Contact Hierarchy - Test-Test-Overall

8 Contacts & Contact Hierarchy - 125 Einstein

12 Contact Roles - Test-Motor Inc - Test

Opportunity Bookings - Opportunities Due in 30 days

Next

the AppExchange

javascript:void(0);

Type here to search

Windows Start button

File Explorer

OneDrive

Microsoft Edge

Google Chrome

Microsoft Store

PowerShell

Task View

System tray icons: Battery, Network, Volume, etc.

09:35 05-09-2025 ENG 2

Lightning App Builder

Flow Component: Venue Form

This is a placeholder. Flows don't run in the canvas.

Dashboard: Enablement Dashboard

Viewing as S. Kavita

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

The source report is based on a report type that is inaccessible to the dashboard's running user.

Activation... Save

Components

Standard (43)

- Accordion
- App Launcher
- Assistant
- Chatter Metrics Overview
- Chatter Feed
- Chatter Publisher
- CRM Analytics Collection
- CRM Analytics Dashboard
- Dashboard
- Data Mask Console Home Component
- Einstein Next Best Action
- Flow
- Flow App Home cards
- Generate Batch Documents
- Inventory Lookup Component
- Invoice Preview
- Items to Approve
- Key Deals

Get more on the AppExchange

Type here to search

Page

*Label: Home Page

*API Name: Home_Page

*Page Type: Home Page

Template: Home Template One Region

Description:

09:36 05-09-2025

Lightning App Builder


The Lightning App Builder provides an easy-to-use graphical interface for creating custom Lightning pages for Salesforce Lightning Experience and mobile app. Lightning pages are built using Lightning components—compact, configurable, and reusable elements that you can drag and drop into regions of the page in the Lightning App Builder.

View: All | Create New View

Action	Label	Name	Namespace Prefix	Description	Type	Created By	Last Modified By
Edit Clone Del	Home_Page	Home_Page	Home_Page		Home Page	kal 9/2/2025, 9:00 AM	kal 9/2/2025, 9:00 AM

Type here to search

09:36 05-09-2025



CONCLUSION

The project "To Supply Food to Poor" successfully addresses hunger by providing a structured and reliable system for food distribution. It ensures timely support, reduces food wastage, and improves accessibility for underprivileged communities. The initiative enhances social welfare, promotes equity, and creates a positive impact on society.

