Day-7 Task

1) make a own form using form elements?

Ex:-
```
<form>
    <input type="text"><br><br>
    <input type="email><br><br>
    <input type="password"><br><br>
<button> Submit </button>
</form>
```

Im:- A form is used to collect user information and form element (like input button, textearea) are used inside the form enter data.

2) Make a table using table elements?

Ans:-
```
<Table border="1">
    <tr>
        <th> Item </th>
        <th> price </th>
    </tr>
    <tr>
        <td> Banana </td>
        <td> $0.5 </td>
    </tr>
</table>
```

Output:-

Item	Price
Apple	$1
Banana	$0.5

3) what is table why we use?

Ans:- A table is created using the <table> tag it organizes information like a grid (similar Excel sheet). Ex:-

Name	Age
Alu	20
mary	22

only use.

* why we use:-
  - Show structured data.
  - Display rows and colums.
  - present reports, schedules, mark, Price

Ex:- Student marks table, Timetable.

Im:- An HTML table is used to organize and display data in row and colums.

4) what if form why we use?

Ans:-

- A form is created using <form> tag it allows users to (Enter data and send it to server)
- This from lets the user type their Name and email and sumit it.

why we use forms => we use forms get input from users.

* Log in page {username and password}.
* Registration forms.
* Contact forms
* Search box
* feedback forms.

5) what is ol and li ?

Ans:- <O1> => sands for ordered list, it creates a list where items are shown in a (specific order with number) 1,2,3

Im* <O1> is the container that holder the numbered list.

* <li> => <li> stands for List item. it respresents (each item inside the list

we use:- * Step by step instructions.
* Recipes.
* Ranking.
* Procedures.

6) what is Ul and li and why we use?

Ans:- Ul (upper Limit) is the maximum value a Paramenter can safely reach

Ex:- * The <Ul> tag is used to creat a bulleted list (items are not in any specific order).

Ex:-

```
<Ul>
    <li> Apple </li>
    <li> Banana </li>
    <li> mango </li>
</Ul>
```

Output:-

- Apple
- Banana
- mango

So <ul> is the container that holds the items.

2. <li> => List item.

Ans :-

<li> stands for List Item it represent each individual item liside a list

Ex:- <li> Apple </li>

* why we use <ul> and <li>

* organize information clearly
* Display bullet-point list
* Improve readability of content
* Structure navigation menus.

Im :- * <ul> => unordered List => Creates a bullet list container.

* <li> => List item => Defines each item in the list.