

what is DOM in JavaScript?

Ans: DOM stands for document object model. It is a structure that represents HTML elements as objects so JavaScript can access and modify them.

2) How do you select an element using JavaScript?

document.getElementById("id")
 document.getElementsByClassName("class")
 document.getElementsByTagName("tag")
 document.querySelector("selector")

3) what is style.display property?

Ans: style.display is used to show or hide an HTML element by changing its display style.

Ex: Element.style.display = "none";

4) How do you hide an element using JavaScript?

ans:- Set display to none :-

```
element.style.display = "none";
```

5) How do you show an element using Java script?

ans:- set display to block (or inline / flex, depending on need):

```
element.style.display = "Block";
```

6) How do you write a toggle function using if condition?

ans:-

```
if (element.style.display === "none") {  
    element.style.display = "Block";  
} else {  
    element.style.display = "none";  
}
```

7) what value comes if display is not set initially?

ans:- If not set, it returns:

" "

5) Difference Between display: none and visibility: hidden?

Ans: Display: none visibility: hidden
Hides element completely

Removes space
element disappears fully

Hides only visibility

keeps space

Empty space remains.

7) How do you write toggle using ternary operator?

Ans:

```
element.style.display =  
element.style.display === "none"?  
"block": "none";
```

8) which is better: inline JavaScript or event listener?

Ans: * Event Listener is better
Because.

- cleaner code
- Reusable

- Easy to manage
- Professional method

Ex:-

button . addEventListener ("click", func

() {

 alert("clicked");

});