

```
my_list=[]
```

```
my_list=[1, 2, 3]
```

```
my_list=[1, "Hello", 3.4]
```

```
n_list=[2.9,3000,'Hello',"Welcome to python list",True]
```

```
print(n_list)
```

```
n_list=["Happy",[2,0,1,5]]
```

```
print(n_list[0][3])
```

```
print(n_list[1][2])
```

```
my_list=["Mouse", [8, 4, 6],['a','b','c']]
```

```
print(my_list)
```

```
print(my_list[0])
```

```
print(my_list[1][1])
```

```
print(my_list[2][2])
```

```
my_list=['p','r','o','b','e']
```

```
print(my_list[-1])
```

```
list(my_list[-5])
```

```
odd=[1,3,5]
```

```
odd.append(7)
```

```
print(odd)
```

```
odd.extend([9, 11, 13])
```

```
print(odd)
```

```
odd=[1,3,5]
```

```
print(odd + [9, 7, 5])
```

```
print(["re"]*3)
```

```
thislist= ["apple","banana", "cherry"]
```

```
thislist.remove("banana")
```

```
print(thislist)
```

```
thislist=["orange", "mango", "kiwi", "pineapple","banana"]
```

```
thislist.sort()
```

```
print(thislist)
```

```
thislist=[100, 50,65,82,23]
```

```
thislist.sort()
```

```
print(thislist)
```

```
thislist=["orange", "mango", "kiwi", "pineapple"]
```

```
thislist.sort(reverse=True)
```

```
print(thislist)
```

```
thislist=[100, 50, 65, 82, 23]
```

```
thislist.sort(reverse=True)
```

```
print(thislist)
```

```
fruits=['apple','banana', 'cherry']
```

```
fruits.insert(1,"orange")
```

```
print(fruits)
```

```
thislist=["apple","banana","cherry"]
```

```
thislist.pop(1)
```

```
print(thislist)
```

```
thislist=["apple", "banana", "cherry"]  
thislist.pop()  
print(thislist)
```

```
thislist=["apple" "banana", "cherry"]  
del thislist[0]  
print(thislist)
```

```
thislist=["apple", "banana", "cherry"]  
thislist.clear()  
print(thislist)
```

```
fruits = ["apple", "banana", "cherry", "apple"]  
x=fruits.count("apple")  
print(x)
```

```
fruits=[1, 4, 2, 9, 7, 8, 9, 3, 1]  
x=fruits.count(9)  
print(x)
```

```
lst=[10, 20, 30, 40]  
new_lst=lst.copy()  
print("Original List :",lst)  
print("Copied List :",new_lst)
```

```
lst=[10, 20, 30, 40, 50]  
value=30  
position = lst.index(value)  
print("List:",lst)  
print("Value:",value)  
print("Index:",position)
```

```
my_data=("hi", "hello", "bye")
print(my_data)
```

```
my_data2=(1, 2.8, "Hello World")
print(my_data2)
```

```
my_data4=((2, 3, 4),(1, 2, "hi"))
print(my_data4)
```

```
my_data=("hi", "hello", "bye")
print(my_data)
print(my_data[0])
print(my_data[2])
```

```
my_data=(1,2,"Kevin", 8.9)
print(my_data[-1])
print(my_data[-3])
my_data= (1, "Steve", (11, 22, 33))
print(my_data[1][3])
print(my_data[2][1])
my_data=(1,[9, 8, 7],"World")
```

```
my_data=(11, 22, 33, 44, 55, 66, 77, 88, 99)
print(my_data)
```

```
print(my_data[2:5])
print(my_data[:4])
print(my_data[4:])
print(my_data[4:-1])
```

```
print(my_data[:])
```

```
my_data=(11,22,33,44,55,66,77,88,99)
```

```
print(my_data)
```

```
print(22 in my_data)
```

```
print(2 in my_data)
```

```
print(88 not in my_data)
```

```
print(101 not in my_data)
```

```
my_tuple=("Apple", "Orange", "Graphs","Banana")
```

```
for fruit in my_tuple:
```

```
    print(fruit)
```

```
tuple1,tuple2 = ('xyz', 'zara', 'abc'), (456, 700, 200)
```

```
print("Max value element :", max(tuple1))
```

```
print("Max value element :", max(tuple2))
```

```
my_dict={'name':'Jack','age':26}
```

```
print(my_dict['name'])
```

```
print(my_dict.get('age'))
```

```
my_dict={'name':'Jack', 'age':26}
```

```
my_dict['age']=27
```

```
print(my_dict)
```

```
my_dict['address']='Downtown'
```

```
print(my_dict)
```

```
tinydict={'name':'john','code':6734, 'dept': 'sales'}
```

```
print(tinydict)
```

```
print(tinydict.keys())
```

```
print(tinydict.values())
```

```
squares={1:1,2:4,3:9,4:16,5:25}
```

```
print(squares.pop(4))
```

```
print(squares)
```

```
squares.clear()
```

```
print(squares)
```

```
del squares
```

```
print(squares)
```

```
my_set={1,2,3,4,3,2}
```

```
print(my_set)
```

```
A={1,2,3,4}
```

```
B={3,4,5,6}
```

```
print(A | B)
```

```
print(A & B)
```

OUTPUT

```
[2.9, 3000, 'Hello', 'Welcome to python list', True]
```

```
p
```

```
1
```

```
['Mouse', [8, 4, 6], ['a', 'b', 'c']]
```

```
Mouse
```

```
4
```

```
c
```

```
e
```

```
[1, 3, 5, 7]
```

[1, 3, 5, 7, 9, 11, 13]

[1, 3, 5, 9, 7, 5]

['re', 're', 're']

['apple', 'cherry']

['banana', 'kiwi', 'mango', 'orange', 'pineapple']

[23, 50, 65, 82, 100]

['pineapple', 'orange', 'mango', 'kiwi']

[100, 82, 65, 50, 23]

['apple', 'orange', 'banana', 'cherry']

['apple', 'cherry']

['apple', 'banana']

['cherry']

[]

2

2

Original List : [10, 20, 30, 40]

Copied List : [10, 20, 30, 40]

List: [10, 20, 30, 40, 50]

Value: 30

Index: 2

('hi', 'hello', 'bye')

(1, 2.8, 'Hello World')

((2, 3, 4), (1, 2, 'hi'))

('hi', 'hello', 'bye')

hi

bye

8.9

2

v

22

(11, 22, 33, 44, 55, 66, 77, 88, 99)

(33, 44, 55)

(11, 22, 33, 44)

(55, 66, 77, 88, 99)

(55, 66, 77, 88)

(11, 22, 33, 44, 55, 66, 77, 88, 99)

(11, 22, 33, 44, 55, 66, 77, 88, 99)

True

False

False

True

Apple

Orange

Graphs

Banana

Max value element : zara

Max value element : 700

Jack

26

{'name': 'Jack', 'age': 27}

{'name': 'Jack', 'age': 27, 'address': 'Downtown'}

{'name': 'john', 'code': 6734, 'dept': 'sales'}

dict\_keys(['name', 'code', 'dept'])

dict\_values(['john', 6734, 'sales'])

16

{1: 1, 2: 4, 3: 9, 5: 25}

{}

ERROR!

