```sql
CREATE DATABASE IF NOT EXISTS library_db;
USE library_db;
CREATE TABLE Authors (
    author_id INT PRIMARY KEY,
    author_name VARCHAR(100),
    country VARCHAR(50)
);
DESCRIBE Authors;
CREATE TABLE Categories (
    category_id INT PRIMARY KEY,
    category_name VARCHAR(100)
);
DESCRIBE Categories;
CREATE TABLE Publishers (
    publisher_id INT PRIMARY KEY,
    publisher_name VARCHAR(100),
    city VARCHAR(100)
);

DESCRIBE Publishers;
ALTER TABLE Books
ADD COLUMN author_id INT,
ADD COLUMN category id INT,
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	21:27:55	INSERT INTO Publishers VALUES (1, 'Penguin Books', 'London'), (2, 'Pearson', 'New York'), (3, 'Rupa Publications', 'Delhi')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.032 sec
15	21:28:18	INSERT INTO Related_Books VALUES (1, 3), (1, 4), (2, 5)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.032 sec
16	21:29:47	SHOW TABLES	4 row(s) returned	0.015 sec / 0.000 sec

```sql
ADD COLUMN publisher_id INT;

DESCRIBE Books;
CREATE TABLE Related_Books (
    book_id INT,
    related_book_id INT,
    PRIMARY KEY (book_id, related_book_id)
);

INSERT INTO Authors
VALUES
(1, 'James Clear', 'USA'),
(2, 'Robert Martin', 'USA'),
(3, 'Chetan Bhagat', 'India');

INSERT INTO Categories
VALUES
(1, 'Self-Help'),
(2, 'Programming'),
(3, 'Fiction');

INSERT INTO Publishers
VALUES
```

Output

Action Output

#	Time	Action	Message
14	21:27:55	INSERT INTO Publishers VALUES (1, 'Penguin Books', 'London'), (2, 'Pearson', 'New York'), (3, 'Rupa Publications', 'Delhi')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
15	21:28:18	INSERT INTO Related_Books VALUES (1, 3), (1, 4), (2, 5)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
16	21:29:47	SHOW TABLES	4 row(s) returned

```sql
(2, 'Programming'),
(3, 'Fiction');

INSERT INTO Publishers
VALUES
(1, 'Penguin Books', 'London'),
(2, 'Pearson', 'New York'),
(3, 'Rupa Publications', 'Delhi');

INSERT INTO Related_Books
VALUES
(1, 3),
(1, 4),
(2, 5);

SELECT * FROM Authors;
SELECT * FROM Categories;
SELECT * FROM Publishers;
SELECT * FROM Related_Books;

SHOW TABLES;
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	21:27:55	INSERT INTO Publishers VALUES (1, 'Penguin Books', 'London'), (2, 'Pearson', 'New York'), (3, 'Rupa Publications', 'Delhi')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.032 sec
15	21:28:18	INSERT INTO Related_Books VALUES (1, 3), (1, 4), (2, 5)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.032 sec
16	21:29:47	SHOW TABLES	4 row(s) returned	0.015 sec / 0.000 sec