Status	Finished
Started	Thursday, 1 October 2026, 11:34 AM
Completed	Thursday, 1 October 2026, 11:37 AM
Duration	3 mins 27 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

- a. Linear search ✓
- b. Hashing
- c. Dynamic search
- d. Binary search

Question **2**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

- a. The search continues from the beginning
- b. The search stops
- c. The search continues in the left or right sublist ✓
- d. The list is sorted

Question **3**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

- a. When the list is small and sorted
- b. When the list is large and sorted
- c. When the list is small and unsorted ✓
- d. When the list is large and unsorted

Question **4**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

- a. The search stops immediately ✓
- b. The search continues until the end of the list
- c. The search backtracks to find duplicate elements
- d. The search starts over from the beginning

Question **5**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

- a. Compare the target element with the first element in the list
- b. Sort the list
- c. Compare the target element with the middle element in the list ✓
- d. Divide the list into two equal parts

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

- a. Linear search can be applied to both sorted and unsorted lists. ✓
- b. Linear search requires the list to be sorted.
- c. Linear search is more efficient than binary search on large lists.
- d. Linear search divides the list into halves.

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

a. There should be direct access to the middle element in any sublist

b. The list must be sorted

c. There must be a mechanism to delete and/or insert elements in the list ✓

d. Number values should only be present

Number values should only be present

Question **8**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Mining

b. Finding

c. Discovering

d. Searching ✓

Question **9**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

a. n ✓

b. n/2

c. log n

d. n-1

Question **10**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

- a. Binary search has a lower time complexity on large, sorted lists ✓
- b. Binary search does not require dividing the list
- c. Binary search can find multiple instances of the target element
- d. Binary search works on unsorted lists

Question **11**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

- a. Hashing
- b. Binary search
- c. Linear search ✓
- d. Jump search

Question **12**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

- a. 90 and 99 ✓
- b. 89 and 99
- c. 89 and 94
- d. 90 and 94

Question **13**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

a. Linear search
b. Sequential search
c. Hash search
d. Binary search ✓

Question **14**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the list is sorted
b. When the search algorithm finishes
c. When the list contains duplicate elements
d. When the element is found in the list ✓

Question **15**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By comparing each element sequentially
b. By dividing the list length by two ✓
c. By starting from the first element
d. By using a hash function