

Configuring Snowflake

Pre-Requisites

1. Access to [Snowflake](#) account
2. GPTfy Installed

Steps to follow

1. Create a Auth provider
2. Create a Named credential - Legacy Type
3. Create a External Data source - SQL Type → Snowflake.
4. Sync External objects - (Dont use sync in background) - These are already configured in Snowflake
5. Create a prompt on external object with a child external object and run the prompt.

Create Auth Provider

In salesforce we need an Auth provider to use them in authentication of named credential. In order to create a auth provider we need inputs like

1. Provider Type - Select it as Open ID Connect
2. Name - Any name eg. Snowflake.
3. URL Suffix - Automatically gets filled.
4. Consumer Key
5. Consumer Secret
6. Authorize Endpoint URL
7. Token Endpoint URL

For the last 4 parameters we would be following a series of steps in [Snowflake](#) account.

1. When we try to give access to any org other than dev, qa and uat, we need to run the below code, just by changing the name.


```
1 Create OR replace SECURITY INTEGRATION MY_SNOWSQL_CLIENT3
2 TYPE = OAUTH
3 ENABLED = TRUE
4 OAUTH_CLIENT = CUSTOM
5 OAUTH_CLIENT_TYPE = 'CONFIDENTIAL'
6 OAUTH_REDIRECT_URI = 'https://sgpt-uat-dev-
  ed.develop.my.salesforce.com/services/authcallback/Snowflake'
7 OAUTH_ISSUE_REFRESH_TOKENS = TRUE
8 OAUTH_REFRESH_TOKEN_VALIDITY = 7776000
9 ;
10
```

```


11 DESC SECURITY INTEGRATION MY_SNOWSQL_CLIENT3;
12
13 select SYSTEM$SHOW_OAUTH_CLIENT_SECRETS( 'MY_SNOWSQL_CLIENT3' );

```


2. Change the name in line 1 and paste the domain in line 6 instead of this - sgpt-uat-dev-ed.develop.my.salesforce.com
3. Select line 1 to 9 and click the run button on the top




4. Once ran the database would be created.
5. Change the name in line 11 as given in Line 1. Select the Line 11 and run.



6. Once ran the Consumer key, Authorize Endpoint URL, Token Endpoint URL will be available.
7. Change the name in line 13 as given in Line 1. Select the Line 13 and run.



8. Once ran the Consumer Secret will be available.
9. Copy these and use it in creation of Auth provider.
10. Sometime the Call back URL created by salesforce would different than the one we gave in line 6. So update the code in snowflake with salesforce created call back URL and redo the steps from line 3 to 9.
11. Save the Auth Provider. It is ready for use in Named credential creation steps.



Create a Named credential - Legacy Type

Label	Snowflake
Name	Snowflake
URL	https://ci07340.us-central1.gcp.snowflakecomputing.com/api/v2/statements

Identity Type	Named Principal
Authentication Protocol	OAuth 2.0
Authentication Provider	Snowflake
Generate Authorization Header	Checked
Allow Merge Fields in HTTP Header	Checked

Create an External Data source - SQL Type → Snowflake.

1. Setup → External Data Source → New
2. Add the details
 - a. Name - Snowflake
 - b. Type - SQL
 - c. Provider - Snowflake
 - d. Named Credential - Snowflake (As created above)
 - e. Writable External objects - Checked.

The screenshot shows the Salesforce Setup interface. On the left, the navigation menu is open, showing 'Setup' with sub-items: Home, Object Manager, External Data Sources, External Objects, and External Services. The 'External Data Sources' item is selected. The main content area is titled 'New External Data Source' and includes a description: 'Connect to another Salesforce org or a third-party database or content system.' The form contains the following fields:


- 'External Data Source' text field with the value 'Snowflake'.
- 'Name' text field with the value 'Snowflake'.
- 'Type' dropdown menu with 'SQL' selected.
- 'Provider' dropdown menu with 'Snowflake' selected.
- 'Parameters' section with a 'Named Credential' dropdown menu set to 'Snowflake'.
- 'Connection Timeout (Seconds)' text field with the value '120'.
- 'Writable External Objects' checkbox, which is checked.
- 'Server Drives Pagination' checkbox, which is checked.

 At the bottom of the form are buttons for 'Save', 'Save and New', and 'Cancel'.

3. Click save.

Sync External objects

1. Click on Validate and Sync.
2. Fill in the details
 - a. Database - TESTDB
 - b. Schema - MYSCHEMA




3. Select the Department and Employee Objects and hit Sync.

a. **Note:** Don't select Sync in background

4. Check the external objects whether they are deployed. If not deploy it via

a. Setup → External Objects → Employee/Department → Edit → Deployed check box select.



5. Create tabs for both the external objects via setup.

6. Open a department record and make sure the employee object is added as related list.

a. If not add it via external objects in setup.

Create a prompt on external object with a child external object

1. Create a prompt and add employee as a related object in mapping.

Prompt: Snowflake test prompt Clone with Related Deactivate

Object: DEPARTMENT_x | Type: Text | Prompt Version: 1 | AI Model: GPTfy (OpenAI) | Status: Active | Last Modified By: Kalanithi Balu | 10/06/2024, 13:50

Details | Security Audits

Prompt Command

Prompt Command: Summarise the details

Prompt Configuration

Object: DEPARTMENT_x | Type: Text | Profiles: Allow User Input | Record Type: Include Files | Visibility Condition: AI Model: GPTfy (OpenAI) | Status: Active | Prompt Version: 1 | Prompt Request ID

Context Mapping | Versions

Context Mapping

Object Name	Relationship Field	WHERE Clause	Fields
DEPARTMENT_x	EMPLOYEE_x	DEPARTMENT_ID_c	5/7
			7/9

Prompts with same Mapping (1)

1 Item • Sorted by AI Prompt Name • Updated a few seconds ago

AI Prompt Name	Description	Type	AI Model
1	Snowflake test prompt	Text	GPTfy (OpenAI)

[View All](#)

2. Edit the department page and add GPTfy console.

3. Run the prompt.

DEPARTMENT 101 Edit Delete

Snowflake test prompt Run GPTfy

A-00419 11 seconds Saved | 10 Jun 2024, 13:50

The details are as follows:

- Object Name: DEPARTMENT_x
- Id: x00WT000003bg3XV8V
- DID_c: 101
- DEPARTMENTNAME_c: Sales
- LOCATION_c: Floor 1
- CREATEDDATE_c: 2024-06-03 00:00:00

There are two employees associated with this department:

- Employee Name: TestName3
 - Id: x01WT00001zm0SGN4M
 - JOBTITLE_c: Salesman
 - EMAIL_c: testName3@test.com
 - EID_c: 203
 - DEPARTMENT_ID_c: 101
- Employee Name: TestName7
 - Id: x01WT00001zm0SGN4M
 - JOBTITLE_c: Salesman
 - EMAIL_c: testName7@test.com
 - EID_c: 207
 - DEPARTMENT_ID_c: 101

Related | **Details**