



KEY PLAN
NTS

LEGEND:

EL	ELEVATION		EXISTING CONCRETE
TYP	TYPICAL		FUTURE CONCRETE
UN	UNLESS NOTED		CONCRETE
THK	THICKNESS		
ST9001	BAR MARKS FOR SLAB	REINF	REINFORCEMENT
TOC	TOP OF CONCRETE	BBS	BENDING
T	TOP		
B	BOTTOM		

NOTES:

1. ALL DIMENSIONS AND ELEVATIONS ARE IN MILLIMETRES AND CO-ORDINATES ARE IN METRES UNLESS OTHER WISE SPECIFIED.
2. ALL ELEVATIONS ARE TOP OF CONCRETE ELEVATIONS UN OTHERWISE.
3. CLEAR COVER TO THE BAR REINFORCEMENT SHALL BE 30MM BOTTOM AND 50MM TOP.
4. ALL THE BAR POSITION ARE GIVEN TO THE CENTRE LINES OF BAR UNLESS NOTED.
5. REINFORCEMENT, IF REQUIRED MAY BE MORDERATELY BENT OR SHIFT TO CLEAR OPENINGS, EMBEDMENTS, ETC. BUT IN NO CASE SHALL IT BE CUT WITHOUT PRIOR APPROVAL OF ENGINEER.
6. BENDING LENGTH FOR REINFORCEMENT SHALL NOT BE LESS THAN 60 TIMES BAR DIAMETER.
7. TO MAINTAIN CORRECT POSITION OF REINFORCING BARS & TO PREVENT DISPLACEMENT OF BARS DURING PLACING & COMPACTION OF CONCRETE, CHAIR BLOCKS, SPACERS & HANGER CORRESPONDING TO 0 1 BOOK/CODE SHALL BE USED.
8. "Y" INDICATES DEFORMED-MECHANICALLY TWISTED (TMT) REINFORCING BARS OF GRADE Fe-500D, CONFORMING TO IS1786.

ENGINEERING REFERENCE DRAWINGS (TITLE)	DRAWING NOs.	REV. NO.
TIE DRAWINGS		
RB – BLOCK 5 – CONCRETE DETAILS OF SLAB AT EL 19950, EL 19950, EL 22900, EL 23900 & EL 26950 (SH 2 OF 2)	FRFCF/32065/DD/2113	0

CONSTRUCTION REFERENCE DRAWINGS (TITLE)	DRAWING NOs.
TIE DRAWINGS	
RB – BLOCK 5 – CONCRETE DETAILS OF SLAB AT EL 19950, EL 19950, EL 22900, EL 23900 & EL 26950 (SH 2 OF 2)	FRFCF/32065/DD/2113
RB – BLOCK 5 – REINFORCEMENT DETAILS OF SLAB AT EL 19950, EL 19950, EL 22900, EL 23900 & EL 26950 (SH 2 OF 2)	FRFCF/32065/DD/2114
RB – BLOCK 5 – REINFORCEMENT DETAILS OF FLOOR BEAMS AT EL 19950 (SH 1 OF 2)	FRFCF/32065/DD/2119
RB – BLOCK 5 – SLAB DETAILS OF COLUMNS FROM EL 17-00 TO ROOF (5 SHEETS)	FRFCF/32065/DD/2103
RB – BLOCK 5 – REINFORCEMENT DETAILS OF SHACKLE (3 SHEETS)	FRFCF/32065/DD/2122
RB – BLOCK 5 – REINFORCEMENT DETAILS OF BEAMS AT EL 19950 (3 SHEETS)	FRFCF/32065/DD/2117
RB – BLOCK 5 – REINFORCEMENT DETAILS OF BEAMS AT EL 23900 (3 SHEETS)	FRFCF/32065/DD/2114
BAR BENDING SCHEDULE	FRFCF/32065/BM/2118

REF	CHECKED		APPROVED		REF	CHECKED		APPROVED	
	SIGN	DATE	SIGN	DATE		SIGN	DATE	SIGN	DATE
FINAL					ELEC				
MECH					MET				
CIVIL									

FRFCF'S ACCEPTANCE

DO NOT SCALE | FOR CONSTRUCTION

CLIENT : INDIRA GANDHI CENTRE FOR ATOMIC RESEARCH

PROJECT : FAST REACTOR FUEL CYCLE FACILITY PACKAGE-1 (FRP)

TITLE : BLOCK 5-REINFORCEMENT DETAILS OF SLAB AT EL 19950, EL 19950, EL 22900, EL 23900 & EL 26950 (SH 1 OF 2)

CONSULTANT : CONSULTING ENGINEERS LIMITED

AGENCY : CONSULTING ENGINEERS LIMITED

DRG.NO. FRFCF/32065/DD/2118

REV 0

REV. NO.	REVISION DESCRIPTION	DATE	REV. NO.	REVISION DESCRIPTION	DRAWN BY	DESIGN BY	DESIGN CHK BY	PROCESS	CIVIL	ELEC	MECH	APPROVED
4	APPROVED FOR STAGE-II	21-12-2012	0	FINAL ISSUE	PKS (MAN)	PKS (MAN)	PKS (MAN)	–	PKS(MAN)	–	–	– (DCK)
3	INFORMATION	28-03-2012	C	BCMR COMMENTS INCORPORATED	SNS	RA/– (MAN)	RA/– (MR)	–	RA/–(MRK)	–	–	RA/– (DCK)
2	REVISED AND COMMON	30-09-2011	B	BCMR COMMENTS INCORPORATED	SNS	RA/– (MAN)	RA/– (MR)	–	RA/–(MRK)	–	–	RA/– (DCK)
1	INFORMATION	18-12-2010	A	REVIEW & COMMENTS	SNS	RA/– (MRD)	RA/– (MRD)	–	RA/–(MRD)	–	–	RA/– (DCK)

REVISION BLOCK

THE DESIGN AND DRAWING IS THE PROPERTY OF M/S. ENGINEERS INDIA LIMITED. IT MUST NOT BE COPIED OR REPRODUCED IN WHOLE OR PART WITHOUT THE PERMISSION OF THE OWNER.