

SECTION :- A:A



SECTION :- B:B



TYPICAL DETAIL FOR WATER TANK WALL



1. ALL DIMENSIONS AND LEVELS ARE IN MM.
2. T – INDICATES TMT HIGH YIELD STRENGTH DEFORMED BARS CONFIRMING TO IS:1786 OR EQUIVALENT WITH 0.2% PROOF STRESS OF 550 N/mm².
3. ALL DIMENSIONS & LEVELS SHALL BE CHECKED WITH ARCHITECTURAL DRAWINGS. ANY AMBIGUITY, IF FOUND, SHALL BE BROUGHT TO THE NOTICE
4. OF THE CONSULTANTS BEFORE EXECUTION OF THE WORK.
5. SUPERVISION SHALL NOT BE OUR RESPONSIBILITY.
6. CURING OF CONCRETE MEMBERS SHALL BE CARRIED OUT FOR A MINIMUM PERIOD OF 12 DAYS AFTER CASTING BY PONDING OR COVERING SURFACE BY JUTE BAGS KEPT CONSTANTLY WET OR SUCH OTHER MEANS.
7. CONTRACTOR SHALL TAKE CARE OF ALL UNDER GROUND UTILITIES OF CIVIL, MECHANICAL, ELECTRICAL AND OTHER SERVICES AS THEY
8. INTERFACE WITH STRUCTURAL FOUNDATIONS AND OTHER UNDERGROUND WORKS.
9. SAND/EARTH FILLING SHALL BE DONE SIMULTANEOUSLY BOTH SIDE OF WALL.
10. LAP LENGTH SHALL BE 50 TIMES DIA. OF BARS.

GOOD FOR CONSTRUCTION
ISSUED ON DATE:19/03/2025

GRADE OF CONCRETE MIX= M35
GRADE OF STEEL= FE550D

NO	DATE	REVISION	BY	DR	CH

ARCHITECT : mansi shah ARCHITECTS

JOB TITLE
TROGON CENTRE COURT

DRAWING TITLE
STRUCTURAL DETAIL FOR WATER TANK.

JOB NO	DATE	SHEET SIZE	SCALE	
2209022	10.03.2025	A3	1:25	
DRG. NO.	REVISION	DRAWN	DESIGN	CHECKED
S-301.3	R0	RSS	RSS	NKP

STRUCTURAL CONSULTANT

HNBS DESIGN STUDIO

1007, TIMES SQUARE ARCADE 1,
NEAR RAVIJA PLAZA,OPPOSITE
RAMBAG,THALTEJ,SHILAJ,
AHMEDABAD, 380059,
E mail: contact@hnbs.co.in