SCHEDULE OF RCC BEAMS

BEAM NOS.	BEAM TOP LEVEL	SIZE B	SIZE D	BOTTOM REINFORCEMENT @ LEFT SUPPORT	BOTTOM REINFORCEMENT MID - SPAN	BOTTOM REINFORCEMENT @ RIGHT SUPPORT	TOP REINFORCEMENT @ LEFT SUPPORT	TOP REINFORCEMENT MID - SPAN	TOP REINFORCEMENT @ RIGHT SUPPORT	SIDE FACE REINF. ON EACH FACE	STIRRUPS LEFT SUP. DIA	STIRRUPS LEFT SUP. @c/c	STIRRUPS LEFT SUP. DIST	STIRRUPS CENTRE DIA	STIRRUPS CENTRE @c/c	STIRRUPS RIGHT SUP. DIA	STIRRUPS RIGHT SUP. @c/c	STIRRUPS RIGHT SUP. DIST	BEAM TYPE	REMARKS
B1,B20	+25.25	200	600	2-T16	2-T16	2-T16	2-T16	2-T16	+ 2-T16 2-T12	4-T8	2L-T8-125								4	-
B2,B21,B22	+25.25	200	600	2-T16	2-T12(0.1L) + 2-T16	2-T16	+ 2-T16 2-T12	2-T16	+ 2-T16 2-T12	4-T8	2L-T8-100								4	-
B3,B23	+25.25	200	600	2-T16	2-T16	2-T16	+ 2-T16 2-T12	2-T16	2-T16	4-T8	2L-T8-125								4	-
B4,B5,B6,B7,B8,B9,B10,B11, B12,B14,B15,B16,B17, B18,B19,B24,B25,B26	+25.25	200	600	2-T16	2-T16	2-T16	2-T12	2-T12	2-T12	-	2L-T8-225								5	-
B13	+25.25	200	600	2-T16	2-T16	2-T16	+ 2-T12 2-T12	+ 2-T12 2-T12	+ 2-T12 2-T12	-	2L-T8	175	1225	2L-T8	225	2L-T8	175	1225	5	-
B27	+24.80	230	1425	2-T20	2-T20	2-T20	2-T25	2-T25	+ 2-T25 2-T25	11-T8	2L-T8-150					2L-T10	100	1200	4	-
B28	+24.80	230	1425	2-T25 + 2-T25	+ 2-T25 + 2-T25	2-T25 + 2-T25	+ 2-T25 2-T25	+ 2-T25 2-T25	+ 2-T25 2-T25	11-T8	2L-T10-100								4	-
B29	+24.80	230	1425	2-T20	2-T20	2-T20	+ 2-T25 2-T25	2-T25	2-T25	11-T8	2L-T8	100	1200	2L-T8-150					4	-
B30,B31,B32,B33,B34,B35, B36,B37,B38,B40,B41, B42,B43,B44,B45,B50,B51, B52	+24.80	230	1425	2-T20	2-T20	2-T20	+ 2-T16 2-T12	2-T16	+ 2-T16 2-T12	5-T8	2L-T8-225								5	-
B39	+24.80	230	1425	2-T20	2-T20	2-T20	2-T16 + 2-T12	2-T16	2-T16 + 2-T12	7-T8	2L-T8	200	1200	2L-T8	225	2L-T8	200	1200	5	-
B46	+24.80	230	1425	2-T20	2-T20	2-T20	2-T25	2-T25	2-T25	11-T8	2L-T8-225					2L-T8	200	1200	4	-
B47,B48	+24.80	230	1425	2-T25	2-T25	2-T25	2-T25	2-T25	2-T25	11-T8	2L-T8-100								4	-
B49	+24.80	230	1425	2-T20	2-T20	2-T20	2-T25	2-T25	2-T25	11-T8	2L-T8	100	1200	2L-T8	200	2L-T8	150	1200	4	-
B53	+24.80	300	600	3-T12	3-T12	3-T12	3-T16	3-T16	3-T16	-	2L-T8-100								4	CANTILEVER
B54	+24.80	300	950	3-T16	2-T12(0.1L) + 3-T16	3-T16	3-T16	3-T16	3-T16	4-T8	2L-T8	175	1225	2L-T8-225					4	-
B54A	+24.80	400	550	4-T16	2-T16(0.1L) + 4-T16	4-T16	+ 4-T12 4-T16	4-T12	4-T12	-	2L-T8-175								4	BARS TO BE DEVELOP IN COLUMN
B55,B56,B57,B58,B59,B60, B62,B63,B64,B65,B66,B67, B72,B73	+24.80	300	950	3-T16	3-T16	3-T16	3-T16	3-T16	3-T16	4-T8	2L-T8-225								5	-
B61	+24.80	300	950	3-T16	3-T16	3-T16	3-T16	3-T16	3-T16	5-T8	2L-T8	200	1200	2L-T8	225	2L-T8	200	1200	5	-
B68	+24.80	300	950	3-T16	3-T16	3-T16	3-T20	3-T20	+ 3-T20 2-T12	6-T8	2L-T8-125								4	-
B69,B70	+24.80	300	950	3-T20	3-T20	3-T20	+ 3-T20 2-T12	3-T20	+ 3-T20 2-T12	6-T8	2L-T8-100								4	-
B71	+24.80	300	950	3-T16	3-T16	3-T16	+ 3-T20 2-T12	3-T20	3-T20	6-T8	2L-T8-125								4	-
B74,B80,B82,B83,B84,B85	+24.80	230	550	2-T12	2-T12	2-T12	2-T12	2-T12	2-T12	-	2L-T8-250								5	-
B74A	+24.80	300	550	3-T16	3-T16	3-T16	3-T25	3-T25	3-T25	-	2L-T8-150								4	CANTILEVER
B75,B76,B78,B79	+24.80	230	550	2-T12	2-T12	2-T12	2-T12	2-T12	2-T12	-	2L-T8-250								5	-
B77	+25.395 / +24.80	200	1145 / 550	REFER DETAIL															5	-
B81	+24.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B86	+24.80	300	550	3-T16	2-T12(0.1L) + 3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8	125	1250	2L-T8-225					5	-
B86A,B88A,B89A,B90A,B93A, B94A,B95A,B97A,B98A,B99A, B100A,B101A,B102A	+23.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B87	+24.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B87A	+23.80	300	550	3-T25	2-T16(0.1L) + 3-T25	3-T25	3-T20	3-T20	3-T20	-	2L-T10	125	1250	2L-T10	150	2L-T10	125	1250	4	-
B88,B89,B90,B91,B92,B93, B94,B97,B98,B99,B100, B101,B102	+24.80	300	550	3-T16	2-T12(0.1L) + 3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8	175	1225	2L-T8	225	2L-T8	175	1225	5	-
B91A,B92A	+23.80	300	550	3-T16	3-T12(0.1L) + 3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B95	+24.80	300	550	3-T16	3-T12(0.1L) + 3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8	175	1225	2L-T8	225	2L-T8	175	1225	5	-
B96	+24.80	300	550	3-T16	2-T12(0.1L) + 3-T16	3-T16	+ 3-T12 2-T12	+ 3-T12 2-T12	+ 3-T12 2-T12	-	2L-T8	125	1250	2L-T8	225	2L-T8	125	1250	5	-
B96A	+23.80	300	550	3-T16	3-T12(0.1L) + 3-T16	3-T16	+ 3-T12 2-T12	+ 3-T12 2-T12	+ 3-T12 2-T12	-	2L-T8	175	1225	2L-T8	225	2L-T8	175	1225	5	-
B103	+24.80	300	550	3-T25	3-T20(0.1L) + 3-T25	3-T25	3-T16	3-T16	3-T16	-	2L-T8	100	1200	2L-T8	175	2L-T8	100	1200	5	-
B103A	+23.80	300	550	3-T20	2-T16(0.1L) + 3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T8	150	1200	2L-T8	225	2L-T8	150	1200	5	-
B104	+24.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B105	+24.80	300	550	3-T25	2-T16(0.1L) + 3-T25	3-T25	3-T16	3-T16 [LAP] 3-T25	+ 3-T25 3-T25	-	2L-T8	100	1200	2L-T8	125	2L-T8	100	1200	4	(CAMBER 15MM AT CENTRE)
B105A	+23.80	300	550	3-T20	2-T12(0.1L) + 3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T8	100	1200	2L-T8	225	2L-T8	100	1200	5	-
B105B,B229,B230,B238, B410A	+23.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B106	+24.80	300	550	3-T25	3-T25	3-T25	+ 3-T25 3-T25	3-T25 [LAP] 3-T16	3-T16	-	2L-T8	100	1200	2L-T8	115	2L-T8	100	1200	4	-
B106A	+23.80	300	550	3-T20	3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T8	150	1200	2L-T8	225	2L-T8	150	1200	5	-
B107	+24.80	300	550	3-T25	3-T25	3-T25	+ 3-T25 3-T25	3-T25 [LAP] 3-T16	3-T16	-	2L-T12	115	1150	2L-T10	175	2L-T10	150	1200	4	-
B107A	+23.80	300	550	3-T20	2-T12(0.1L) + 3-T20	3-T20	3-T25	3-T25 [LAP] 3-T16	3-T16	-	2L-T8	150	1200	2L-T8	200	2L-T8	150	1200	4	-
B108	+24.80	300	550	3-T12	3-T12	3-T12	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B108A,B111B	+23.80	300	550	3-T12	3-T12	3-T12	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B109	+24.80	400	550	4-T16	2-T16(0.1L) + 4-T16	4-T16	4-T12	4-T12	4-T12	-	2L-T10	125	1250	2L-T8	200	2L-T10	175	1225	5	-
B110,B113,B119,B127,B133, B137,B140A,B144,B148,B151, B155,B159,B163,B167,B171, B174,B178,B181,B185	+24.80	350	600	3-T12	3-T12	3-T12	3-T16	3-T16	3-T16	-	2L-T8-225								4	-
B110A,B114,B120,B124, B128,B131,B134,B138,B141, B145,B149,B152,B156,B160, B164,B168,B172,B175,B179, B182,B186,B190,B194,B197, B202	+24.80	350	600	3-T12	3-T12	3-T12	3-T16	3-T16	-	2L-T8-100									4	CANTILEVER
B111,B112,B117	+24.80	400	550	4-T12	4-T12	4-T12	4-T12	4-T12	4-T12	-	2L-T8-200								5	-
B111A	+23.80	400	550	4-T16	4-T16	4-T16	4-T12	4-T12	4-T12	-	2L-T8-200								5	-
B115	+24.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-

SCHEDULE OF RCC BEAMS

BEAM NOS.	BEAM TOP LEVEL	SIZE B	SIZE D	BOTTOM REINFORCEMENT @ LEFT SUPPORT	BOTTOM REINFORCEMENT MID - SPAN	BOTTOM REINFORCEMENT @ RIGHT SUPPORT	TOP REINFORCEMENT @ LEFT SUPPORT	TOP REINFORCEMENT MID - SPAN	TOP REINFORCEMENT @ RIGHT SUPPORT	SIDE FACE REINF. ON EACH FACE	STIRRUPS LEFT SUP. DIA	STIRRUPS LEFT SUP. @c/c	STIRRUPS LEFT SUP. DIST	STIRRUPS CENTRE DIA	STIRRUPS CENTRE @c/c	STIRRUPS RIGHT SUP. DIA	STIRRUPS RIGHT SUP. @c/c	STIRRUPS RIGHT SUP. DIST	BEAM TYPE	REMARKS
B115A,B279,B326,B365,B388, B389	+23.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B116	+25.075	200	825	+ 2-T20 2-T20	+ 2-T20 2-T20	+ 2-T20 2-T20	+ 2-T16 2-T16	+ 2-T16 2-T16	+ 2-T16 2-T16	5-T8	2L-T8-115								5	-
B118	+24.80	400	550	4-T16	4-T16	4-T16	4-T12	4-T12	4-T12	-	2L-T8	100	1200	2L-T8	200	2L-T8	100	1200	5	-
B121,B125,B135,B139,B142, B150,B176,B184	+24.80	400	550	4-T12	4-T12	4-T12	4-T12	4-T12	4-T12	-	2L-T8-200								5	-
B122	+24.80	400	550	4-T20	3-T12(0.1L) + 4-T20	4-T20	4-T12	4-T12	4-T12	-	2L-T8	125	1250	2L-T8-200					5	-
B123,B130	+24.80	350	550	3-T16	3-T16	3-T16	3-T20	3-T20	3-T20	-	2L-T8-225								4	-
B126,B136,B140	+24.80	400	550	4-T16	4-T16	4-T16	4-T12	4-T12	4-T12	-	2L-T8-200								5	-
B129	+24.80	400	550	4-T20	4-T20	4-T20	4-T12	4-T12	4-T12	-	2L-T8	150	1200	2L-T8-200					5	-
B132,B154,B158,B162,B166, B170,B173	+24.80	400	550	4-T12	2-T12(0.1L) + 4-T12	4-T12	4-T12	4-T12	4-T12	-	2L-T8-200								5	-
B143	+24.80	400	550	4-T16	4-T16	4-T16	4-T16	4-T16	4-T16	-	2L-T8-100								5	-
B146,B146A,B187	+25.075	200	825	+ 2-T20 2-T20	+ 2-T20 2-T20	+ 2-T20 2-T20	+ 2-T16 2-T16	+ 2-T16 2-T16	+ 2-T16 2-T16	5-T8	2L-T8-115								5	-
B147	+24.80	400	550	4-T16	4-T16	4-T16	4-T12	4-T12	4-T12	-	4L-10	175	1225	2L-T8	200	4L-T10	175	1225	5	-
B153,B157,B161,B165,B169	+24.80	400	550	4-T12	4-T12	4-T12	4-T12	4-T12	4-T12	-	2L-T8-100								5	-
B177	+24.80	400	550	4-T16	4-T16	4-T16	4-T12	4-T12	4-T12	-	2L-T8	125	1250	2L-T8	200	2L-T8	125	1250	5	-
B180	+24.80	400	550	4-T16	2-T12(0.1L) + 4-T16	4-T16	4-T12	4-T12	4-T12	-	2L-T8-200								5	-
B183	+24.80	400	550	4-T16	4-T16	4-T16	4-T12	4-T12	4-T12	-	2L-T8-200								5	-
B188	+24.80	300	550	3-T20	2-T16(0.1L) + 3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T10	150	1200	2L-T8	225	2L-T10	125	1250	5	-
B189,B193,B196	+24.80	300	600	3-T12	3-T12	3-T12	3-T16	3-T16	3-T16	-	2L-T8-225								4	-
B190,B194,B197,B202	+24.80	300	600	3-T12	3-T12	3-T12	3-T16	3-T16	3-T16	-	2L-T8-100								4	CANTILEVER
B191	+24.80	300	550	3-T20	3-T20	3-T20	3-T20	3-T20	+ 3-T20 3-T25	-	2L-T8-150					2L-T10	125	1250	4	BARS DEVELOP IN PC198
B192	+24.80	300	550	3-T16	3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B195	+24.80	300	550	3-T20	3-T20	3-T20	3-T25	3-T25	+ 3-T25 3-T25	-	2L-T10-150					2L-T10	100	1200	5	BARS DEVELOP IN PC200
B198	+24.80	400	550	4-T12	4-T12	4-T12	4-T12	4-T12	4-T12	-	2L-T8-225								5	-
B198A	+23.80	400	550	4-T32	4-T32	4-T32	4-T20	4-T20	4-T20	-	4L-T10	150	2500	2L-T8-200					5	(CAMBER 10MM AT CENTRE
B198B	+24.80	300	550	3-T20	3-T20	3-T20	3-T16	3-T16 [LAP] 3-T25	+ 3-T25 3-T20	-	2L-T10	150	1200	2L-T10	150	2L-T12	125	1200	4	(CAMBER 10MM AT CENTRE
B199	+24.80	300	550	3-T12	3-T12	3-T12	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B199A	+24.80	300	550	3-T16	3-T16	3-T16	+ 3-T25 3-T20	3-T25 [LAP] 3-T16	3-T16	-	2L-T10	125	1250	2L-T8	200	2L-T8	200	1200	4	-
B200	+24.80	300	550	3-T12	3-T12	3-T12	3-T12	3-T12	3-T12	-	2L-T8	125	1250	2L-T8	225	2L-T8	125	1250	5	-
B201	+24.80	300	550	3-T12	3-T12	3-T12	3-T12	3-T12	3-T12	-	2L-T8-100								5	-
B203	+24.80	350	1425	3-T12	3-T12	3-T12	3-T20	3-T20	3-T20	5-T8	2L-T8-100								4	CANTILEVER
B204,B205	+24.80	400	550	4-T16	4-T16	4-T16	4-T16	4-T16	4-T16	-	2L-T8-100								5	-
B206	+23.80	300	550	3-T25	2-T16(0.1L) + 3-T25	3-T25	3-T16	3-T16	3-T16	-	2L-T10	100	1200	2L-T8	200	2L-T10	100	1200	5	-
B207,B208,B210,B214,B215, B217,B218,B219,B220,B222	+23.80	300	550	3-T20	2-T12(0.1L) + 3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T8	125	1250	2L-T8	225	2L-T8	125	1250	5	-
B209,B211,B221	+23.80	300	550	3-T20	3-T12(0.1L) + 3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T8	125	1250	2L-T8	225	2L-T8	125	1250	5	-
B212,B213	+23.80	300	550	3-T20	2-T16(0.1L) + 3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T8	100	1200	2L-T8	225	2L-T8	100	1200	5	-
B216	+23.80	300	550	3-T20	3-T12(0.1L) + 3-T20	3-T20	+ 3-T12 2-T12	+ 3-T12 2-T12	+ 3-T12 2-T12	-	2L-T8	125	1250	2L-T8	225	2L-T8	125	1250	5	-
B223	+23.80	300	550	3-T20	2-T12(0.1L) + 3-T20	3-T20	3-T12	3-T12	3-T12	-	2L-T8	150	1200	2L-T8	225	2L-T8	150	1200	5	-
B224	+23.80	300	550	3-T16	2-T12(0.1L) + 3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8	175	1225	2L-T8-225					5	-
B225	+23.80	300	550	3-T32	3-T32	3-T32	+ 3-T32 3-T32	3-T32	+ 3-T32 2-T20	-	3L-T12	100	2000	3L-T10	200	3L-T10	100	2000	4	(CAMBER 15MM AT CENTRE
B226	+23.80	300	550	3-T25	2-T16(0.1L) + 3-T25	3-T25	+ 3-T32 2-T20	3-T32 [LAP] 3-T20	+ 3-T20 2-T20	-	2L-T10	100	2000	2L-T10	150	2L-T10	100	1200	4	(CAMBER 10MM AT CENTRE
B227	+23.80	250	550	2-T12	2-T12	2-T12	2-T12	2-T12	2-T12	-	2L-T8-250								5	-
B228,B239,B390,B435, B436	+23.80	300	550	3-T12	3-T12	3-T12	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B231,B235,B235A,B236, B237	+24.20	200	550	2-T12	2-T12	2-T12	2-T12	2-T12	2-T12	-	2L-T8-250								5	-
B233	+24.20 / +23.80	200	950 / 550	2-T16	2-T16	2-T16	2-T12	2-T12	2-T12	5-T8	2L-T8-125								5	-
B234,B384A	+23.80	300	550	3-T16	3-T16	3-T16	3-T16	3-T16	3-T16	-	2L-T8-125								4	-
B240,B395,B396,B399	+23.80	200	550	2-T16	2-T16	2-T16	2-T16	2-T16	2-T16	-	2L-T8-200								5	-
B241	+23.80	300	550	3-T16	2-T12(0.1L) + 3-T16	3-T16	3-T12	3-T12	3-T12	-	2L-T8-225								5	-
B242,B245	+23.80	300	550	3-T20	3-T20	3-T20	+ 3-T25 3-T25	+ 3-T25 3-T25	+ 3-T25 3-T25	-	3L-T12-100								4	CANTILEVER
B243	+23.80	300	550	3-T20	3-T20	3-T20	+ 3-T25 2-T20	3-T25 [LAP] 3-T16	3-T16	-	2L-T10	100	1200	2L-T10	125	2L-T10	200	1200	4	-
B246	+23.80	300	550	3-T20	2-T12(0.1L) + 3-T20	3-T20	3-T16	3-T16 [LAP] 3-T25	+ 3-T25 2-T20	-	2L-T10	225	1200	2L-T10	175	2L-T10	125	1200	4	-
B248,B327	+23.80	300	550	3-T25	2-T16(0.1L) + 3-T25	3-T25	+ 3-T25 3-T20	3-T25 [LAP] 3-T16	3-T16	-	2L-T10	100	1200	2L-T10	115	2L-T10	150	1200	4	(CAMBER 10MM AT CENTRE

PROVISION :-
LOWER GROUND + GROUND + PD1 TO PD6 + ECO DECK + TERRACE + ROOF

GENERAL NOTES :-
1) READ THIS DRAWING WITH RELEVANT ARCHITECTURAL DRAWINGS
2) IN CASE OF ANY DISCREPANCY KINDLY CONTACT THE DESIGN ENGINEER.
3) REINFORCEMENT GRADE :
FE500 : 8MM & 10MM DIA. BARS
FE550D : 12MM DIA. BARS AND ABOVE
4) CONCRETE GRADE : M40
(ONE GRADE HIGHER TO BE POURED THAN MENTIONED ABOVE)
5) COVER :
BEAMS: 40MM
SLABS (SIMPLY SUPPORTED) = 35MM
SLABS (CONTINOUS) = 30MM
(+5MM EXTRA COVER TO BE ADDED FOR EXPOSED SURFACE AS PER GPL MANDATE)
6) Ldt : FE500 :36 DIA.
: FE550D : 40 DIA.
7) REFER GENERAL DETAIL NOTES & DRAWINGS

KEY PLAN:

GENERAL NOTES:
1. THIS DRAWING IS THE COPYRIGHT OF GODREJ PROPERTIES LTD. AND MUST NOT BE RETAINED, COPIED OR USED WITHOUT THE ABOVE CONSULTANT'S AUTHORITY.
2. DO NOT SCALE FROM THE DRAWINGS.
3. ALL DIMENSIONS ARE IN MILLIMETERS AND LEVELS IN METRES UNLESS NOTED OTHERWISE, ALL DIMENSIONS TO BE VERIFIED ON SITE & APPROVED BY THE ENGINEER.
4. THIS DRAWING SHOULD BE CONFIRMED FROM CONTRACTORS.

DRAWING REVISIONS:

No.	Description	Date
R1	BEAM SCHEDULE REVISED	31-05-2025
R2	BEAM SCHEDULE REVISED	18-07-2025
R3	BEAM SCHEDULE REVISED	16-08-2025
R4	BEAM SCHEDULE REVISED	30-08-2025

CLIENT :
GODREJ PROPERTIES LTD.

ARCHITECTURAL CONSULTANT :
KAPADIA & ASSOCIATED PVT. LTD.

MEPF CONSULTANT :
AEON Integrated Building Design Consultants LLP

LANDSCAPE CONSULTANT:

STRUCTURAL CONSULTANT :
Gokani Consultants and Engineers LLP
801 Quantum Tower, Rambaug Lane,
off S.V.Road, Chincholi, Malad (West),
Mumbai 400 064, India. T: +91 22 2888 4400
www.gokaniconsultants.com
email : info@gokaniconsultants.com

BIM CONSULTANT :

PROJECT TITLE:
Godrej - Big Bull

NORTH:

DRAWING TITLE:
BEAM SCHEDULE AT 1ST PODIUM FLOOR (NON-TOWER)

PROJECT CODE:	PHASE:	SCALE:	DATE:
GPL_BBL		@A1	31/05/2025
DRAWN BY:	**DESIGNED BY:**	**CHECKED BY:**	**APPROVED BY:**
AV	SG	SB	VG

STAMP, SIGN & DATE:

STRUCTURAL CONSULTANT:	MEPF CONSULTANT :	LANDSCAPE CONSULTANT:	ARCHITECTURAL CONSULTANT:

ISSUED FOR: ☐ CONCEPT ☐ APPROVAL ☐ SD ☐ TENDER ☐ DD ☐ SHOP DRAWING ■ GFC ☐ AS-BUILT

DRAWING NUMBER:
GPL_BBL-NTA-P1-ST-600
GOKANI DRAWING NUMBER:
948-NTA-P1-11-R4

REVISION:
R4