

BEAM MARKED	SIZE (B x D)	REINFORCEMENT					STIRRUPS		REMARKS
		BOTTOM (STRAIGHT)	BOTTOM (CURTAIL)	TOP (STRAIGHT)	TOP (EXTRA OVER SUPPORT)		UPTO L/4	REST	
					LEFT	RIGHT			
B1,2	200 x 600	2 - T16 +2 - T12	---	2 - T12	---	---	T8@200C/C	T8@200C/C	---
AB2,43	200 x 600	3 - T16	2 - T12	2 - T12	3 - T16	3 - T16	T8@100 C/C	T8@200 C/C	---
AB3,4,8,9,40,41,44,45	200 x 600	2 - T16 +2 - T12	---	2 - T12	2 - T16	2 - T16	T8@200 C/C	T8@200 C/C	---
AB6	200 x 600	2 - T12	---	2 - T16 +2 - T12	---	---	T10@100 C/C	T10@100 C/C	CANTILEVER
AB7	200 x 600	2 - T16	2 - T16	2 - T16	3 - T16	3 - T16	T8@100 C/C	T8@150 C/C	TOP & BOTT.BARS TO BE TAKEN FROM CANTILEVER
AB10,37,50,51,61,62	200 x 600	2 - T16	---	2 - T12	---	---	T8@150C/C	T8@200C/C	---
AB12,34	200 x 600	2 - T16 +2 - T12	2 - T16	2 - T16	2 - T16	2 - T16	T8@100 C/C	T8@150C/C	---
AB13,35	200 x 600	2 - T16 +2 - T16	---	2 - T16	2 - T16	2 - T16	T8@100C/C	T8@100C/C	---
AB20,27	200 x 600	3 - T16 +2 - T12	2 - T16	2 - T16	---	---	T8@200 C/C	T8@200 C/C	---
AB17,24,31	200 x 600	2 - T16	---	2 - T16	---	2 - T16	T8@100 C/C	T8@100 C/C	---
AB19,26	200 x 600	3 - T16 +2 - T12	3- T16	2 - T16 +2 - T12	2 - T12	3- T16	T10@100 C/C	T10@150 C/C	---