Software Requirements Specification Version 2.0 October 9, 2025

Group 9 Kristine Alba, Amy Bernal Chavarria, Danna Bundogji

> Prepared for CS 250- Introduction to Software Systems Instructor: Gus Hanna, Ph.D. Fall 2023

Revision History

Date	Description	Author	Comments
9/19/2025	Initial project setup,	Amy Bernal C	First revision
	document created		
9/20/2025	Added Purpose and Scope	Kristine Alba	First revision
9/21/2025	Expanded Definitions and	Kristine Alba	Added technical details
	References		
9/22/2025	Completed General	Danna Bundogji	Wrote system overview
	Description section		
9/23/2025	Refined Scope, added	Amy Bernal C	Improved clarity
	Assumptions		
9/24/2025	Added Functional	Kristine Alba	Outlined key features
	Requirements draft		
9/25/2025	Reviewed and edited	All members	Polished version for
	grammar, formatting		submission

Document Approval

The following Software Requirements Specification has been accepted and approved by the following:

Signature	Printed Name	Title	Date
	Dr. Gus Hanna	Instructor, CS 250	
	Kristine Alba	Software Eng.	
	Danna Bundogji	Software Eng.	
	Amy Bernal C	Software Eng.	

Table of Contents

REVISION HISTORY	•••••		II
DOCUMENT APPROVAL			
1. INTRODUCTION			
		PURPOSE	
DEFINITIONS, ACRONYMS, AND ABBREVIATI			
REFERENCES			
OVERVIEW			
2. GENERAL DESCRIPTION			
		DUCT PERSPECTIVE	
CHARACTERISTICS			
GENERAL CONSTRAINTS			
ASSUMPTIONS AND DEPENDENCIES			
3. SPECIFIC REQUIREMENTS			
3.1 EXTERNAL INTERFACE REQUIREMENTS.			
3.1.1 User Interfaces			
3.1.2 Hardware Interfaces			
3.1.3 Software Interfaces			
3.1.4 Communications Interfaces			
3.2 FUNCTIONAL REQUIREMENTS			
3.2.1 < Functional Requirement or Featu			
3.2.2 < Functional Requirement or Feature 2.2.1 Language Control of the Control o			
3.3 USE CASES			
3.3.1 Use Case #1			
3.3.2 Use Case #2			
3.4 CLASSES / OBJECTS			
3.4.2 < Class / Object #2>			
3.5 Non-Functional Requirements			
3.5.1 Performance			
3.5.2 Reliability			
3.5.3 Availability			
3.5.4 Security			
3.5.5 Maintainability			
3.5.6 Portability			
3.6 Inverse Requirements			
3.7 DESIGN CONSTRAINTS			13
3.8 LOGICAL DATABASE REQUIREMENTS			14
3.9 OTHER REQUIREMENTS			1
4. ANALYSIS MODELS	•••••		14
4.1 SEQUENCE DIAGRAMS			14
4.3 DATA FLOW DIAGRAMS (DFD)			
4.2 STATE-TRANSITION DIAGRAMS (STD)			
5. CHANGE MANAGEMENT PROCESS .	•••••		
A. APPENDICES			15
			1

Movie Theater	Ticketing Project	
A.1 APPENDIX	1	18

iii

1. Introduction

1.1 Purpose

The purpose of this Software Requirements Specification is to define the functional and nonfunctional requirements of the Movie Ticketing System. This document is primarily intended for the software development team, quality assurance engineers and project managers to design, implement and test the system. Secondary audiences will include managers and administrators who need to understand the system's capabilities for operational purposes.

1.2 Scope

The system product is the Movie Ticketing System (MTS), a browser-based ticketing platform supporting both online customers (website) and in-person customers via digital kiosks and boxoffice terminals. It will manage movie listings, showtimes, seat reservations, ticket sales, discounts, membership handling, feedback collection, and administrative operations for a San Diego theater chain (20 theaters). The initial release focuses on core ticketing features; some features (nearby-theater search, extensive third-party integrations) are deferred to future iterations.

The MTS will improve speed, scalability, and of ticket sales. Goals include providing a secure and user friendly browser-based platform accessible in English and Spanish, support up to 650 concurrent users and prevent scalping though unique NFT-style tickets, deliver consistent pricing, localized currency display, and enforce transaction rules (20-ticket max, 2-week advance window), and reduce downtime and errors found in the legacy system.

1.3 Definitions, Acronyms, and Abbreviations

SRS	Software Requirements Specification
UI	User Interface
DBMS	Database Management System
Admin	Authorized staff user with elevated privileges
Regular Seat / Regular Theater	General admission theater (150 seats)
Deluxe Seat / Deluxe Theater	Reserved seating theater (75 seats)
NFT Ticket	Non-fungible token representation ensuring
	ticket uniqueness

1.4 References

- IEEE Std 830-1998, "IEEE Recommended Practice for Software Requirements Specifications," IEEE, 1998.
- PCI Security Standards Council, "PCI Data Security Standard (PCI DSS) Documentation," (payment security).

- Perforce Software, "How to Write a Software Requirements Specification (SRS)
 Document,"
 https://www.perforce.com/blog/alm/how-write-software-requirements-specification-srsdocument
- Relevant Software, "Software Requirements Specification: What It Is, How to Write It," https://relevant.software/blog/software-requirements-specification-srs-document/
- draw.io (diagrams.net), UML Class Diagrams for MTMS.

1.5 Overview

The remaining sections of this document provide a detailed description of the Movie Theater Ticketing System requirements. Section 2 gives a general description of the product including its functions, user characteristics, constraints, and assumptions. Section 3 specifies the detailed functional and non-functional requirements, including interface requirements, business rules, and use cases. Section 4 presents analysis models such as sequence diagrams, data flow diagrams, and state transition diagrams. Section 5 describes the change management process for handling modifications to this SRS.

2. General Description

2.1 Product Perspective

The Movie Ticketing System (MTS) is designed as a replacement for the legacy ticketing software used by the San Diego theater chain. It will be a browser-based platform that supports access through customer websites, mobile browsers, kiosks, and box office terminals. The system will operate independently but connect with external services such as payment gateways, email and SMS notifications, and blockchain infrastructure for NFT-based ticket verification. Its role is to unify online and in-person ticket sales, provide real-time seat management, and deliver a secure, reliable experience for both customers and theater staff.

2.2 Product Functions

The system will allow administrators to manage movie listings, schedules, and pricing across theaters. Customers will be able to browse movies, select seats, reserve tickets, and complete secure payments online or in person. The system will issue digital tickets, either as QR codes or NFT-based tokens, and support validation at the theater. It will also enforce transaction rules, such as ticket limits and advance booking windows. Additional functions include membership management, application of discounts, collection of customer feedback, and generation of sales and occupancy reports for managers.

2.3 User Characteristics

The system will serve three main groups of users. Customers will include the general public, with varying levels of technical knowledge, and will require simple, multilingual interfaces in English and Spanish. Theater staff, such as cashiers and ushers, will use the system for ticket sales, refunds, and validation, and will need fast and reliable performance during busy times. Administrators and managers will be technically skilled users responsible for theater setup,

monitoring, and reporting. Accessibility features will be included to support users with vision or hearing impairments.

2.4 General Constraints

The system must support high performance, handling millions of users during peak demand. All communications will be secured with HTTPS, and the system must comply with PCI-DSS standards for payment data. It should scale easily to support multiple theaters at once and run on modern web browsers, kiosks, and scanning hardware. Interfaces must be available in English and Spanish. Legal and regulatory compliance, such as GDPR and U.S. consumer protection standards, must also be ensured.

2.5 Assumptions and Dependencies

The system assumes the theater chain will provide reliable internet connections, kiosk hardware, and scanning devices. A third-party payment processor is expected to always be available and functional. Online access is required for customers, as offline ticketing is not included in the initial release. The NFT ticket feature depends on blockchain services and stable transaction costs. Currency conversion will depend on external APIs, and future integrations with digital wallets or third-party apps will require cooperation from those platforms.

3. Specific Requirements

3.1 External Interface Requirements

3.1.1 User Interfaces

Costumer UI

Input: Costumers select movies, showtimes and seats.

Output: System displays available seats, prices and booking confirmation. Requires for updates to appear within 3 seconds of user action.

Management Dashboard

Input: Managers enter or edit movie schedules, seat availability and pricing.

Output: Dashboard confirms updates and syncs with costumer's UI.

Requires for the changes to be reflected on all interfaces within 10 seconds.

3.1.2 Hardware Interfaces

Scanners:

Input: Scans tickets barcodes or QR codes.

Output: System validates tickets.

Requires for the validation to occur within 1 second.

Self Service Kiosks

Input: Costumers are able to select movies, showtimes, seats and payment method.

Output: Printed ticket or digital QR code sent to email. Requires

completing transaction under 3 minutes.

Ticket Printers

Input: Costumer touch selections for movie, showtime, seats and payment methods.

Output: Physical paper ticket printed for costumer.

Requires the transaction to be completed within 5 seconds.

3.1.3 Software Interfaces

Input: Store movie schedules, ticket reservations, users accounts and payment records.

Output: Real time data.

Requires supporting concurrent access from at least 650 users without delay.

3.1.4 Communications Interfaces

Email and SMS Notifications.

Input: Confirmation message including ticket, movie info and purchase details.

Output: Delivery to costumer email or phone number. Requires

messages to be sent within 3 minutes of purchase.

3.2 Functional Requirements

The system must provide customers with the ability to browse movies, select seats, purchase tickets and receive confirmations while also giving administrators tools to manage schedules, costumer support and sales.

3.2.1 Concurrency & Scalability

3.2.1.1 Introduction

The system must support high volumes of concurrent users.

3.2.1.2 *Inputs*

Multiple simultaneous requests from online and kiosk users.

3.2.1.3 Processing

Load balancing, horizontal scaling, and caching.

3.2.1.4 *Outputs*

Stable service availability under heavy load.

3.2.1.5 Error Handling

If limits are exceeded, queuing system activates.

3.2.2 Platform Accessibility

3.2.2.1 Introduction

The system must be browser-based and synchronized.

3.2.2.2 *Inputs*

User login or guest access via browser or kiosk

3.2.2.3 Processing

Retrieve current showtimes and seating from central DBMS.

3.2.2.4 *Outputs*

Unified, up-to-date UI across web and kiosks.

3.2.2.5 Error Handling

Display connection error if database unavailable.

3.2.3 Anti-Bot/Anti-Scalping

3.2.3.1 Introduction

Prevent automated ticket scalping.

3.2.3.2 *Inputs*

Ticket purchase attempts.

3.2.3.3 Processing

CAPTCHA, device fingerprinting, anomaly detection.

3.2.3.4 *Outputs*

Valid transactions only from verified users.

3.2.3.5 Error Handling

Block suspicious transactions, alert admin.

3.2.4 Ticketing Rules

3.2.4.1 Introduction

Ticket limits and purchase windows.

3.2.4.2 *Inputs*

User selects number of tickets, and showtime

3.2.4.3 Processing

Validate against rules (≤20 tickets, within 14 days, before +10 minutes of showtime).

3.2.4.4 *Outputs*

Approved or rejected ticket request.

3.2.4.5 Error Handling

Show clear error message for rule violations.

3.2.5 Account and Session Management

3.2.5.1 Introduction

Support optional accounts and enforce single session.

3.2.5.2 *Inputs*

User login credentials.

3.2.5.3 Processing

Authenticate and verify concurrent sessions.

3.2.5.4 Outputs

Account dashboard with loyalty, history, and payment info.

3.2.5.5 Error Handling

Notify user if account is already logged in elsewhere.

3.2.6 Payment and Currency

3.2.6.1 Introduction

Handle ticket payments and pricing.

3.2.6.2 *Inputs*

Credit card, PayPal, or Bitcoin payment info.

3.2.6.3 Processing

Validate payment, convert currency if needed.

3.2.6.4 *Outputs*

Transaction confirmation.

3.2.6.5 Error Handling

Reject invalid or declined payments.

3.2.7 Ticket Delivery

3.2.7.1 Introduction

Deliver secure, unique tickets.

3.2.7.2 *Inputs*

Purchase confirmation.

3.2.7.3 Processing

Generate NFT/unique token, attach to QR code.

3.2.7.4 *Outputs*

E-ticket emailed or printed physical ticket.

3.2.7.5 Error Handling

Retry delivery or notify user of failure.

3.2.8 Feedback System

3.2.8.1 Introduction

Collect quick customer feedback.

3.2.8.2 Inputs

User selection of smiley face or rating

3.2.8.3 Processing

Store feedback linked to transaction.

3.2.8.4 Outputs Confirmation

message.

3.2.8.5 Error Handling

If feedback storage fails, discard without blocking purchase flow.

3.2.9 Discounts

3.2.9.1 Introduction

Apply eligible discounts.

3.2.9.2 Inputs

Discount selection (student, veteran/military, senior, child).

3.2.9.3 Processing

Verify eligibility and applying pricing rules.

3.2.9.4 *Outputs*

Adjusted ticket price.

3.2.9.5 Error Handling

Show error if discount conditions not met.

3.2.10 Loyalty Accounts

3.2.10.1 Introduction

Store user history and reward points.

3.2.10.2 Inputs

Registration info, transactions.

3.2.10.3 Processing

Update loyalty points and purchase history.

3.2.10.4 Outputs Loyalty

dashboard.

3.2.10.5 Error Handling

Notify user of registration or update errors.

3.2.11 Administrative Functions

3.2.11.1 Introduction

Admin management of system.

3.2.11.2 Inputs

Admin login, showtime/movie data.

3.2.11.3 Processing

Add, edit, or override system records.

3.2.11.4 Outputs

Updated listings, sales reports, override logs.

3.2.11.5 Error Handling

Reject unauthorized actions and log attempts.

3.2.12 Logging & Auditing

3.2.12.1 Introduction

Maintain comprehensive daily logs for purchases, sessions, and admin actions.

3.2.12.2 *Inputs*

All relevant system events.

3.2.12.3 Processing

Append logs with timestamps, IDs, and metadata to secure storage.

3.2.12.4 Outputs

Searchable audit trails for compliance and debugging.

3.2.12.5 Error Handling

Failover to secondary log store and alert ops.

3.2.13 Queueing System

3.2.13.1 Introduction

Virtual waiting room to faily handle spikes for popular showings.

3.2.13.2 Inputs

Surge of requests for a single showing.

3.2.13.3 Processing

Admit users into a queue, throttle requests, allocate tickets in order.

3.2.13.4 Outputs

Queue position and ETA shown to user.

3.2.13.5 Error Handling

Show fallback message and attempt requeue if transient error.

3.2.14 Review Integration

3.2.14.1 Introduction

Surface critic scores/quotes from external review sources when permitted.

3.2.14.2 Inputs

Movie selection; external API/scraper responses.

3.2.14.3 Processing

Aggregate and cache scores; respect ToS and rate limits.

3.2.14.4 Outputs

Display critic scores/quotes or link to external pages.

3.2.14.5 Error Handling

Display "Reviews Unavailable" fallback and log API failures.

3.3 Use Cases

3.3.1 Purchase Ticket

Primary actor: Customer (guest or logged-in) Flow of Events:

1. Customer selects movie and showtime.

- 2. System displays seat map (if Deluxe) or confirms general admission availability (Regular).
- 3. Customer selects seats/quantity (≤ 20) and proceeds.
- 4. System holds selected seats for up to 5 minutes.
- 5. Customer enters payment info (or selected saved payment/loyalty points) and confirms.
- 6. System processes payment and, on success, mints unique ticket token(s), updates seat inventory, and issues e-ticket(s) (email or print).
- 7. System displays confirmation and prompts optional feedback. Assumptions/Entry conditions:
- 1. The showtime exists and has available seats/tickets.

- 2. Payment gateway is reachable.
- 3. User is within the 14-day to 10-minute purchase window.

3.3.2 Manage Account/Loyalty

Primary actor: Registered Customer, System Flow of Events:

- 1. Customer navigates to account page and logs in.
- 2. System authenticates user and displays account dashboard.
- 3. Customer views/updates personal info, payment methods, or loyalty settings; views purchase history and points.
- 4. System saves changes and updates loyalty balances where applicable. Assumptions/Entry conditions:
- 1. Customer has an existing account (or completes registration).
- 2. Authentication services are available.
- 3. Single-session policy is enforced.

3.3.3 Administrative Override/Manage Showtimes

Primary actor: Administrator (staff) Flow of Events:

- 1. Admin logs into admin portal with elevated credentials.
- 2. Admin views dashboard (schedules, sales, flagged issues).
- 3. For showtime management: Admin adds/edits/removes movie showtimes; system validates conflicts and publishes updates.
- 4. For override: Admin locates order, executes permitted override (refund, reissue, release seats), and confirms action.
- 5. System records an audit log for every admin action Assumptions/Entry conditions:
- 1. Admin credentials (and MFA if required) are valid.
- 2. Admin role authorizes requested actions.
- 3. Audit/logging service is operational.




Figure 1: Movie Ticketing System Use Case Diagram

3.4 Classes / Objects

3.4.1 Movie

3.4.1.1 Attributes

- movieID: integer

title: stringgenre: stringduration: floatrating: string

3.4.1.2 Functions

- getShowtimes(): retrieves all showtimes for a movie
- updateDetails(): modifies movie information
- getAverageRating(): calculates and returns average user rating

3.4.2 Showtime

3.4.2.1 Attributes

- showtimeID: integer

- movieID: integer

- theaterID: integer

- startTime: datetime

- availableSeats: integer

3.4.2.2 Functions

- reserveSeat(seatNumber): marks a seat as reserved
- calcelReservation(seatNumber): frees a reserved seat
- getRemainingSeat(): returns remaining available seats

3.4.3 Ticket

3.4.3.1 Attributes

ticketID: stringshowtimeID: integer

seatNumber: stringprice: decimalNFTToken: string

3.4.3.2 Functions

- generateQRCode(): produces a unique QR code for validation
- validateTicket(): verifies ticket authenticity at entry
- resendTicket(email): reissues a lost digital ticket

3.4.4 UserAccout

3.4.4.1 Attributes

- userID: integer

- name: string

- email: string

- passwordHash: string

- loyaltyPoints: integer

3.4.4.2 Functions

- login(email, password): authenticates user access
- redeemPoints(points): applies loyalty points to a purchase
- updateProfile(details): modifies user information

3.4.5 Payment

3.4.5.1 Attributes

- transactionID: string

- amount: decimal

- paymentMethod: string

- status: string

- timestamp: datetime

3.4.5.2 Functions

- processPayment(method, amount): handles payment through gateway

- issueRefund(ticketID): processes refunds for canceled orders
- getTransactionDetails(): retrieves payment summary

3.5 Non-Functional Requirements

The Movie Theater Ticketing System must meet the following non-functional requirements to ensure reliability, performance and usability.

3.5.1 Performance

- The system must support up to 650 concurrent users without service degradation
- The system shall respond to 95% of all page requests within 2 seconds under normal load
- The system shall process a completed ticket purchase in ≤ 5 seconds after payment submission

3.5.2 Reliability

- The system has a mean time between failures (daMTBF) of at least 500 hours
- The system shall ensure that no more than 0.1% of transactions are lost or corrupted due to system errors

3.5.3 Availability

- The system shall provide 99.9% uptime, excluding scheduled maintenance
- The system shall automatically recover from server failure within 60 seconds using failover mechanisms

3.5.4 Security

- All communications shall use HTTPS/TLS 1.2 or higher
- Tickets shall be unique and non-replicable (NFT-backed or equivalent)
- The system shall enforce singe-device login per user account
- Payment handling shall comply with PCI-DSS standards

3.5.5 Maintainability

- The system shall be modular and documented so that a new developer can resolve defects within 2 hours of investigation
- Updates shall be deployed with < 15 minutes downtime

3.5.6 Portability

- The system shall run on the latest two major versions of Chrome, Firefox, Safari, and Edge
- Kiosk terminals shall operate using standards-compliant browsers with no additional plug-ins

3.6 Inverse Requirements

State any *useful* inverse requirements.

3.7 Design Constraints

Specify design constrains imposed by other standards, company policies, hardware limitation, etc. that will impact this software project.

3.8 Logical Database Requirements

Will a database be used? If so, what logical requirements exist for data formats, storage capabilities, data retention, data integrity, etc.

3.9 Other Requirements

Catchall section for any additional requirements.

4. Analysis Models

List all analysis models used in developing specific requirements previously given in this SRS. Each model should include an introduction and a narrative description. Furthermore, each model should be traceable the SRS's requirements.

4.1 Sequence Diagrams

4.2 Data Flow Diagrams (DFD)

4.3 State-Transition Diagrams (STD)

5. Change Management Process

Identify and describe the process that will be used to update the SRS, as needed, when project scope or requirements change. Who can submit changes and by what means, and how will these changes be approved.

6. Software Design Specification

6.1 System Description

The Movie Theater Management System is designed to automate the management of movie showtimes, ticket booking, payment processing, and customer information. The system will provide both customers and staff an easy-to-use interface for browsing movies, purchasing tickets, and managing schedules.

6.2 Software Architecture Overview

6.2.1 Software Architecture Diagram 6.2.2 Software Architecture Description

6.3 UML Class Diagram




Figure 2: UML Class Diagram for Movie Theater Ticketing System

6.4 UML Class Descriptions

6.4.1 Film

6.4.1.1 Attributes

filmID: inttitle: stringduration: floatrating: stringgenre: string

6.4.1.2 Operations

- getShowtimes(): Showtime[]
 - o Returns available showtimes for the movie

6.4.2 Theater

6.4.2.1 Attributes

theaterID: intname: stringlocation: stringcapacity: int

6.4.2.2 Operations

- getSeatingMap(): Map<int,bool>
 - o Returns seating availablility for the theater

6.4.3 Showtime

6.4.3.1 Attributes

showtime: intdate: stringtime: stringprice: floatfilm: stringtheater: string

6.4.3.2 Operations

- getAvailableSeats(): int
 - o Returns number of available seats
- reserveSeat(seatNum): bool
 - o Reserves a seat for a user

6.4.4 Booking

6.4.4.1 Attributes

- bookingID: int
- customer: Customer
- showtime: Showtime
- seats: (int, int)
- totalPrice: float
- status: string

6.4.4.2 Operations

- makePayment(paymentInfo): bool
 - o Processes payment for the booking
- cancelBooking(): bool
 - o Cancels booking and updates availability

6.5.1 Ticket

6.5.1.1 Attributes

- ticketID: int

- booking: BookingseatNumber: (int, int)
- 6.5.1.2 Operations
 - validate(): bool
 - o Confirms ticket authenticity
 - printTicket(): void
 - o Prints physical or digital ticket

6.6.1 Account

- 6.6.1.1 Attributes
 - accountID: int
 - username: string
 - password: string
 - email: string
- 6.6.1.2 Operations
 - login(): bool
 - o Authenticates user
 - logout(): void
 - o Ends active session

6.7.1 Customer (inherits Account)

- 6.7.1.1 Attributes
 - rewardPoints: int
 - loyaltyStatus: string
- 6.7.1.2 Operations
 - viewShowtimes(): Showtime[]
 - purchaseTicket(showtime, seats): ticket
 - viewBookingHistory(): Ticket[]

6.8.1 Admin (inherits Account)

- 6.8.1.1 Operations
 - addFilm(film: Movie): void
 - scheduleShowtime(showtime: Showtime): void
 - removeShowtime(showtime: Showtime): void

6.9.1 Payment

- 6.9.1.1 Attributes
 - transactionID: string

- amount: float

- paymentMethod: string

6.9.1.2 Operations

- processPayment(bookingID, paymentInfo): bool
 - o Processes user payments
- refundPayment(transactionID): bool
 - o Issues refunds when necessary

6.5 Development Plan and Timeline

6.5.1 Task Partitioning

Task Description

Database Design	Create relational schema for movies, users, and bookings
Backend Implementation	Build server logic for booking, payment, and admin operations
Frontend Development	Create responsive UIs for web and kiosk users
Integration & APIs	Connect backend to external payment and email systems
Testing & QA	Conduct functionality, integration, and load testing
Documentation	Maintain version control, documentation, and commit logs

6.5.2 Team Member Responsibilities

Team Member

Responsibilities

Amy Bernal	Backend development, database setup, payment integration
Danna Bundogji	Frontend development, documentation, and testing
Kristine Alba	Architecture design, UML modeling, integration, and deployment

6.5.3 Project Timeline

Week Task Responsible Member

Week 1	Database schema and setup	Amy Bernal
Week 2	UI mockups and wireframes	Danna Bundogji
Week 3	Implement booking module	Kristine Alba
Week 4	Integrate payment API	Amy Bernal

Week 5 System testing and fixes Danna and Kristine
--

A. Appendices

Appendices may be used to provide additional (and hopefully helpful) information. If present, the SRS should explicitly state whether the information contained within an appendix is to be considered as a part of the SRS's overall set of requirements.

Example Appendices could include (initial) conceptual documents for the software project, marketing materials, minutes of meetings with the customer(s), etc.

A.1 Appendix 1

A.2 Appendix 2