CONTENT


01 MIXED USE



02 RESIDENTIAL



03 SPORT CENTER



04 SUSTAINABLE BUILDING




05 OTHER WORKS



PROJECT 1

MIXED USE TOWER

FORM DEVELOPMENT



PROJECT BRIEF

Amodern architectural landmark in Gubre Town, designed to seamlessly integrate vibrant commercial zones with premium urban living. The project balances high-traffic r etail and corporate environments with secure, private residential spaces.

Component Breakdown

2 Basements: Secure parking, storage, and MEP services.

Ground Floor: High-ceiling retail storefronts and distinct residential/commercial lobbies.

14 Upper Floors:


Lower Levels: Flexible, open-plan corporate offices.


Upper Levels: Premium apartments designed for natural light and panoramic views.

Terrace: A multi-functional rooftop lounge and green community space.



SITE PLAN





GROUND FLOOR PLAN




RENDERING













ELEVATION



NORTH ELEVATION

EAST ELEVATION



SOUTH ELEVATION

WEST ELEVATION

SECTION



SECTION A:A




SECTION B:B

PROJECT 2


CLIMATE RESPONSIVE RESIDENCE

FORM DEVELOPMENT




PROJECT BRIEF


A contemporary G+2 private residence engineered specifically for Dire Dawa's intense thermal environment. The design prioritizes passive cooling strategies, utilizing an integrated central courtyard and a dynamic louvered facade system to drastically reduce solar heat gain while maximizing natural ventilation.



SECOND FLOOR
SCALE 1:100




GROUND FLOOR
SCALE 1:100



FIRST FLOOR
SCALE 1:100




DRAWINGS




DYNAMIC LOUVERED


EAST ELEVATION



NORTH ELEVATION




SOUTH ELEVATION



WEST ELEVATION


FACADE DETAIL




VERTICAL FINS DETAIL

ANGLE 45.00°
OFFSET 5.00
POSITION
PERPENDICULAR TO FACE
MATERIAL ALUMINIUM
DIMENSIONS
WIDTH ON SIDE 2 2.00
WIDTH ON SIDE 1 2.00

COURTYARD










PROJECT 3


SPORTCENTER

PROJECT BRIEF

The objective of this project was to design a modern, vertical sports and wellness center within a compact urban footprint. Moving away from sprawling horizontal sports complexes, this G+2 facility stacks diverse athletic programs to optimize land use w hile maintaining seamless spatial transitions, high acoustic separation, and clear user circulation.




GROUND FLOOR PLAN





FIRST FLOOR PLAN

ELEVATION











RENDERING

SECTION


















SUSTAINABLE BUILDING

APPR OPRIATE TEC HNOLOGY

BAMBOO ANDFERRO CEMENT HOUSING



GROUND FLOOR



FIRST FLOOR

FLOOR PLAN


PROJECT BRIEF

TheSkeleton(Primary): Utilizea triangulated bamboo space frame or portal frame. Bamboo culms (typically Dendrocalamus asper or Bambusa balcooa) are used in bundles for columns to distribute gravity loads.


The Shell (Secondary): Apply thin-shell ferro-cement panels (25mm–30mm thickness). These are strategically integrated into the "shear bays" of the bamboo frame.

Tensionvs. Compression: Bamboo handles the tensile stresses of wind and seismic loads, while the ferro-cement provides the compressive strength and fire resistance that bamboo lacks.

Thermal Regulation: By utilizing the moldability of ferro-cement, we can design curved, self-shading forms or thermal mass walls that absorb heat during the day, while the lightweight bamboo sections allow for high-porosity louvers to facilitate cross-ventilation.




SITE PLAN



R-OOF PLAN

ELEVATION



RARE ELEVATION



FRONT ELEVATION




RIGHT ELEVATION




LEFT ELEVATION

RENDERING

SECTIONS



Section 1
1 : 100



Section 2
1 : 100













