EU MDR POST-MARKET SURVEILLANCE (MAUDE + CLINICALTRIALS.GOV) [SAMPLE DEMO]

Device Scope: Automated Insulin Delivery (AID) & Continuous Glucose... | Window: 2024-01-01 to 2026-02-28 (Fictional Demonstration...

OPENFDA MAUDE EVENT SUMMARY


n = 420

Total Matched Device Reports

- **Malfunction:** 312 reports
- **Injury:** 104 reports
- **Death:** 4 reports

TOP PROBLEM MODES (MAUDE)

MDCG SPIKE: 2026-02 (+128%, Z=+11.4)



CLINICALTRIALS.GOV PMCF & COMPETITOR TRIALS (n = 5)

Recruiting: 2 | Completed: 2 | Active, not rec.: 1

[NCT05810001 | Recruiting | n=240] [SAMPLE] Multicenter RCT of Hybrid Closed-Loop Insulin Delivery in Type 1...

[NCT05920002 | Completed | n=120] [SAMPLE] Post-Market Registry of 14-Day Interoperable CGM Accuracy During High-...

[NCT06030003 | Active (not recruiting) | n=165] [SAMPLE] Pediatric Safety and Glycemic Control of Automated Bolus...

[NCT06140004 | Recruiting | n=350] [SAMPLE] Real-World PMCF Study of Patch-Pump Occlusion Alarm Algorithms in...

[NCT06250005 | Completed | n=95] [SAMPLE] Skin Tolerability and 15-Day Wear Survival of Hypoallergenic...