





KESTREL METAL STAINLESS WOVEN MESH

EXPLANATION OF MESH COUNT TERMINIOLOGY


1" Opening



1" Mesh



2 Mesh



WOVEN WIRE MESH CRIMP STYLE

Lock Crimp



Double Crimp



Inter Crimp




Flat Top




WOVEN WIRE MESH WEAVE STYLE

Plain weave




Also called square weave, and each warp wire crosses alternately over and under every weft wire and vice versa. Warp and weft wire diameters are usually the same.

Twill weave




Each weft wire passes alternately above and below every successive pair of warp wires and vice versa.

Dutch weave




Dutch or 'Hollander' weave is a plain weave where the diameter of the warp and weft wires, and the mesh count in the warp and weft directions are different.

Plain dutch weave




Woven as a plain weave, but with the warp wires of greater diameter than the weft wires.

Twill dutch weave




Similar to plain dutch weave, but has a double layer of weft wires woven in twill pattern.

Reverse dutch weave




Woven as a plain weave, but in reverse manner to plain dutch weave. It has more and finer warp wires and fewer, heavier weft wires.

Plain dutch weave



By passing every warp wire alternately up and down each single and four shute wires and vice versa. The pattern is staggered on successive warp wires.

Plain dutch weave



By passing every warp wire alternately up and down each single and four shute wires and vice versa. The pattern is staggered on successive warp wires.

Stainless steel 304/316 woven wire mesh specification

Item number	Mesh	Wire diameter	Width of opening	Construction type
KMWM1"x1"316.192PL	1" x 1"	0.192"	0.808"	PLAIN
KMWM1"x1"316.187PL	1" x 1"	0.187"	0.813"	PLAIN
KMWM1"x1"316.162PL	1" x 1"	0.162"	0.838"	PLAIN
KMWM2316.135PL	2	0.135"	0.365"	PLAIN
KMWM2316.120PL	2	0.120"	0.380"	PLAIN
KMWM2316.105PL	2	0.105"	0.395"	PLAIN
KMWM2316.080PL	2	0.080"	0.420"	PLAIN
KMWM2316.063PL	2	0.063"	0.437"	PLAIN
KMWM2316.054PL	2	0.054"	0.446"	PLAIN
KMWM2316.047PL	2	0.047"	0.453"	PLAIN
KMWM3316.120PL	3	0.120"	0.213"	PLAIN
KMWM3316.105PL	3	0.105"	0.228"	PLAIN
KMWM3316.092PL	3	0.092"	0.214"	PLAIN
KMWM3316.080PL	3	0.080"	0.253"	PLAIN
KMWM3316.063PL	3	0.063"	0.270"	PLAIN
KMWM3316.047PL	3	0.047"	0.286"	PLAIN
KMWM4316.120PL	4	0.120"	0.130"	PLAIN
KMWM4316.105PL	4	0.105"	0.145"	PLAIN
KMWM4316.080PL	4	0.080"	0.170"	PLAIN
KMWM4316.063PL	4	0.063"	0.187"	PLAIN
KMWM4316.054PL	4	0.054"	0.196"	PLAIN
KMWM4316.047PL	4	0.047"	0.203"	PLAIN
KMWM4316.041PL	4	0.041"	0.209"	PLAIN
KMWM4316.035PL	4	0.035"	0.215"	PLAIN
KMWM4316.028PL	4	0.028"	0.222"	PLAIN
KMWM5316.08PL	5	0.08"	0.120"	PLAIN
KMWM5316.063PL	5	0.063"	0.137"	PLAIN
KMWM5316.054PL	5	0.054"	0.146"	PLAIN
KMWM5316.047PL	5	0.047"	0.153"	PLAIN
KMWM5316.041PL	5	0.041"	0.159"	PLAIN
KMWM5316.035PL	5	0.035"	0.165"	PLAIN
KMWM5316.032PL	5	0.032"	0.168"	PLAIN
KMWM6316.063PL	6	0.063"	0.104"	PLAIN
KMWM6316.047PL	6	0.047"	0.120"	PLAIN
KMWM6316.041PL	6	0.041"	0.126"	PLAIN
KMWM6316.035PL	6	0.035"	0.132"	PLAIN
KMWM6316.032PL	6	0.032"	0.135"	PLAIN
KMWM6316.028PL	6	0.028"	0.139"	PLAIN
KMWM8316.063PL	8	0.063"	0.062"	PLAIN
KMWM8316.054PL	8	0.054"	0.071"	PLAIN
KMWM8316.047PL	8	0.047"	0.078"	PLAIN
KMWM8316.041PL	8	0.041"	0.084"	PLAIN
KMWM8316.035PL	8	0.035"	0.090"	PLAIN
KMWM8316.032PL	8	0.032"	0.093"	PLAIN
KMWM8316.028PL	8	0.028"	0.097"	PLAIN
KMWM8316.025PL	8	0.025"	0.100"	PLAIN
KMWM8316.020PL	8	0.020"	0.105"	PLAIN
KMWM8316.017PL	8	0.017"	0.108"	PLAIN
KMWM9x9.5316.063PL	9 x 9.5	0.063"	0.0480" x 0.0423"	PLAIN
KMWM10316.047PL	10	0.047"	0.053"	PLAIN

Item number	Mesh	Wire diameter	Width of opening	Construction type
KMWM10316.047PL	10	0.047"	0.053"	PLAIN
KMWM10316.041PL	10	0.041"	0.059"	PLAIN
KMWM10316.035PL	10	0.035"	0.065"	PLAIN
KMWM10316.032PL	10	0.032"	0.068"	PLAIN
KMWM10316.028PL	10	0.028"	0.072"	PLAIN
KMWM10316.025PL	10	0.025"	0.075"	PLAIN
KMWM10316.023PL	10	0.023"	0.077"	PLAIN
KMWM10316.020PL	10	0.020"	0.080"	PLAIN
KMWM12316.035PL	12	0.035"	0.048"	PLAIN
KMWM12316.032PL	12	0.032"	0.051"	PLAIN
KMWM12316.028PL	12	0.028"	0.055"	PLAIN
KMWM12316.020PL	12	0.020"	0.063"	PLAIN
KMWM12316.018PL	12	0.018"	0.065"	PLAIN
KMWM12316.016PL	12	0.016"	0.067"	PLAIN
KMWM14316.023PL	14	0.023"	0.048"	PLAIN
KMWM14316.020PL	14	0.020"	0.051"	PLAIN
KMWM14316.0195PL	14	0.0195"	0.052"	PLAIN
KMWM14316.017PL	14	0.017"	0.054"	PLAIN
KMWM14316.014PL	14	0.014"	0.057"	PLAIN
KMWM14316.011PL	14	0.011"	0.060"	PLAIN
KMWM14316.009PL	14	0.009"	0.062"	PLAIN
KMWM16316.028PL	16	0.028"	0.035"	PLAIN
KMWM16316.025PL	16	0.025"	0.038"	PLAIN
KMWM16316.023PL	16	0.023"	0.040"	PLAIN
KMWM16316.018PL	16	0.018"	0.045"	PLAIN
KMWM16316.020PL	16	0.020"	0.043"	PLAIN
KMWM16316.011PL	16	0.011"	0.052"	PLAIN
KMWM16316.009PL	16	0.009"	0.054"	PLAIN
KMWM18x14316.011PL	18 x 14	0.011"	0.045" x 0.060"	PLAIN
KMWM18x14316.009PL	18 x 14	0.009"	0.054" x 0.062"	PLAIN
KMWM18316.023PL	18	0.023"	0.0330"	PLAIN
KMWM18316.020PL	18	0.020"	0.0360"	PLAIN
KMWM18316.017PL	18	0.017"	0.0390"	PLAIN
KMWM18316.015PL	18	0.015"	0.041"	PLAIN
KMWM18316.012PL	18	0.012"	0.044"	PLAIN
KMWM18316.011PL	18	0.011"	0.045"	PLAIN
KMWM18316.009PL	18	0.009"	0.047"	PLAIN
KMWM20316.028PL	20	0.028"	0.022"	PLAIN
KMWM20316.025PL	20	0.025"	0.025"	PLAIN
KMWM20316.023PL	20	0.023"	0.027"	PLAIN
KMWM20316.020PL	20	0.020"	0.030"	PLAIN
KMWM20316.018PL	20	0.018"	0.032"	PLAIN
KMWM20316.016PL	20	0.016"	0.034"	PLAIN
KMWM20316.014PL	20	0.014"	0.036"	PLAIN
KMWM20316.012PL	20	0.012"	0.038"	PLAIN
KMWM20316.009PL	20	0.009"	0.041"	PLAIN
KMWM20x250316.008PL	20 x 250	0.008" x 0.0036"	0.040" x 0.0015"	PLAIN
KMWM24316.014PL	24	0.014"	0.028"	PLAIN
KMWM24316.012PL	24	0.012"	0.030"	PLAIN
KMWM24316.011PL	24	0.011"	0.031"	PLAIN
KMWM24316.01PL	24	0.01"	0.032"	PLAIN
KMWM24316.0075PL	24	0.0075"	0.034"	PLAIN

Item number	Mesh	Wire diameter	Width of opening	Construction type
KMWM24x110316.015PL	24 x 110	0.015" x 0.0105"	0.028" x 0.00315"	PLAIN
KMWM28316.0075PL	28	0.0075"	0.028"	PLAIN
KMWM30316.0016PL	30	0.016"	0.017"	PLAIN
KMWM30316.014PL	30	0.014"	0.019"	PLAIN
KMWM30316.013PL	30	0.013"	0.020"	PLAIN
KMWM30316.012PL	30	0.012"	0.021"	PLAIN
KMWM30316.011PL	30	0.011"	0.022"	PLAIN
KMWM30316.01PL	30	0.01"	0.023"	PLAIN
KMWM30316.0095PL	30	0.0095"	0.024"	PLAIN
KMWM30316.009PL	30	0.009"	0.024"	PLAIN
KMWM30316.0085PL	30	0.0085"	0.025"	PLAIN
KMWM30316.0065PL	30	0.0065"	0.027"	PLAIN
KMWM30x150316.009PL	30 x 150	0.009" x 0.007"	0.025" x 0.05"	PLAIN
KMWM34316.0065PL	34	0.0065"	0.023"	PLAIN
KMWM35316.011PL	35	0.011"	0.018"	PLAIN
KMWM35316.01PL	35	0.01"	0.019"	PLAIN
KMWM36316.0065PL	36	0.0065"	0.021"	PLAIN
KMWM40316.011PL	40	0.011"	0.014"	PLAIN
KMWM40316.010PL	40	0.010"	0.015"	PLAIN
KMWM40316.0095PL	40	0.0095"	0.016"	PLAIN
KMWM40316.009PL	40	0.009"	0.016"	PLAIN
KMWM40316.0085PL	40	0.0085"	0.017"	PLAIN
KMWM40316.0065PL	40	0.0065"	0.019"	PLAIN
KMWM50316.009PL	50	0.009"	0.011"	PLAIN
KMWM50316.008PL	50	0.008"	0.012"	PLAIN
KMWM50316.0075PL	50	0.0075"	0.013"	PLAIN
KMWM50316.0055PL	50	0.0055"	0.015"	PLAIN
KMWM50316.0045PL	50	0.0045"	0.016"	PLAIN
KMWM50316.0012PL	50	0.0012"	0.019"	PLAIN
KMWM60316.009PL	60	0.011"	0.006"	PLAIN
KMWM60316.009PL	60	0.009"	0.008"	PLAIN
KMWM60316.0085PL	60	0.0085"	0.008"	PLAIN
KMWM60316.0075PL	60	0.0075"	0.009"	PLAIN
KMWM60316.007PL	60	0.007"	0.010"	PLAIN
KMWM60316.0065PL	60	0.0065"	0.010"	PLAIN
KMWM70316.0075PL	70	0.0075"	0.007"	PLAIN
KMWM70316.0065PL	70	0.0065"	0.008"	PLAIN
KMWM70316.0037PL	70	0.0037"	0.011"	PLAIN
KMWM80316.007PL	80	0.007"	0.006"	PLAIN
KMWM80316.0055PL	80	0.0055"	0.007"	PLAIN
KMWM80316.0037PL	80	0.0037"	0.009"	PLAIN
KMWM84316.0035PL	84	0.0035"	0.008"	PLAIN
KMWM90316.005PL	90	0.005"	0.006"	PLAIN
KMWM90316.0035PL	90	0.0035"	0.008"	PLAIN
KMWM100316.0045PL	100	0.0045"	0.0055"	PLAIN
KMWM100316.004PL	100	0.004"	0.006"	PLAIN
KMWM100316.0035PL	100	0.0035"	0.007"	PLAIN
KMWM100316.003PL	100	0.003"	0.007"	PLAIN
KMWM100316.0022PL	100	0.0022"	0.008"	PLAIN
KMWM100316.0012PL	100	0.0012"	0.009"	PLAIN
KMWM105316.003PL	105	0.003"	0.0069"	PLAIN
KMWM120316.0037PL	120	0.0037"	0.005"	PLAIN

Item number	Mesh	Wire diameter	Width of opening	Construction type
KMWM120316.0026PL	120	0.0026"	0.006"	PLAIN
KMWM135316.0023PL	135	0.0023"	0.0051"	PLAIN
KMWM150316.0026PL	150	0.0026"	0.004"	PLAIN
KMWM165316.0019PL	165	0.0019"	0.0042"	PLAIN
KMWM200316.0021PL	200	0.0021"	0.003"	PLAIN
KMWM200316.0016PL	200	0.0016"	0.003"	PLAIN
KMWM230316.0014PL	230	0.0014"	0.003"	PLAIN
KMWM250316.0016PL	250	0.0016"	0.002"	PLAIN
KMWM270316.0014PL	270	0.0014"	0.002"	PLAIN
KMWM325316.0014PL	325	0.0014"	0.002"	PLAIN
KMWM325x230316.0015PL	325 x 230	0.0015" x 0.0010"	0.002" x 0.003"	PLAIN
KMWM400316.001PL	400	0.001"	0.002"	PLAIN
KMWM500316.001PL	500	0.001"	0.001"	PLAIN
KMWM500316.00085PL	500	0.00085"	0.001"	PLAIN
KMWM635316.0008PL	635	0.0008"	0.0008"	PLAIN
KMWM4"0316.25IL	4" opening	0.250"	4.000"	INTERCRIMP/LOCK
KMWM2"x2"316.25IL	2" x 2"	0.250"	1.750"	INTERCRIMP/LOCK
KMWM2"x2"316.192IL	2" x 2"	0.192"	1.808"	INTERCRIMP/LOCK
KMWM2"x2"316.187IL	2" x 2"	0.187"	1.813"	INTERCRIMP/LOCK
KMWM2"x2"316.162IL	2" x 2"	0.162"	1.838"	INTERCRIMP/LOCK
KMWM2"x2"316.148IL	2" x 2"	0.148"	1.852"	INTERCRIMP/LOCK
KMWM2"x2"316.135IL	2" x 2"	0.135"	1.865"	INTERCRIMP/LOCK
KMWM2"x2"316.120IL	2" x 2"	0.120"	1.880"	INTERCRIMP/LOCK
KMWM2"x2"316.105IL	2" x 2"	0.105"	1.895"	INTERCRIMP/LOCK
KMWM1.5"x1.5"316.162IL	1.5" x 1.5"	0.162"	1.338"	INTERCRIMP/LOCK
KMWM1.5"x1.5"316.135IL	1.5" x 1.5"	0.135"	1.365"	INTERCRIMP/LOCK
KMWM1.5"x1.5"316.120IL	1.5" x 1.5"	0.120"	1.380"	INTERCRIMP/LOCK
KMWM1"x1"316.192IL	1" x 1"	0.192"	0.808"	INTERCRIMP/LOCK
KMWM1"x1"316.187IL	1" x 1"	0.187"	0.813"	INTERCRIMP/LOCK
KMWM1"x1"316.162IL	1" x 1"	0.162"	0.838"	INTERCRIMP/LOCK
KMWM1"x1"316.148IL	1" x 1"	0.148"	0.852"	INTERCRIMP/LOCK
KMWM1"x1"316.135IL	1" x 1"	0.135"	0.865"	INTERCRIMP/LOCK
KMWM1"x1"316.120IL	1" x 1"	0.120"	0.880"	INTERCRIMP/LOCK
KMWM1"x1"316.105IL	1" x 1"	0.105"	0.895"	INTERCRIMP/LOCK
KMWM1"x1"316.093IL	1" x 1"	0.093"	0.907"	INTERCRIMP/LOCK
KMWM3/4"0316.250IL	3/4" opening	0.250"	0.750"	INTERCRIMP/LOCK
KMWM3/4"x3/4"316.120IL	3/4"	0.120"	0.630"	INTERCRIMP/LOCK
KMWM3/4"x3/4"316.105IL	3/4"	0.105"	0.645"	INTERCRIMP/LOCK
KMWM3/4"x3/4"316.080IL	3/4"	0.080"	0.670"	INTERCRIMP/LOCK
KMWM2"x2"316.135IL	2"	0.135"	0.365"	INTERCRIMP/LOCK
KMWM2316.120IL	2	0.120"	0.380"	INTERCRIMP/LOCK
KMWM2316.105IL	2	0.105"	0.395"	INTERCRIMP/LOCK
KMWM2316.080IL	2	0.080"	0.420"	INTERCRIMP/LOCK
KMWM2316.063IL	2	0.063"	0.437"	INTERCRIMP/LOCK
KMWM3316.120IL	3	0.120"	0.213"	INTERCRIMP/LOCK
KMWM3316.105IL	3	0.105"	0.228"	INTERCRIMP/LOCK
KMWM3316.092IL	3	0.092"	0.241"	INTERCRIMP/LOCK