

# Full Stack Development Project Documentation

ServiceNow Incident Client Script and UI Policy

Team ID SWTID-2026-5003

ServiceNow Incident Management

| Team member        | Contribution                                            |
|--------------------|---------------------------------------------------------|
| Kaleeswari G       | Team Leader; Milestones 4 and 5; Milestone 6 Activity 1 |
| Devibala. A. S     | Milestones 1 to 3                                       |
| Karthika. M        | Milestone 6 Activities 2 to 4                           |
| Amirtha Varshini S | Milestone 6 Activity 5 and conclusion                   |

# 1. Introduction

Project Title: Implement Client Script and UI Policy (Incident).

Team ID: SWTID-2026-5003

| Team member        | Role / contribution                                     |
|--------------------|---------------------------------------------------------|
| Kaleeswari G       | Team Leader; Milestones 4 and 5; Milestone 6 Activity 1 |
| Devibala. A. S     | Milestones 1 to 3                                       |
| Karthika. M        | Milestone 6 Activities 2 to 4                           |
| Amirtha Varshini S | Milestone 6 Activity 5 and conclusion                   |

## 2. Project Overview

Purpose: demonstrate client-side Incident data integrity controls in ServiceNow. Features include a high-impact UI Policy, policy actions for Assignment group and Urgency, an onChange urgency script, onSubmit validation for Assigned To, and onCellEdit protection for State.

The source describes both Assignment group mandatory through the policy action and Assigned To mandatory through the submit script. Treat these as separate controls; confirm whether both are intended.

## 3. Architecture

Frontend: the ServiceNow Incident form and list interface; no React frontend is used.

Backend: ServiceNow platform services and Incident records; no custom Node.js/Express service is part of this project.

Database: the platform-managed Incident table stores records; no MongoDB schema or direct database integration is supplied.

| Client component | Configuration                                                                              |
|------------------|--------------------------------------------------------------------------------------------|
| UI Policy        | High Impact Control; table Incident; Impact is 1 - High; active; Reverse if false enabled. |
| UI Policy Action | Assignment group mandatory; Urgency read-only while condition holds.                       |
| onChange         | Runs on Impact change; sets urgency to 1 for Impact = 1.                                   |
| onSubmit         | Blocks save when Impact = 1 and assigned_to is empty.                                      |
| onCellEdit       | Rejects list edits to State using alert and callback(false).                               |

## 4. Setup Instructions

Prerequisites: access to a configured ServiceNow instance with permission to configure UI Policies and Client Scripts, and an Incident table available. No local Node.js or MongoDB installation is required.

Installation/configuration: open System UI > UI Policies and create High Impact Control on Incident; configure Impact = 1 - High and reverse-if-false; add the documented policy actions. Open System UI > Client Scripts and create the active scripts with their stated types and fields. Validate behavior in a non-production instance before promotion. Credentials are managed by the organization and are not included here.

## 5. Folder Structure

This is a platform configuration project rather than a source-code application with client/server folders. The supplied code ZIP contains milestone evidence screenshots. Configuration records reside in the ServiceNow instance; no export/update-set package was included.

## 6. Running the Application

Sign in to the authorized ServiceNow instance, open the Incident module, and create or update an Incident. Choose Impact = High to exercise the policy and onChange behavior. Submit with Assigned To blank to exercise the save guard. Test direct State edits from a list separately. No local npm start command applies.

## 7. API Documentation

No custom HTTP API endpoints are implemented or documented in the supplied project. The scripts use the ServiceNow client-side g\_form API and the onCellEdit callback contract. Platform APIs are outside this project scope.

## 8. Authentication

Authentication and authorization are provided by the ServiceNow instance. The project materials do not describe custom tokens, sessions, identity configuration, or role assignments. Use approved instance access and least-privilege configuration roles.

## 9. User Interface

Screenshots below show the UI Policy, client scripts, Incident form, and list editing behavior supplied with the project.

The screenshot shows the 'UI Policy Action - assignment\_group' configuration page in ServiceNow. The page has a dark blue header with navigation tabs: Favorites, History, Workspaces, and Admin. Below the header, there's a search bar and a user profile icon. The main content area is titled 'UI Policy Action assignment\_group' and includes a blue informational banner stating: 'UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)'. The configuration form includes several fields: 'UI policy' set to 'High Impact Control', 'Table' set to 'Incident [incident]', and '\* Field name' set to 'Assignment group'. On the right side, there are dropdown menus for 'Application' (Global), 'Mandatory' (True), 'Visible' (Leave alone), and 'Read only' (False). At the bottom right, there is a 'Clear the field value' checkbox which is currently unchecked. At the bottom left of the form, there are 'Update' and 'Delete' buttons. A help icon (?) is located at the bottom right of the form area.

*High Impact Control UI Policy.*

UI Policy Action - urgency

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policy: High Impact Control

Table: Incident [incident]

\* Field name: Urgency

Application: Global

Mandatory: True

Visible: Leave alone

Read only: True

Clear the field value: ☐

[Update](#) [Delete](#)

### Urgency UI Policy Action.

Client Script - New Record

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name: Auto set urgency for high impact

Table: Incident [incident]

UI Type: Desktop

Type: onChange

Field name: Impact

Application: Global

Active: ☒

Inherited: ☐

Global: ☒

Description:

Messages:

Script

```

1 function onChange(control, oldValue, newValue, isLoading) {
2     return;
3 }
4
5
6 if (newValue == '1') {
7     g_form.setValue('urgency', '1');
8     g_form.addInfoMessage('Urgency set to High for High impact incident.');
```

### onChange script configuration.

**servicenow** All Favorites History Workspaces Client Script - New Record

Client Script New record

disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name: Prevent save if Assigned To missing

Table: Incident [incident]

UI Type: Desktop

Type: onSubmit

Application: Global

Active: ☒

Inherited: ☐

Global: ☒

Description:

Messages:

Script

```

1 function onSubmit() {
2   if (g_form.getValue('impact') == '1' &&
3     g_form.getValue('assigned_to') == '') {
4
5     g_form.showErrorMessage(
6       'assigned_to',
7       'Assigned To is mandatory for High impact incidents.'
8     );
9     return false;
10  }
11  return true;
12 }

```

*onSubmit validation configuration.*

**servicenow** All Favorites History Workspaces Client Script - New Record

Client Script New record

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name: Prevent state change via list edit

Table: Incident [incident]

UI Type: Desktop

Type: onCellEdit

Field name: -- None --

Application: Global

Active: ☒

Inherited: ☐

Global: ☒

Description:

Messages:

Script

```

1 function onCellEdit(sysIDs, table, oldValues, newValue, callback) {
2
3   alert('State cannot be updated using list editing. Please open the Incident.');
```

```

4   callback(false);
5 }
6
7

```

*onCellEdit script configuration.*

Incident - Create INC001001

Number: INC001001

\* Caller: Adela Cervantsz

Category: Inquiry / Help

Subcategory: -- None --

Service:

Service offering:

Configuration item:

Channel: -- None --

State: New

Impact: 1 - High

Urgency: 1 - High

Priority: 1 - Critical

\* Assignment group: Software

Assigned to:

\* Short description: testing UI policy

Description:

Assigned To is mandatory for High impact incidents.

Incident form with validation evidence.

nowlearning-nlinst04737634-7mgay-0001.lab.service-now.com says  
State cannot be updated using list editing. Please open the Incident.

| Number     | Opened              | Short description                                 | Caller               | State        | Priority    | Category       | Assignment group | Assigned to | Updated             | Updated by |
|------------|---------------------|---------------------------------------------------|----------------------|--------------|-------------|----------------|------------------|-------------|---------------------|------------|
| INC0010005 | 2026-10-01 03:49:01 | testing UI policy                                 | Adela Cervantsz      | 2 - High     | In Progress | Inquiry / Help | Software         | Beth Anglin | 2026-10-01 03:59:58 | admin      |
| INC0009009 | 2018-08-30 08:06:16 | Unable to access the shared folder.               | David Miller         | 4 - Low      | In Progress | Inquiry / Help | (empty)          | (empty)     | 2026-10-01 04:01:18 | admin      |
| INC0009005 | 2018-09-01 04:35:21 | Email server is down.                             | David Miller         | 1 - Critical | New         | Software       | (empty)          | (empty)     | 2018-12-13 07:18:55 | admin      |
| INC0009004 | 2018-09-01 13:13:30 | Defect tracking tool is down.                     | David Miller         | 3 - Moderate | Closed      | Software       | (empty)          | (empty)     | 2025-12-29 10:40:51 | system     |
| INC0009003 | 2018-08-30 09:17:32 | Cannot sign into the company portal app           | David Miller         | 3 - Moderate | Closed      | Inquiry / Help | (empty)          | (empty)     | 2018-12-13 07:39:53 | admin      |
| INC0009002 | 2018-09-16 12:49:23 | My computer is not detecting the headphone device | David Miller         | 3 - Moderate | Closed      | Hardware       | (empty)          | (empty)     | 2025-12-29 10:40:50 | system     |
| INC0009001 | 2018-09-12 03:56:26 | Unable to post content on a Wiki page             | David Miller         | 3 - Moderate | New         | Inquiry / Help | (empty)          | (empty)     | 2018-12-13 07:32:42 | admin      |
| INC0008112 | 2019-07-29 18:48:43 | Assessment : ATF Assessor                         | survey user          | 5 - Planning | New         | Inquiry / Help | (empty)          | (empty)     | 2019-07-29 18:49:28 | admin      |
| INC0008111 | 2019-07-22 21:04:57 | ATF : Test1                                       | System Administrator | 5 - Planning | New         | Inquiry / Help | (empty)          | (empty)     | 2019-07-22 21:05:48 | admin      |
| INC0008110 | 2021-01-15          | ATF : Test2                                       | survey user          | 5 - Planning | New         | Inquiry / Help | (empty)          | (empty)     | 2021-01-21          | admin      |

Alert displayed during list State edit.

## 10. Testing

Test the high-impact policy and reverse condition; urgency auto-population; save prevention when Assigned To is blank for high impact; successful save with an assignee; list-edit rejection for State; and form-based State updates. Supplied screenshots provide configuration and selected interaction evidence, but a completed test log, defect register, and signed approval were not included. Do not treat undocumented test outcomes as passed.

## 11. Screenshots or Demo

Milestone screenshots are included in Section 9. No public demo URL or repository link was supplied.

## 12. Known Issues

- The source materials differ on whether Assignment group or Assigned To is the intended mandatory field. The UI Policy action and onSubmit script currently point to different fields.
- Client-side validation does not enforce the same rule for imports, API writes, or other server-side paths.
- No formal defect list, performance measurements, or release sign-off was supplied.

## 13. Future Enhancements

- Confirm business rule ownership and align mandatory behavior.
- Add server-side validation if required for all update channels.
- Create automated regression/UAT evidence and a controlled deployment package.
- Record a performance baseline and supported-browser checks.