

Summarize This - Trello Card Analysis

Giant Codex Goal Prompt

Repository: <https://github.com/Noodzakelijk-Online/007--Trello-Summarize-This->

Prepared for Sir Velhorst

Date: 2026-07-03

Core rule: no mockups, no fake integrations, no false completion.

Document Overview

Production-grade autonomous engineering prompt

Repository: <https://github.com/Noodzakelijk-Online/007--Trello-Summarize-This->

Project: Summarize This - Trello Card Analysis

Prepared for: Sir Velhorst

Date: 2026-07-03

Document purpose: Giant Codex Goal Prompt for long-running autonomous engineering execution.

Project purpose:

A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Known repository signals:

README signals: one-click Trello analysis, confidence scoring, multi-AI providers, human review, export to Markdown/PDF/JSON/Text/Clipboard, batch processing.

Likely/current stack signals:

Trello Power-Up, JavaScript/Node deployment, AI providers, Trello card buttons/settings/auth status, attachment processing, export formats.

Operating mode:

official Trello Power-Up/API only; no false accuracy claims; AI output must be evidence-grounded and editable

Critical path for this repository:

Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.

Safety focus:

Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.

External/provider surfaces to review:

Trello Power-Up/API, AI providers, attachment extractors, export services.

This prompt is intentionally strict. Codex must build working software, not merely produce documentation, mock screens, or disconnected scaffolding. Documentation is required, but documentation cannot substitute for implemented, wired, tested, deployable behavior.

Non-Negotiable Rules

False completion prevention and safety boundaries

Core rule for 007--Trello-Summarize-This-: no false completion.

1. Do not rewrite blindly. Preserve useful existing work and refactor only when it makes the product safer, clearer, or more maintainable.
2. Do not leave visible UI buttons, forms, endpoints, or worker actions that are disconnected, fake, or impossible to verify.
3. Do not claim production readiness unless code, tests, docs, deployment, security, data, and core workflow verification all support the claim.
4. Do not commit secrets, local databases, generated user data, tokens, uploads, credentials, or private runtime files.
5. If a feature is blocked by real credentials, platform policy, quota, external approval, or human account action, document the exact blocker and implement a truthful fallback where possible.
6. If a feature is merely difficult, it is not blocked. Implement it or document a justified staged plan with tests and a completion matrix.

Repository-specific non-negotiables:

1. The critical path must remain functional: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
2. The primary safety boundary must be enforced in UI, API, jobs, tests, docs, and final report: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
3. External providers must be integrated honestly: Trello Power-Up/API, AI providers, attachment extractors, export services.
4. Every action that changes external state must have idempotency, rate limits, audit logs, and a truthful user-facing status.
5. Demo, fake, mocked, fallback, local-only, or test-only behavior must be labelled and blocked from accidental production use.
6. The final response must be evidence-based: branch, starting commit, final commit, commands run, test results, docs, known limitations, blocked items, and confirmation that no secrets were committed.

Phase Index - Part 1

Use this as the implementation order, not as optional reading

This PDF contains a phased execution program. Each phase is intentionally one page so Codex can resume safely and keep work auditable. The phase sequence is:

000. Repository integrity and true starting point
001. Complete file and dependency audit
002. Product definition and user outcome contract
003. Critical path definition and smoke test
004. Architecture decision and current stack validation
005. Data model, ownership, and persistence design
006. Configuration validation and startup guards
007. Authentication model and session security
008. Authorization and resource ownership
009. API contract and error envelope
010. Frontend architecture and navigation model
011. Core workflow vertical slice
012. External provider reality review
013. Compliance and platform policy boundaries
014. No fake success and no mock production behavior
015. Storage, files, uploads, and media safety
016. Background jobs, schedulers, and workers
017. Idempotency and duplicate action prevention
018. Rate limits, cooldowns, and provider quotas
019. Audit logging and event history
020. User-facing dashboard and next-action design
021. Forms, validation, and autosave behavior
022. Search, filters, sorting, and pagination
023. Import and export workflows
024. Templates, presets, and reusable user defaults
025. AI/provider abstraction and deterministic fallback
026. Human review queue and approval gates
027. Notifications and reminders
028. Privacy controls and data deletion
029. Security headers and web security
030. Secrets management and credential rotation
031. Local development one-command experience
032. Docker and deployment readiness
033. Database migrations and rollback safety
034. CLI and doctor/self-diagnostic command
035. Observability, health, and readiness endpoints
036. Admin/operator diagnostics
037. Demo mode with explicit labelling
038. Fake provider lab for tests only
039. Test-data factories and fixtures
040. Backend test suite
041. Frontend and component test suite
042. Worker/job test suite
043. End-to-end workflow tests
044. Acceptance test matrix
045. Adversarial break-the-app tests
046. Cross-user isolation tests
047. File safety and path traversal tests
048. Provider failure simulation
049. Accessibility review
050. Responsive and browser compatibility
051. Performance baseline and indexing
052. Large dataset and pagination testing
053. Backup and restore procedures

[Content intentionally continues through the structured checklist in the following phases.]

Phase Index - Part 2

Use this as the implementation order, not as optional reading

- 055. Product analytics local-first design
- 056. SaaS readiness without forced billing
- 057. Internationalization and Dutch/English readiness
- 058. Feature flags and rollout controls
- 059. Formal state machines
- 060. Domain model specification
- 061. Data invariants and constraints
- 062. Pre-action safety review screen
- 063. Provider credential verification checklist
- 064. Threat model and security design review
- 065. Privacy impact assessment
- 066. Supply chain and dependency review
- 067. License and third-party service review
- 068. CI/CD quality gates
- 069. Release process, canary, and rollback
- 070. Operator runbook
- 071. User guide and help system
- 072. Troubleshooting guide and error catalog
- 073. UI action audit
- 074. Backend endpoint usage audit
- 075. Documentation truthfulness audit
- 076. Technical debt register
- 077. Bug hunt log
- 078. Red-team review loop one
- 079. Red-team review loop two
- 080. Red-team review loop three
- 081. Non-technical user simulation
- 082. Autonomy-first product review
- 083. Value review
- 084. Product realism review
- 085. Requirements traceability
- 086. Task graph and dependency map
- 087. Codex worklog and checkpoints
- 088. Context-loss resume safety
- 089. Progressive stabilization gates
- 090. No vanity work rule
- 091. Feature-level definition of done
- 092. Fresh-clone dry run
- 093. Manual verification evidence
- 094. Final no-excuses search
- 095. Completion matrix
- 096. Final verification report
- 097. Final response requirements
- 098. Post-completion maintenance plan
- 099. Roadmap and blocked items
- 100. Real-provider cleanup and account safety
- 101. Support/debug bundle design
- 102. Data retention and archival policy
- 103. Migration from prototype to production
- 104. Operator safety stop and emergency controls
- 105. User onboarding and first-run wizard
- 106. Role-based settings and team permissions
- 107. Quality scoring and confidence display
- 108. Human decision minimization
- 109. Exception-based workflow dashboard
- 110. Safe retries and recovery strategy
- 111. Ambiguous external action resolution

[Content intentionally continues through the structured checklist in the following phases.]

PHASE 000 - Repository integrity and true starting point

PHASE 000 - Repository integrity and true starting point

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 001 - Complete file and dependency audit

PHASE 001 - Complete file and dependency audit

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 002 - Product definition and user outcome contract

PHASE 002 - Product definition and user outcome contract

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 003 - Critical path definition and smoke test

PHASE 003 - Critical path definition and smoke test

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 004 - Architecture decision and current stack validation

PHASE 004 - Architecture decision and current stack validation

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 005 - Data model, ownership, and persistence design

PHASE 005 - Data model, ownership, and persistence design

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 006 - Configuration validation and startup guards

PHASE 006 - Configuration validation and startup guards

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 007 - Authentication model and session security

PHASE 007 - Authentication model and session security

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 008 - Authorization and resource ownership

PHASE 008 - Authorization and resource ownership

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 009 - API contract and error envelope

PHASE 009 - API contract and error envelope

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 010 - Frontend architecture and navigation model

PHASE 010 - Frontend architecture and navigation model

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 011 - Core workflow vertical slice

PHASE 011 - Core workflow vertical slice

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 012 - External provider reality review

PHASE 012 - External provider reality review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 013 - Compliance and platform policy boundaries

PHASE 013 - Compliance and platform policy boundaries

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 014 - No fake success and no mock production behavior

PHASE 014 - No fake success and no mock production behavior

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 015 - Storage, files, uploads, and media safety

PHASE 015 - Storage, files, uploads, and media safety

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 016 - Background jobs, schedulers, and workers

PHASE 016 - Background jobs, schedulers, and workers

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 017 - Idempotency and duplicate action prevention

PHASE 017 - Idempotency and duplicate action prevention

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 018 - Rate limits, cooldowns, and provider quotas

PHASE 018 - Rate limits, cooldowns, and provider quotas

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 019 - Audit logging and event history

PHASE 019 - Audit logging and event history

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 020 - User-facing dashboard and next-action design

PHASE 020 - User-facing dashboard and next-action design

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 021 - Forms, validation, and autosave behavior

PHASE 021 - Forms, validation, and autosave behavior

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 022 - Search, filters, sorting, and pagination

PHASE 022 - Search, filters, sorting, and pagination

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 023 - Import and export workflows

PHASE 023 - Import and export workflows

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 024 - Templates, presets, and reusable user defaults

PHASE 024 - Templates, presets, and reusable user defaults

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 025 - AI/provider abstraction and deterministic fallback

PHASE 025 - AI/provider abstraction and deterministic fallback

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 026 - Human review queue and approval gates

PHASE 026 - Human review queue and approval gates

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 027 - Notifications and reminders

PHASE 027 - Notifications and reminders

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 028 - Privacy controls and data deletion

PHASE 028 - Privacy controls and data deletion

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 029 - Security headers and web security

PHASE 029 - Security headers and web security

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 030 - Secrets management and credential rotation

PHASE 030 - Secrets management and credential rotation

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 031 - Local development one-command experience

PHASE 031 - Local development one-command experience

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 032 - Docker and deployment readiness

PHASE 032 - Docker and deployment readiness

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 033 - Database migrations and rollback safety

PHASE 033 - Database migrations and rollback safety

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 034 - CLI and doctor/self-diagnostic command

PHASE 034 - CLI and doctor/self-diagnostic command

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 035 - Observability, health, and readiness endpoints

PHASE 035 - Observability, health, and readiness endpoints

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 036 - Admin/operator diagnostics

PHASE 036 - Admin/operator diagnostics

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 037 - Demo mode with explicit labelling

PHASE 037 - Demo mode with explicit labelling

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 038 - Fake provider lab for tests only

PHASE 038 - Fake provider lab for tests only

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 039 - Test-data factories and fixtures

PHASE 039 - Test-data factories and fixtures

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 040 - Backend test suite

PHASE 040 - Backend test suite

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 041 - Frontend and component test suite

PHASE 041 - Frontend and component test suite

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 042 - Worker/job test suite

PHASE 042 - Worker/job test suite

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 043 - End-to-end workflow tests

PHASE 043 - End-to-end workflow tests

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 044 - Acceptance test matrix

PHASE 044 - Acceptance test matrix

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 045 - Adversarial break-the-app tests

PHASE 045 - Adversarial break-the-app tests

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 046 - Cross-user isolation tests

PHASE 046 - Cross-user isolation tests

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 047 - File safety and path traversal tests

PHASE 047 - File safety and path traversal tests

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 048 - Provider failure simulation

PHASE 048 - Provider failure simulation

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 049 - Accessibility review

PHASE 049 - Accessibility review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 050 - Responsive and browser compatibility

PHASE 050 - Responsive and browser compatibility

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 051 - Performance baseline and indexing

PHASE 051 - Performance baseline and indexing

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 052 - Large dataset and pagination testing

PHASE 052 - Large dataset and pagination testing

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 053 - Backup and restore procedures

PHASE 053 - Backup and restore procedures

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 054 - Data reconciliation and repair commands

PHASE 054 - Data reconciliation and repair commands

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 055 - Product analytics local-first design

PHASE 055 - Product analytics local-first design

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 056 - SaaS readiness without forced billing

PHASE 056 - SaaS readiness without forced billing

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 057 - Internationalization and Dutch/English readiness

PHASE 057 - Internationalization and Dutch/English readiness

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 058 - Feature flags and rollout controls

PHASE 058 - Feature flags and rollout controls

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 059 - Formal state machines

PHASE 059 - Formal state machines

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 060 - Domain model specification

PHASE 060 - Domain model specification

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 061 - Data invariants and constraints

PHASE 061 - Data invariants and constraints

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 062 - Pre-action safety review screen

PHASE 062 - Pre-action safety review screen

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 063 - Provider credential verification checklist

PHASE 063 - Provider credential verification checklist

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 064 - Threat model and security design review

PHASE 064 - Threat model and security design review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 065 - Privacy impact assessment

PHASE 065 - Privacy impact assessment

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 066 - Supply chain and dependency review

PHASE 066 - Supply chain and dependency review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 067 - License and third-party service review

PHASE 067 - License and third-party service review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 068 - CI/CD quality gates

PHASE 068 - CI/CD quality gates

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 069 - Release process, canary, and rollback

PHASE 069 - Release process, canary, and rollback

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 070 - Operator runbook

PHASE 070 - Operator runbook

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 071 - User guide and help system

PHASE 071 - User guide and help system

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 072 - Troubleshooting guide and error catalog

PHASE 072 - Troubleshooting guide and error catalog

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 073 - UI action audit

PHASE 073 - UI action audit

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 074 - Backend endpoint usage audit

PHASE 074 - Backend endpoint usage audit

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 075 - Documentation truthfulness audit

PHASE 075 - Documentation truthfulness audit

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 076 - Technical debt register

PHASE 076 - Technical debt register

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 077 - Bug hunt log

PHASE 077 - Bug hunt log

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 078 - Red-team review loop one

PHASE 078 - Red-team review loop one

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 079 - Red-team review loop two

PHASE 079 - Red-team review loop two

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 080 - Red-team review loop three

PHASE 080 - Red-team review loop three

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 081 - Non-technical user simulation

PHASE 081 - Non-technical user simulation

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 082 - Autonomy-first product review

PHASE 082 - Autonomy-first product review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 083 - Value review

PHASE 083 - Value review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 084 - Product realism review

PHASE 084 - Product realism review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 085 - Requirements traceability

PHASE 085 - Requirements traceability

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 086 - Task graph and dependency map

PHASE 086 - Task graph and dependency map

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 087 - Codex worklog and checkpoints

PHASE 087 - Codex worklog and checkpoints

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 088 - Context-loss resume safety

PHASE 088 - Context-loss resume safety

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 089 - Progressive stabilization gates

PHASE 089 - Progressive stabilization gates

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 090 - No vanity work rule

PHASE 090 - No vanity work rule

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 091 - Feature-level definition of done

PHASE 091 - Feature-level definition of done

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 092 - Fresh-clone dry run

PHASE 092 - Fresh-clone dry run

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 093 - Manual verification evidence

PHASE 093 - Manual verification evidence

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 094 - Final no-excuses search

PHASE 094 - Final no-excuses search

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 095 - Completion matrix

PHASE 095 - Completion matrix

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 096 - Final verification report

PHASE 096 - Final verification report

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 097 - Final response requirements

PHASE 097 - Final response requirements

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 098 - Post-completion maintenance plan

PHASE 098 - Post-completion maintenance plan

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 099 - Roadmap and blocked items

PHASE 099 - Roadmap and blocked items

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 100 - Real-provider cleanup and account safety

PHASE 100 - Real-provider cleanup and account safety

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 101 - Support/debug bundle design

PHASE 101 - Support/debug bundle design

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 102 - Data retention and archival policy

PHASE 102 - Data retention and archival policy

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 103 - Migration from prototype to production

PHASE 103 - Migration from prototype to production

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 104 - Operator safety stop and emergency controls

PHASE 104 - Operator safety stop and emergency controls

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 105 - User onboarding and first-run wizard

PHASE 105 - User onboarding and first-run wizard

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 106 - Role-based settings and team permissions

PHASE 106 - Role-based settings and team permissions

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 107 - Quality scoring and confidence display

PHASE 107 - Quality scoring and confidence display

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category `trello_ai`:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 108 - Human decision minimization

PHASE 108 - Human decision minimization

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 109 - Exception-based workflow dashboard

PHASE 109 - Exception-based workflow dashboard

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 110 - Safe retries and recovery strategy

PHASE 110 - Safe retries and recovery strategy

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 111 - Ambiguous external action resolution

PHASE 111 - Ambiguous external action resolution

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Add automated tests where feasible. If automation is not feasible, add exact manual verification steps with expected and actual results.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 112 - Versioning and changelog discipline

PHASE 112 - Versioning and changelog discipline

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Every user-owned record must have an owner/workspace boundary, authorization check, audit event, and deletion/export path where appropriate.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 113 - Regression baseline

PHASE 113 - Regression baseline

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. The UI must explain what happened, what the user can do next, whether retry is safe, and whether external/human action remains.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 114 - Maintenance and refactoring review

PHASE 114 - Maintenance and refactoring review

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Production configuration must fail safe. Development/demo/test modes must be visibly labelled and impossible to confuse with real production behavior.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

PHASE 115 - Final human-operator readiness test

PHASE 115 - Final human-operator readiness test

Goal for this repo:

Apply this phase directly to Summarize This - Trello Card Analysis (007--Trello-Summarize-This-). The phase must advance the real product purpose: A Trello Power-Up that adds AI-powered card summarization, confidence scoring, error detection, batch analysis, export, and human review for Trello boards.

Required Codex behavior:

- Inspect the actual repository state before changing files. Record branch, commit, default branch, untracked files, current docs, tests, CI, build system, and hidden generated/runtime files.
- Preserve working functionality and avoid blind rewrites. If existing code is useful, keep it and harden it. If the repo is empty/minimal, scaffold deliberately and document the choice.
- Implement changes in code, configuration, migrations, UI, worker, storage, tests, and docs where relevant. Do not create an isolated document-only result.
- Ensure the critical path remains protected: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
- Enforce the safety boundary: Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.
- Add or update verification evidence for this phase. Create or update docs that prove the work: audit, critical path, acceptance tests, final verification, and completion matrix.

Deliverables for this phase:

1. Code changes or documented proof that no code change is needed.
2. Tests or manual acceptance steps with expected and actual results.
3. Documentation updates in docs/ where this phase affects operations, security, providers, or user behavior.
4. Completion matrix entry using Implemented, Partial, Missing, Blocked, or Not applicable.
5. Worklog/checkpoint entry explaining what changed and what remains.

Definition of done:

This phase is complete only when 007--Trello-Summarize-This- has real, reachable, authenticated/authorized behavior where applicable; no fake provider is presented as production; all user-facing actions are wired or hidden; and the final verification report can cite evidence for the result.

Special attention for category trello_ai:

External integrations must be treated as real operational boundaries, not placeholders. Provider credentials, account approvals, quota limits, and policy constraints must be documented. When a provider cannot be automated safely, build an assisted workflow that prepares everything, tells the user what remains manual, tracks status, and never pretends the manual step happened automatically.

Final Response Requirements

Required structure for Codex after the implementation run

Final response after implementation for 007--Trello-Summarize-This- must include all of the following, without exaggeration:

1. Branch name.
2. Starting commit.
3. Final commit.
4. Whether the default branch matched the expected working branch.
5. Major changes implemented.
6. Backend/API changes.
7. Frontend/UI changes.
8. Database migrations and data model changes.
9. Worker/scheduler/job changes.
10. Storage/upload/file changes.
11. Security/auth/authorization changes.
12. Provider/integration changes.
13. Assisted/manual workflow changes where provider automation is not compliant.
14. Tests added or updated.
15. Commands run.
16. Test/build/lint results.
17. Docker/deployment results.
18. Documentation added or updated.
19. Known limitations.
20. Blocked items and exact external blockers.
21. Required real credentials or account approvals.
22. Mock/demo/test-only behavior.
23. Compliance warnings and operational caveats.
24. How to run locally.
25. How to run migrations.
26. How to run workers/schedulers if any.
27. How to run tests.
28. How to verify the critical path: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.
29. Confirmation no secrets/runtime data/uploads/local databases were committed.
30. Confirmation changes were committed and pushed, or exact reason they were not.

Do not end with a confident completion claim unless the repository has survived audit, core workflow verification, tests, docs, UI action audit, API usage audit, security review, final no-excuses search, completion matrix, and final verification report.

Appendix - Operational Starter Pack

Commands and repo documents Codex must adapt after inspection

Appendix - Codex command starter pack for 007--Trello-Summarize-This-

Codex must adapt these commands after inspecting the repository. These are not assumptions; they are a starting checklist.

Repository discovery:

- git status --short
- git branch --all
- git log --oneline --decorate -n 20
- find . -maxdepth 3 -type f | sort | sed -n '1,240p'
- grep -RniE "TODO|FIXME|HACK|mock|fake|placeholder|not implemented|coming soon|unsafe|password|secret|token|console.log|print(\" . || true

Stack detection:

- Check package.json, pnpm-lock.yaml, package-lock.json, pyproject.toml, requirements.txt, go.mod, Dockerfile, docker-compose*.yaml, Makefile, appscript.json, alembic.ini, migrations, .github/workflows.
- Identify source roots, frontend roots, backend roots, worker roots, migrations, tests, generated files, docs, and runtime directories.

Generic verification:

- Install dependencies using the repository's actual lockfile and documented commands.
- Run lint, typecheck, tests, build, migration checks, and Docker config/build checks where applicable.
- Start the app/API/worker locally and verify health/readiness.
- Execute a critical-path smoke test for: Trello card selected -> context fetched -> attachments/comments/checklists parsed -> AI/deterministic summary generated -> confidence/evidence shown -> user edits/exports -> feedback captured -> audit stored.

Repository-specific caution:

Do not claim 99.9% accuracy without measured evidence. AI summaries must separate facts, inferences, uncertainty, and unsupported claims.

Final artifact requirements inside the repo:

- docs/TECHNICAL_AUDIT.md
- docs/CRITICAL_PATH.md
- docs/ACCEPTANCE_TESTS.md
- docs/GOAL_COMPLETION_MATRIX.md
- docs/FINAL_VERIFICATION_REPORT.md
- docs/UI_ACTION_AUDIT.md where UI exists
- docs/API_USAGE_AUDIT.md where APIs exist
- docs/SECURITY.md
- docs/OPERATOR_RUNBOOK.md
- docs/CODEX_WORKLOG.md
- docs/CODEX_CHECKPOINTS.md
- docs/TASK_GRAPH.md

Final Completion Rule

No false completion

The final product for 007--Trello-Summarize-This- must not be a prototype unless the completion matrix honestly says it is still partial. A feature counts as complete only when it is implemented, wired, reachable, authorized, tested, documented, verified, and honest about limits.

The repository must end with working software over documents. The documentation must describe the actual product, not a desired future that the code does not support.

Before any final approval, Codex must rerun the final no-excuses search, update the completion matrix, update the final verification report, run the critical path smoke test, and verify that no secrets, local databases, uploaded media, or runtime files are committed.

False approval is worse than an honest partial result. If anything is missing, blocked, or partial, say so and give exact next actions.