

**Visoka škola strukovnih studija za
informacione i
komunikacione tehnologije**



DOKUMENTACIJA

Student: Nikola Kalinčević

Broj Indeksa: 40/16

Modul: Web programiranje

Predmet: Web programiranje PHP2

Sadržaj

1 Uvod	6
1.1 Korišćeni programski jezici	6
1.2 Opis funkcionalnosti	7
1.3 Korišćeni template	9
2 Organizacija	12
2.1 Slike stranica I funkcionalnosti	12
2.2 Index.php	12
2.3 Menu.php	13
2.4 Specialities.php	15
2.5 Reservations.php	17
2.6 Blog.php	18
2.7 About.php	19
2.8 Register.php	21
2.9 Contact.php	22
2.10 Login.php	23
2.11 Admin.php (Admin Panel)	24
3 Kodovi	29
3.1 PHP kodovi	29

3.1.1 index.php	29
3.1.2 Admin.php	33
3.1.3 updateAnk.php	144
3.1.4 updateLink.php	148
3.1.5 updateObrok.php	153
3.1.6 updateRez.php	158
3.1.7 updateSpec.php	167
3.1.8 updateUser.php	173
3.2 Views	180
3.2.1 about.php	181
3.2.2 author.php	190
3.2.3 blog.php	191
3.2.4 contact.php	197
3.2.5 footer.php	201
3.2.6 head.php	208
3.2.7 login.php	210
3.2.8 menu.php	213
3.2.9 nav.php	225
3.2.10 news.php	229

3.2.11 photos.php	237
3.2.12 pocetna.php.....	241
3.2.13 register.php	243
3.2.14 reservations.php.....	247
3.2.15 slider.php	252
3.2.16 specialities.php	255
3.3 Modules	258
3.3.1 anketa.php.....	258
3.3.2 deleteDesert.php.....	261
3.3.3 deleteJelo.php	265
3.3.4 deleteKom.php	269
3.3.5 deleteLink.php	272
3.3.6 deleteNews.php.....	276
3.3.7 deleteObrok.php	279
3.3.8 deleteOdg.php.....	282
3.3.9 deleteOsoblje.php	285
3.3.10 deletePice.php.....	288
3.3.11 deleteQue.php.....	292
3.3.12 deleteRez.php.....	295

3.3.13 deleteSpec.php	298
3.3.14 deleteUser.php	301
3.3.15 editAnk.php	304
3.3.16 edited.php	307
3.3.17 editLink.php	314
3.3.18 editNews.php	317
3.3.19 editObrok.php	322
3.3.20 editRez.php.....	325
3.3.21 editSpec.php.....	331
3.3.22 insertAnswer.php	336
3.3.23 insertDessert.php	339
3.3.24 insertDish.php	347
3.3.25 insertDrink.php.....	355
3.3.26 insertKom.php	363
3.3.27 insertLink.php	367
3.3.28 insertMeal.php	371
3.3.29 insertNews.php.....	374
3.3.30 insertPoll.php	380
3.3.31 insertSpec.php.....	383

3.3.32 insertStaff.php	388
3.3.33 insertUser.php	393
3.3.34 konekcija.php	399
3.3.35 kontakt.php	401
3.3.36 login.php(serverska stranica)	407
3.3.37 logout.php	413
3.3.38 register.php	414
3.3.39 registerRez.php.....	423
3.3.40 verifikacijaEmail.php.....	428
3.4 JavaScript kodovi	432
3.4.1 script.js	432
3.4.2 deleteParam.js.....	505
3.5 CSS kodovi.....	526
4 Dizajn baze podataka	526

1 Uvod

1.1 Korišćeni programski jezici

Za izradu sajta korišćene su sledeće tehnologije: HTML,CSS,JavaScript,AJAX,Jquery,MySql,PHP. Za stilizovaniji prikaz slika na pojedinim stranicama korišćena je Jquery biblioteka **Lightbox**. Kompletan sajt je urađen u okruženju “**PHPStorm**”.

1.2 Opis funkcionalnosti

Sajt ima sledeće funkcionalnosti:

Dinamički meni- svi linkovi se ispisuju dinamički iz baze podataka iz tabele linkovi, I u zavisnosti od uloge korisnika, prikazuju se samo određeni linkovi.

Logovanje – korisnik mora proći proces registracije da bi mogao da se uloguje na sajt. Ako su podaci ispravno uneti I ako je aktivan korisnik, tek onda može da se uloguje na sajt...

Registracija – Korisniku se prikazuje formular u koji unosi lične podatke koji se unose u bazu podataka u tabelu korisnik ako su zadovoljeni određeni kriterijumi.

Back-to-top dugme- ovo dugme je urađeno preko JS-a i omogućava korisniku da se klikom na njega vrati na vrh stranice.


Admin panel- na ovoj stranici je omogućeno upravljanje kompletnim dinamičkim sadržajem na sajtu. Ova stranica je dostupna samo administratoru. Na admin panelu je primenjena **paginacija** za listanje kompletnog dinamičkog sadržaja. Takođe, **paginacija** se nalazi i na stranici gde su ispisane vesti.


Anketa- na sajtu postoje 2 ankete i na svaku od njih je moguće glasati samo po jednom. Pored anketa se

prikazuju rezultati glasanja. Kroz admin panel je moguće dodati više anketa I odgovora na iste.

Ne postoji posebna stranica za galeriju, ali se umesto galerije na određenim stranicama ispisuju dinamički slike iz baze podataka. Takođe, u footer-u sajta se nalaze linkovi koji vode do dokumentacije I stranice o autoru sajta. Na stranici za meni restorana, mora se klikom na linkove otkriti sadržaj koji se krije iza tih linkova. Samo ulogovani korisnici mogu videti dodatne stranice koje sajt pruža. Na stranici kontakt može se poslati email administratoru sajta u vezi nekih primedbi I sugestija.

1.3 Korišćeni template






-Za sajt je kao ideja korišćen ovaj template, koji je izmenjen za potrebe mog sajta. Takođe, CSS kod je izmenjen za potrebe sajta.

2 Organizacija


2.1 Slike stranica I funkcionalnosti


2.2 Index.php



-Stranica sa osnovnim informacijama o restoranu Tasty. U footer-u na svakoj stranici se nalazi back-to-top dugme koje služi za povratak na vrh stranice.


2.3 Menu.php





-Stranica na kojoj se nalazi meni restorana. Klikom na linkove prikazuju se delovi vezani za doručak, desert I pića koja nudi restoran.

2.4 Specialities.php



Our Specialities

Beef Steak

A beef steak is a flat cut of beef, with parallel fibres spaced to a thickness of 1 to 3 cm, with a raw mass in common restaurant service ranging from 4 to 20 ounces. Beef steaks are usually grilled, pan-fried, or broiled.

PRICE: 125




Chop suey

Chop suey is a dish in American Chinese cuisine and other forms of overseas Chinese cuisine, consisting of meat and eggs, cooked quickly with vegetables such as bean sprouts, cabbage, and celery and bound in a starch-thickened sauce. It is typically served with rice.


PRICE: 75






-Stranica koja prikazuje specijalitete koje nudi restoran. Na njoj se nalazi ime, slika, opis i cena specijaliteta.

2.5 Reservations.php



Reserve a table



Name

Email

Date

Time

Guests

INSTAGRAM PHOTOS



Tasty

Follow us on Social Networks



Opening Hours

Monday: 12:00 AM - 11:30 PM
Tuesday: 12:00 AM - 11:30 PM
Wednesday: 12:00 AM - 11:30 PM
Thursday: 12:00 AM - 11:30 PM
Friday: 12:00 AM - 11:30 PM
Saturday: 12:00 AM - 11:30 PM
Sunday: 12:00 AM - 11:30 PM

Contact Information

188 West 218th Street, Suite 721
New York, NY 10038
+ 1 212 235 388

Useful Links


Author
Documentation



Copyright ©2019 Inkuba Kulobeni. All rights reserved | This template is made with ♥ by Colorlib

-Stranica na kojoj ulogovani korisnik može rezervisati sto u restoranu, ako unese dobre podatke,tj. Ako dobro popuni polja forme.

2.6 Blog.php



-Stranica na kojoj su paginacijom izlistane vesti o restoranu koje može da unosi samo administrator sajta. Klikom na neku od vesti, na posebnoj stranici se može komentarisati ta vest I videti ko je pre toga komentarisao istu tu vest.

2.7 About.php



Our Staff

Thomas Smith
Head Chef




Francis Gibson
Assistant Chef




Angelo Maestro
Assistant Chef





-Stranica na kojoj se nalazi opis osoblja koje radi u restoranu, kao i 2 ankete na koje se može glasati samo po jednom. Pored anketa, u formi tabele su prikazani rezultati glasanja.

2.8 Register.php



Registration Form

First Name

Name is not correct! Try again!

Last Name

Surname is not correct! Try again!

Email

Email is not correct! Try again!

Username

Username is not correct! Try again!

Password

Password is not correct! Try again!

INSTAGRAM PHOTOS



Tasty

Follow us on Social Networks



Opening Hours

Monday: 12:00 AM - 11:30 PM
Tuesday: 12:00 AM - 11:30 PM
Wednesday: 12:00 AM - 11:30 PM
Thursday: 12:00 AM - 11:30 PM
Friday: 12:00 AM - 11:30 PM
Saturday: 12:00 AM - 11:30 PM
Sunday: 12:00 AM - 11:30 PM

Contact Information

198 West 21st Street, Suite 721
New York NY 10016
+ 1 212 238 98

Useful Links


Author
Documentation



Copyright ©2019 Nikita Kalchev. All rights reserved | This template is made with ❤️ by Colorlib

-Stranica koja omogućava registraciju na sajt. Ako se uspešno prođe process registracije, korisnik se upisuje u bazu podataka I može da se uloguje na sajt.

2.9 Contact.php



-Stranica na kojoj se može poslati email administrator sajta za slučaj nekih primedbi i sugestija.

2.10 Login.php

The screenshot displays the homepage of 'Tasty Restaurant'. The header features a navigation menu with links: Tasty Restaurant, Home, Menu, Specialities, Reservations, Blog, About, Register, Contact, and Logout. The main banner area has a dark background with images of fruit bowls and the text 'Book a table for yourself at a time convenient for you'. Below the banner is a 'Login Form' with fields for 'Email' and 'Password', and a 'Log in' button. A section titled 'INSTAGRAM PHOTOS' shows a row of five food images. The footer contains four columns: 'Tasty' with social media links, 'Opening Hours' with a table of daily schedules, 'Contact Information' with address and phone details, and 'Useful Links' with 'Author' and 'Documentation' links. A copyright notice is at the bottom.

Tasty Restaurant

Home Menu Specialities Reservations Blog About Register Contact Logout

Book a table for yourself at a time convenient for you

Login Form

Email

Password

Log in

INSTAGRAM PHOTOS

Tasty

Follow us on Social Networks

Twitter Facebook Instagram

Opening Hours

Monday	12:00 AM - 12:00 PM
Tuesday	12:00 AM - 12:00 PM
Wednesday	12:00 AM - 12:00 PM
Thursday	12:00 AM - 12:00 PM
Friday	12:00 AM - 12:00 PM
Saturday	12:00 AM - 12:00 PM
Sunday	12:00 AM - 12:00 PM

Contact Information

100 West 20th Street, Suite 721
New York NY 10011
+ 1 212 233 3636

Useful Links


Author

Documentation

Copyright ©2012-2016 Tasty Restaurant. All rights reserved. This template is made with by Tasty.

-Stranica na kojoj korisnik može da se uloguje na sajt, ako je pre toga prošao proces registracije.

2.11 Admin.php (Admin Panel)



Admin Panel

Upravljanje korisnicima

Id korisnika	Ime	Prezime	Email	Lozinka	Aktivan	Datum registracije	Id uloge	Korisnicko ime	Token		
1275	Nikola	Kalincevic	kalincevicnikola@gmail.com	79d4b4306b05ae785e12817466ef806a	1	2018-06-10 20:53:06	1	kalina	2e24b3fcbdb4e92d6ee93a3bfb4ec5b5eca0dce9	Izmeni	Obrisi
1459	Nevena	Kalincevic	nevenakalincevic@gmail.com	9a3e89a70d2ace9c683ddd03fbac89c7	0	2019-01-20 18:37:43	2	nevenica	2157b25d8cff381d3babec36a27b3fba2abd45b0	Izmeni	Obrisi

Upravljanje rezervacijama

Id rezervacije	Ime	Email	Datum	Vreme	Broj gostiju		
232	Sada	sad@gmail.com	2/28/2019	12:30am	4	Izmeni	Obrisi
233	Novo	novo@gmail.com	2/3/2019	12:30am	4	Izmeni	Obrisi

1 2 3 4 5

Upravljanje linkovima

Id linka	Ime linka	Putanja linka	Roditelj		
1	Home	index.php?page=home	0	Izmeni	Obrisi
2	Menu	index.php?page=menu	0	Izmeni	Obrisi

1 2 3 4

Upravljanje obrocima

Id obroka	Naziv obroka		
1	Breakfast	Izmeni	Obrisi
2	Dessert	Izmeni	Obrisi



1 2

Upravljanje osobljem

Id osoblja	Slika	Zanimanje	Ime i prezime	Id restorana	
1		Head Chef	Thomas Smith	1	Obriši
2		Assistant Chef	Francis Gibson	1	Obriši



1 2 3 4

Upravljanje specijalitetima

Id specijaliteta	Naziv	Opis	Slika	Cena	Id restorana		
1	Beef Steak	A beef steak is a flat cut of beef, with parallel faces spaced to a thickness of 1 to 5 cm, with a raw mass in common restaurant service ranging from 4 to 20 ounces. Beef steaks are usually grilled, pan-fried, or broiled.		12	1	Izmeni	Obriši
2	Chop suey	Chop suey is a dish in American Chinese cuisine and other forms of overseas Chinese cuisine, consisting of meat and eggs, cooked quickly with vegetables such as bean sprouts, cabbage, and celery and bound in a starch-thickened sauce. It is typically serves with rice.		7	1	Izmeni	Obriši

1 2 3 4 5

Upravljanje vestima

Id vesti	Slika	Datum objave	Naslov	Tekst	Id restorana		
1		2019-01-28	New Assistant Chef	He is Bill McCartney and he will become our new assistant chef for a few days...	1	Izmeni	Obriši
2		2019-01-31	New dish soon	This is a delicious grill and our new dish soon. Big surprise for all our customers.	1	Izmeni	Obriši

1 2 3 4

Upravljanje komentarima

Id komentara	Ime korisnika	Komentar	Id vesti	
175	Nevena	Dobar kuvar...	1	Obrisi
176	Nevena	Bas lepo...	3	Obrisi

1 2 3 4 5 6 7 8 9 10

Upravljanje anketom

Id ankete	Pitanje		
1	Rate our site	Izmeni	Obrisi
4	Favourite part of our menu	Izmeni	Obrisi

1

Upravljanje odgovorima iz ankete(a)

Id odgovora	Odgovor	Id ankete	Broj glasova	
1	Awesome	1	4	Obrisi
2	Good	1	5	Obrisi

1 2 3 4

Upravljanje jelima

Id jela	Naziv jela	Slika	Id obroka	Id cene jela	
1	Grilled Beef With Potatoes		1	2	Obrisi
2	Savory Watercress Chinese Pancakes		1	3	Obrisi

1 2 3 4 5

Upravljanje desertima

Id deserta	Naziv deserta	Slika	Id obroka	Id cene deserta	
1	Fruit Cake		2	3	Obrisi
2	Strawberry Pancakes		2	2	Obrisi

1 2 3 4 5

Upravljanje picima

Id pica	Naziv pica	Slika	Id obroka	Id cene pica	
1	Lemon Juice		3	4	Obrisi
2	Beer		3	5	Obrisi

1 2 3 4 5 6

-Stranica na kojoj administrator upravlja celokupnim dinamičkim sadržajem. Na njoj se ispod svake tabele nalazi paginacija.

3 Kodovi

3.1 PHP kodovi

3.1.1 index.php

```
<?php
session_start();

$page = "";

if(isset($_GET['page'])){
    $page = $_GET['page'];
}

include "views/head.php";
```

```
include "views/nav.php";  
include "views/slider.php";  
switch ($page) {  
    case "home":  
        include "views/pocetna.php";  
        break;  
    case "login":  
        include "views/login.php";  
        break;  
    case "register":  
        include "views/register.php";  
        break;  
    case "autor":  
        include "views/author.php";  
        break;  
  
    case "menu":
```

```
include "views/menu.php";
```

```
break;
```

```
case "specialities":
```

```
    include "views/specialities.php";
```

```
    break;
```

```
case "about":
```

```
    include "views/about.php";
```

```
    break;
```

```
case "news":
```

```
    include "views/news.php";
```

```
    break;
```

```
case "contact":
```

```
    include "views/contact.php";
```

```
    break;
```

```
case "reservations":
```

```
    include "views/reservations.php";
```

```
    break;
```

```
case "blog":
```

```
    include "views/blog.php";
```

```
    break;
```

```
default:
```

```
    include "views/pocetna.php";
```

```
    break;
```

```
}
```



```
include "views/photos.php";
```

```
include "views/footer.php";
```

3.1.2 Admin.php

```
<?php
```

```
session_start();
```

```
include "modules/konekcija.php";
```

```
include "views/head.php";
```

```
include "views/nav.php";
```

```
include "views/slider.php";
```

```
if(isset($_SESSION['korisnik'])):
```

```
    if($_SESSION['korisnik']->naziv == "admin"):?>
```

```
<h1 class="naslov22">Admin Panel</h1>
```

```
<h3 class="naslov228">Upravljanje korisnicima</h3>
```

```
<table id="dataTable">
  <thead>
    <tr>
      <td>Id korisnika</td>
      <td>Ime</td>
      <td>Prezime</td>
      <td>Email</td>
      <td>Lozinka</td>
      <td>Aktivan</td>
      <td>Datum registracije</td>
      <td>Id uloge</td>
      <td>Korisnicko ime</td>
      <td>Token</td>

    </tr>
```

</thead>

<?php

\$upit="select COUNT(*) as br from korisnik;";

\$obj=\$konekcija->query(\$upit)->fetch();

\$poStrani=2;

\$links=ceil(\$obj->br/\$poStrani);

\$page=isset(\$_GET['page'])? \$_GET['page']:1;

\$odakle=\$poStrani*(\$page-1);

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from korisnik LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>\" . $red-  
>id.\"</td><td>\" . $red->ime.\"</td><td>\" . $red-  
>prezime.\"</td><td>\" . $red->email.\"</td><td>\" . $red-  
>lozinka.\"</td><td>\" . $red->aktivan.\"</td><td>\" . $red-  
>datum_registracije.\"</td><td>\" . $red-  
>uloga_id.\"</td><td>\" . $red-  
>korisnicko_ime.\"</td><td>\" . $red-
```

```
>token."</td><td><button class='btn btn-primary'><a  
href='updateUser.php?id=".$red->id."'  
class='btneu'>Izmeni</a></button>."</td><td><button  
data-id='".$red->id."'  
class='btnuser'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```
<div class="row mt-5">

  <div class="col text-center">

    <div class="block-27">

      <ul>

        <?php for($i=0;$i<$links;$i++):?>

          <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>

        <?php endfor;?>

      </ul>

    </div>

  </div>

</div>
```

```

<section class="site-section">
  <div class="container1">
    <div class="row">
      <div class="col-md-6">
        <h2 id="naslov" class="mb-5">Insert
User</h2>
        <form>
          <div class="row">
            <div class="col-md-12 form-group">
              <label for="name">First
Name</label>
              <input type="text"
name="firstName" id="ime" class="form-control ">
            </div>
            <p id="error1"></p>
          </div>
          <div class="row">

```

```

        <div class="col-md-12 form-group">
            <label for="phone">Last
Name</label>
            <input type="text" name="lastName"
id="prezime" class="form-control ">
        </div>
        <p id="error2"></p>
    </div>
    <div class="row">
        <div class="col-md-12 form-group">
            <label for="email">Email</label>
            <input type="email" name="email"
id="email" class="form-control ">
        </div>
        <p id="errorMail"></p>
    </div>

    <div class="row">

```



```

        <div class="col-md-12 form-group">
            <label for="user">Username</label>
            <input type="text"
name="username" id="username" class="form-control ">
        </div>
        <p id="erorUser"></p>
    </div>

```

```

<div class="row">
    <div class="col-md-12 form-group">
        <label
for="password">Password</label>
        <input type="password"
name="password" id="password" class="form-control ">
    </div>
    <p id="erorS"></p>
</div>
<div class="row">

```

```

        <div class="col-md-6 form-group">
            <button type="button"
onclick="provera();" value="Register" id="dugme"
class="btn btn-primary">Insert</button>

        </div>

    </div>

</form>

    <div id="poruka1"></div>

</div>

<div class="col-md-1"></div>

</div>

</div>

</section>

<!-- END section -->

```

```
<h3 class="naslov228">Upravljanje  
rezervacijama</h3><br>
```

```
<table id="dataTable">  
  <thead>  
    <tr>  
      <td>Id rezervacije</td>  
      <td>Ime</td>  
      <td>Email</td>  
      <td>Datum</td>  
      <td>Vreme</td>  
      <td>Broj gostiju</td>
```

</tr>

</thead>

<?php

```
$upit="select COUNT(*) as br from  
rezervacija_stola;;
```

```
$obj=$konekcija->query($upit)->fetch();
```

```
$poStrani=2;
```

```
$links=ceil($obj->br/$poStrani);
```

```
$page=isset($_GET['page'])? $_GET['page']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from rezervacija_stola LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>". $red->idRez."  
</td><td>". $red->ime."  
</td><td>". $red->email."  
</td><td>". $red->datum."  
</td><td>". $red->brGostiju."  
</td><td><button
```

```
class='btn btn-primary'><a  
href='updateRez.php?id=".$red->idRez ."  
class='btneu'>Izmeni</a></button>". "</td><td><button  
data-id='".$red->idRez ."  
class='rezBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```

<div class="row mt-5">
  <div class="col text-center">
    <div class="block-27">
      <ul>
        <?php for($i=0;$i<$links;$i++):?>
          <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
        <?php endfor;?>
      </ul>
    </div>
  </div>
</div>
</div>

```

```

<section class="ftco-section">
  <div class="container">
    <div class="row no-gutters justify-content-center mb-5 pb-5">
      <div class="col-md-7 text-center heading-section ftco-animate">
        <h2 id="pomerr">Insert Reservation</h2>
      </div>
    </div>
    <div class="row d-flex">
      <div class="col-md-4 ftco-animate img"
style="background-image: url(images/bg_1.jpg);"></div>
      <div class="col-md-8 ftco-animate
makesreservation p-5 bg-light">
        <form action="#">

```



```

<div class="row">
  <div class="col-md-6">
    <div class="form-group">
      <label for="">Name</label>
      <input type="text" id="ime1"
class="form-control" placeholder="Your Name">
    </div>
    <p id="error1"></p>
  </div>
  <div class="col-md-6">
    <div class="form-group">
      <label for="">Email</label>
      <input type="email" id="mail"
class="form-control" placeholder="Your Email">
    </div>
    <p id="errorMail"></p>
  </div>

```

```
<div class="col-md-6">
    <div class="form-group">
        <label for="">Date</label>
        <input type="text" class="form-
control" id="book_date" placeholder="Date">
    </div>
    <p id="errorD"></p>
</div>
<div class="col-md-6">
    <div class="form-group">
        <label for="">Time</label>
        <input type="text" class="form-
control" id="book_time" placeholder="Time">
    </div>
    <p id="errorV"></p>
</div>
```

```
<div class="col-md-6">
  <div class="form-group">
    <label for="">Guests</label>
    <div class="select-wrap one-
third">
      <div class="icon"><span
class="ion-ios-arrow-down"></span></div>
      <select name="gosti" id="gosti"
class="form-control">
        <option
value="0">Choose</option>
        <option value="1">1</option>
        <option value="2">2</option>
        <option value="3">3</option>
        <option value="4">4</option>
      </select>
    </div>
  </div>
</div>
```

```

        <p id="errorGS"></p>
    </div>
    <div class="col-md-12 mt-3">
        <div class="form-group">
            <button type="button" id="but"
value="Make a Reservation" class="btn btn-primary py-3
px-5">Insert</button>
        </div>
    </div>
</div>
</form>
<div id="poruka4"></div>
</div>
</div>
</div>
</section>

```

```
<h3 class="naslov228">Upravljanje linkovima</h3>
```

```
<table id="dataTable">
```

```
  <thead>
```

```
    <tr>
```

```
      <td>Id linka</td>
```

```
      <td>Ime linka</td>
```

```
      <td>Putanja linka</td>
```

```
      <td>Roditelj</td>
```

```
    </tr>
```

```
  </thead>
```

```
<?php
```

```
$upit="select COUNT(*) as br from linkovi;";
```

```
$obj=$konekcija->query($upit)->fetch();
```

```
$poStrani=2;
```

```
$links=ceil($obj->br/$poStrani);
```

```
$page=isset($_GET['page'])? $_GET['page']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```

$upit="select * from linkovi LIMIT
$odakle,$poStrani;";

$priprema=$konekcija->query($upit)->fetchAll();

if($priprema){
    echo "<tbody>";

    foreach($priprema as $red){

        echo "<tr
xmlns=\"http://www.w3.org/1999/html\"><td>" . $red-
>idLink."</td><td>" . $red->imeLinka."</td><td>" . $red-
>putanja."</td><td>" . $red->roditelj."</td><td><button
class='btn btn-primary'><a
href='updateLink.php?id=" . $red->idLink . "'
class='btneu'>Izmeni</a></button>". "</td><td><button
data-id='". $red->idLink . "'
class='linkBrisi'>Obriši</button></td></tr>";

```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```
<div class="row mt-5">
```

```
<div class="col text-center">
```

```
<div class="block-27">
```



```

        <ul>
            <?php for($i=0;$i<$links;$i++):?>
                <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
            <?php endfor;?>
        </ul>
    </div>
</div>
</div>

```

```

<section class="ftco-section">
    <div id="prijem" class="container">
        <div class="row no-gutters justify-content-
center mb-5 pb-5">
            <div class="col-md-7 text-center heading-
section ftco-animate">
                <h2 id="pomerra">Insert Link</h2>
            </div>
        </div>
    </div>
</section>

```

```
</div>
```

```
</div>
```

```
<div class="row d-flex">
```

```
  <div class="col-md-8 ftco-animate  
  makereservation p-5 bg-light">
```

```
    <form action="#">
```

```
      <div class="row">
```

```
        <div class="col-md-12">
```

```
          <div class="form-group">
```

```
            <label for="">Link Name</label>
```

```
            <input type="text" id="nlink"  
class="form-control" placeholder="Link Name">
```

```
          </div>
```

```
          <p id="error19"></p>
```

```
        </div>
```

```
      <div class="col-md-12">
```

```

        <div class="form-group">
            <label for="">Link Href</label>
            <input type="text" id="hlink"
class="form-control" placeholder="Href">
        </div>
        <p id="errorDI"></p>
    </div>

```

```

<div class="col-md-12 mt-3">
    <div class="form-group">
        <button type="button" id="buton"
value="Make a Reservation" class="btn btn-primary py-3
px-5">Insert</button>
    </div>
</div>
</div>
</form>

```

```
<div id="poruka45"></div>
</div>
</div>
</div>
</section>
```

```
<h3 class="naslov228">Upravljanje obrocima</h3>
```

```
<table id="dataTable">
  <thead>
    <tr>
      <td>Id obroka</td>
      <td>Naziv obroka</td>
```

</tr>

</thead>

<?php

\$upit="select COUNT(*) as br from obrok";

\$obj=\$konekcija->query(\$upit)->fetch();

\$poStrani=2;

\$links=ceil(\$obj->br/\$poStrani);

\$page=isset(\$_GET['page'])? \$_GET['page']:1;

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from obrok LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>\" . $red->idObrok.\"</td><td>\" . $red->naziv.\"</td><td><button  
class='btn btn-primary'><a  
href='updateObrok.php?id=\" . $red->idObrok . \"
```

```
class='btneu'>Izmeni</a></button>". "</td><td><button  
data-id="'. $red->idObrok ."  
class='obrokBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```
<div class="row mt-5">
  <div class="col text-center">
    <div class="block-27">
      <ul>
        <?php for($i=0;$i<$links;$i++):?>
          <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
        <?php endfor;?>
      </ul>
    </div>
  </div>
</div>
```

```
<section class="ftco-section">
```



```

<div id="prijem" class="container">

  <div class="row no-gutters justify-content-
center mb-5 pb-5">

    <div class="col-md-7 text-center heading-
section ftco-animate">

      <h2 id="pomerra">Insert Meal</h2>

    </div>

  </div>

  <div class="row d-flex">

    <div class="col-md-8 ftco-animate
makesreservation p-5 bg-light">

      <form action="#">

        <div class="row">

          <div class="col-md-12">

            <div class="form-group">

              <label for="">Meal Name</label>

```

```
        <input type="text" id="meal"
class="form-control" placeholder="Meal Name">
```

```
    </div>
```

```
    <p id="errorDl1"></p>
```

```
</div>
```

```
<div class="col-md-12 mt-3">
```

```
    <div class="form-group">
```

```
        <button type="button"
id="button11" value="Make a Reservation" class="btn
btn-primary py-3 px-5">Insert</button>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<div id="poruka454"></div>
```

```
</div>
```

</div>

</div>

</section>

<h3 class="naslov228">Upravljanje osobljem</h3>

<table id="dataTable">

<thead>

<tr>

<td>Id osoblja</td>

<td>Slika</td>

```
<td>Zanimanje</td>
<td>Ime i prezime</td>
<td>Id restorana</td>
</tr>
</thead>
```

```
<?php
```

```
$upit="select COUNT(*) as br from osoblje;";
$obj=$konekcija->query($upit)->fetch();
```

```
$poStrani=2;
```

```
$links=ceil($obj->br/$poStrani);
```

```
$page=isset($_GET['page'])? $_GET['page']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from osoblje LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```

        echo "<tr
xmlns=\"http://www.w3.org/1999/html\"><td>".$red-
>idOsoblje."</td><td><img width='75px' height='60px'
src='".$red->slika.'"/></td><td>".$red->tekst.
"</td><td>".$red->naslov."</td><td>".$red-
>idRestoran."</td><td><button data-id='".$red-
>idOsoblje.'"
class='osobljeBrisi'>Obriši</button></td></tr>";

```

```

    }

```

```

    echo "</tbody>";

```

```

}

```

```

?>

```

</table>

<div class="row mt-5">

<div class="col text-center">

<div class="block-27">

<?php for(\$i=0;\$i<\$links;\$i++):?>

<a href="admin.php?page=<?= \$i+1
?>"><?= \$i+1 ?>

<?php endfor;?>

</div>

</div>

</div>

```

<section class="ftco-section">
  <div id="prijem" class="container">
    <div class="row no-gutters justify-content-
center mb-5 pb-5">
      <div class="col-md-7 text-center heading-
section ftco-animate">
        <h2 id="pomerra">Insert Staff</h2>
      </div>
    </div>
    <div class="row d-flex">
      <div class="col-md-8 ftco-animate
makesreservation p-5 bg-light">

```



```

    <form action="modules/insertStaff.php"
enctype="multipart/form-data" method="post">

        <div class="row">

            <div class="col-md-12">

                <div class="form-group">

                    <label for="">Picture</label>

                    <input type="file" name="slika"
id="slika" class="form-control">

                </div>

                <p id="erorpic"></p>

            </div>

            <div class="col-md-12">

                <div class="form-group">

                    <label for="">Occupation</label>

                    <input type="text"
name="zanimanje" id="zanimanje" class="form-control"
placeholder="Occupation">

                </div>

```

```
<p id="erorocc"></p>
</div>
```

```
<div class="col-md-12">
  <div class="form-group">
    <label for="">Name and
Surname</label>
    <input type="text" name="podaci"
class="form-control" id="podaci" placeholder="Name
and surname">
  </div>
  <p id="erorns"></p>
</div>
```

```
<div class="col-md-12 mt-3">
  <div class="form-group">
```

```
        <button type="submit"
name="send" id="buton33" value="Make a Reservation"
class="btn btn-primary py-3 px-5">Insert</button>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
  </form>
```

```
    <div id="poruka455"></div>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<h3 class="naslov228">Upravljanje  
specijalitetima</h3>
```

```
<table id="dataTable">  
  <thead>  
    <tr>  
      <td>Id specijaliteta</td>  
      <td>Naziv</td>  
      <td>Opis</td>  
      <td>Slika</td>  
      <td>Cena</td>  
      <td>Id restorana</td>  
    </tr>  
  </thead>
```

```
<?php
```

```
$upit="select COUNT(*) as br from specijaliteti";
```

```
$obj=$konekcija->query($upit)->fetch();
```

```
$poStrani=2;
```

```
$links=ceil($obj->br/$poStrani);
```

```
$page=isset($_GET['page'])? $_GET['page']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from specijaliteti LIMIT  
$odakle,$poStrani;";  
  
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>".$red->idSpec."</td><td>".$red->naziv. "</td><td>".$red->opis. "</td><td><img width='75px' height='60px'  
src='".$red->slika."'/></td><td>".$red->cena."</td><td>".$red->idRestoran."</td><td><button  
class='btn btn-primary'><a  
href='updateSpec.php?id='".$red->idSpec.'">
```

```
class='btneu'>Izmeni</a></button>". "</td><td><button  
data-id="'. $red->idSpec."  
class='specBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```

<div class="row mt-5">
    <div class="col text-center">
        <div class="block-27">
            <ul>
                <?php for($i=0;$i<$links;$i++):?>
                    <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
                <?php endfor;?>
            </ul>
        </div>
    </div>
</div>
</div>

```

```

<section class="ftco-section">
    <div id="prijem" class="container">

```



```
<div class="row no-gutters justify-content-center mb-5 pb-5">
```

```
<div class="col-md-7 text-center heading-section ftco-animate">
```

```
<h2 id="pomerra">Insert Speciality</h2>
```

```
</div>
```

```
</div>
```

```
<div class="row d-flex">
```

```
<div class="col-md-8 ftco-animate  
makesreservation p-5 bg-light">
```

```
<form action="modules/insertSpec.php"  
enctype="multipart/form-data" method="post">
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="form-group">
```

```
<label for="">Name</label>
```

```
        <input type="text" name="specn"
id="specn" class="form-control" placeholder="Name">
```

```
    </div>
```

```
    <p id="erorspn"></p>
```

```
</div>
```

```
<div class="col-md-12">
```

```
    <div class="form-group">
```

```
        <label for="">Description</label>
```

```
        <input type="text" name="descr"
class="form-control" id="descr"
placeholder="Description">
```

```
    </div>
```

```
    <p id="erordes"></p>
```

```
</div>
```

```
<div class="col-md-12">
```

```
    <div class="form-group">
```

```

        <label for="">Picture</label>
        <input type="file" name="slikas"
id="slikas" class="form-control">
    </div>
    <p id="erorpics"></p>
</div>

<div class="col-md-12">
    <div class="form-group">
        <label for="">Price</label>
        <input type="text" name="price"
class="form-control" id="price" placeholder="Price in
number">
    </div>
    <p id="errorpri"></p>
</div>

```

```
<div class="col-md-12 mt-3">
  <div class="form-group">
    <button type="submit"
name="sendi" id="buton330" value="Make a
Reservation" class="btn btn-primary py-3 px-
5">Insert</button>
  </div>
</div>
</div>
</div>
</form>
<div id="poruka4553"></div>
</div>
</div>
</div>
</section>
```

```
<h3 class="naslov228">Upravljanje vestima</h3>
```

```
<table id="dataTable">
```

```
  <thead>
```

```
    <tr>
```

```
      <td>Id vesti</td>
```

```
      <td>Slika</td>
```

```
      <td>Datum objave</td>
```

```
      <td>Naslov</td>
```

```
      <td>Tekst</td>
```

```
      <td>Id restorana</td>
```

</tr>

</thead>

<?php

\$upit="select COUNT(*) as br from vesti;";

\$obj=\$konekcija->query(\$upit)->fetch();

\$poStrani=2;

\$links=ceil(\$obj->br/\$poStrani);

\$page=isset(\$_GET['page'])? \$_GET['page']:1;

\$odakle=\$poStrani*(\$page-1);

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from vesti LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>".$red->  
>idVest."</td><td><img width='75px' height='60px'  
src='".$red->slikaVest."'/></td><td>".$red->datum.
```

```
"</td><td>".$red->naslovVest."</td><td>".$red->tekst."</td><td>".$red->idRestoran."</td><td><button
class='btn btn-primary'><a
href='updateVest.php?id=".$red->idVest.'"
class='btneu'>Izmeni</a></button>."</td><td><button
data-id="'.$red->idVest.'"
class='vestBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```


</table>

<div class="row mt-5">

<div class="col text-center">

<div class="block-27">

<?php for(\$i=0;\$i<\$links;\$i++):?>

<a href="admin.php?page=<?= \$i+1
?>"><?= \$i+1 ?>

<?php endfor;?>

</div>

</div>

</div>

```

<section class="ftco-section">

  <div id="prijem" class="container">

    <div class="row no-gutters justify-content-center mb-5 pb-5">

      <div class="col-md-7 text-center heading-section ftco-animate">

        <h2 id="pomerra">Insert News</h2>

      </div>

    </div>

    <div class="row d-flex">

      <div class="col-md-8 ftco-animate makereservation p-5 bg-light">

        <form action="modules/insertNews.php"
          enctype="multipart/form-data" method="post">

```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="form-group">
```

```
<label for="">Picture</label>
```

```
<input type="file" name="slikav"  
id="slikav" class="form-control">
```

```
</div>
```

```
<p id="erorpics"></p>
```

```
</div>
```

```
<div class="col-md-12">
```

```
<div class="form-group">
```

```
<label for="">Date</label>
```

```
<input type="date"  
name="datumv" class="form-control"  
placeholder="Date">
```

</div>

<p id="erorspn"></p>

</div>

<div class="col-md-12">

<div class="form-group">

<label for="">Caption</label>

<input type="text"
name="naslovv" class="form-control" id="naslovv"
placeholder="Caption">

</div>

<p id="erordes"></p>

</div>

<div class="col-md-12">

<div class="form-group">

```
        <label for="">Description</label>
        <input type="text" name="tekstv"
class="form-control" id="tekstv"
placeholder="Description">
```

```
    </div>
```

```
    <p id="erorpri"></p>
```

```
</div>
```

```
<div class="col-md-12 mt-3">
```

```
    <div class="form-group">
```

```
        <button type="submit"
name="sending" id="buton339" value="Make a
Reservation" class="btn btn-primary py-3 px-
5">Insert</button>
```

```
    </div>
```

```
</div>
```

```
</div>
```

</form>

<div id="poruka4553"></div>

</div>

</div>

</div>

</section>

<h3 class="naslov228">Upravljanje
komentarima</h3>

```
<table id="dataTable">
  <thead>
    <tr>
      <td>Id komentara</td>
      <td>Ime korisnika</td>
      <td>Komentar</td>
      <td>Id vesti</td>
    </tr>
  </thead>
```

```
<?php
```

```
$upit="select COUNT(*) as br from komentari;";
$obj=$konekcija->query($upit)->fetch();
```

```
$poStrani=2;
```

```
$links=ceil($obj->br/$poStrani);
```

```
$page=isset($_GET['page'])? $_GET['page']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from komentari LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```



```
echo "<tbody>";
```

```
foreach($pripreda as $red){
```

```
    echo "<tr
```

```
xmlns=\"http://www.w3.org/1999/html\"><td>".$red-  
>idKomentar."</td><td>".$red->imeKorisnika.
```

```
"</td><td>".$red->komentar."</td><td>".$red-  
>idVest."</td>".<td><button data-id='".$red-  
>idKomentar.""
```

```
class='komBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

?>

</table>

<div class="row mt-5">

<div class="col text-center">

<div class="block-27">

<?php for(\$i=0;\$i<\$links;\$i++):?>

<a href="admin.php?page=<?= \$i+1
?>"><?= \$i+1 ?>

<?php endfor;?>

</div>

</div>

</div>

<h3 class="naslov228">Upravljanje anketom</h3>

<table id="dataTable">

<thead>

<tr>

<td>Id ankete</td>

<td>Pitanje</td>

</tr>

</thead>

<?php

\$upit="select COUNT(*) as br from anketa;";

\$obj=\$konekcija->query(\$upit)->fetch();

\$poStrani=2;

\$links=ceil(\$obj->br/\$poStrani);

\$page=isset(\$_GET['page'])? \$_GET['page']:1;

\$odakle=\$poStrani*(\$page-1);

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from anketa LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>".$red->  
>id."</td><td>".$red->pitanje. "</td><td><button  
class='btn btn-primary'><a  
href='updateAnk.php?id=".$red->id. "'"
```

```
class='btneu'>Izmeni</a></button>". "</td>". "<td><button data-id="". $red->id.""  
class='ankBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```

<div class="row mt-5">
    <div class="col text-center">
        <div class="block-27">
            <ul>
                <?php for($i=0;$i<$links;$i++):?>
                    <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
                <?php endfor;?>
            </ul>
        </div>
    </div>
</div>
</div>

```

```

<section class="ftco-section">

```

```

<div id="prijem" class="container">

    <div class="row no-gutters justify-content-
center mb-5 pb-5">

        <div class="col-md-7 text-center heading-
section ftco-animate">

            <h2 id="pomerra">Insert Poll</h2>

        </div>

    </div>

    <div class="row d-flex">

        <div class="col-md-8 ftco-animate
makesreservation p-5 bg-light">

            <form action="#" enctype="multipart/form-
data" method="post">

                <div class="row">

                    <div class="col-md-12">

```



```

<div class="form-group">
    <label for="">Question</label>
    <input type="text"
name="ankpitanje" placeholder="First Letter Uppercase"
id="ankpitanje" class="form-control">
</div>
<p id="erorpoll"></p>
</div>

```

```

<div class="col-md-12 mt-3">
    <div class="form-group">
        <button type="button"
name="sendque" id="butonque" value="Make a
Reservation" class="btn btn-primary py-3 px-
5">Insert</button>

```

</div>

</div>

</div>

</form>

<div id="poruka4545"></div>

</div>

</div>

</div>

</section>

<h3 class="naslov228">Upravljanje odgovorima iz ankete(a)</h3>

<table id="dataTable">

```
<thead>
<tr>
    <td>Id odgovora</td>
    <td>Odgovor</td>
    <td>Id ankete</td>
    <td>Broj glasova</td>
</tr>
</thead>
```

```
<?php
```

```
$upit="select COUNT(*) as br from odgovor;";
```

```
$obj=$konekcija->query($upit)->fetch();
```

```
$poStrani=2;
```

```
$links=ceil($obj->br/$poStrani);
```

```
$page=isset($_GET['page'])? $_GET['page']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from odgovor LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```

foreach($priprema as $red){

    echo "<tr
xmlns=\"http://www.w3.org/1999/html\"><td>".$red-
>id."</td><td>".$red->odgovor. "</td><td>".$red-
>idAnkete. "</td><td>".$red->brGlasova.
"</td>". "<td><button data-id='".$red->id.'"
class='odgBrisi'>Obriši</button></td></tr>";

}

echo "</tbody>";

}

```

?>

</table>

<div class="row mt-5">

<div class="col text-center">

<div class="block-27">

<?php for(\$i=0;\$i<\$links;\$i++):?>

<a href="admin.php?page=<?= \$i+1
?>"><?= \$i+1 ?>

<?php endfor;?>

</div>

```
</div>  
</div>
```

```
<section class="ftco-section">  
  <div id="prijem" class="container">  
    <div class="row no-gutters justify-content-center mb-5 pb-5">  
      <div class="col-md-7 text-center heading-section ftco-animate">  
        <h2 id="pomerra">Insert Answer</h2>  
      </div>  
    </div>  
  </div>  
<div class="row d-flex">
```

```
<div class="col-md-8 ftco-animate  
makereservation p-5 bg-light">
```

```
<form >
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="form-group">
```

```
<label for="">Answer</label>
```

```
<input type="text"  
name="ankodg1" placeholder="First Letter Uppercase"  
id="anketaodgovor" class="form-control">
```

```
</div>
```

```
<p id="erorans"></p>
```

```
</div>
```



```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Question</label>
        <select name="pitanje1"
id="anketapitanje"
        class="form-control">
            <option
value="">Choose</option>
            <?php
            include
            "modules/konekcija.php";
            $upit="SELECT * FROM anketa;";
            $pitanja=$konekcija-
            >query($upit)->fetchAll();
            ?>

            <?php foreach($pitanja as $p):
            ?>

```

```
<option value="<?= $p->id
?>">

<?= $p->pitanje ?></option>

<?php endforeach; ?>

</select>
```

```
</div>

<p id="erorua"></p>

</div>
```

```
<div class="col-md-12 mt-3">

    <div class="form-group">

        <button type="button"
id="butonanswers" value="Make a Reservation"
class="btn btn-primary py-3 px-5">Insert</button>
```

</div>

</div>

</div>

</form>

<div id="poruka4554"></div>

</div>

</div>

</div>

</section>

```
<h3 class="naslov228">Upravljanje jelima</h3>
```

```
<table id="dataTable">
```

```
  <thead>
```

```
    <tr>
```

```
      <td>Id jela</td>
```

```
      <td>Naziv jela</td>
```

```
      <td>Slika</td>
```

```
      <td>Id obroka</td>
```

```
      <td>Id cene jela</td>
```

</tr>

</thead>

<?php

\$upit="select COUNT(*) as br from jelo;";

\$obj=\$konekcija->query(\$upit)->fetch();

\$poStrani=2;

\$links=ceil(\$obj->br/\$poStrani);

\$page=isset(\$_GET['page'])? \$_GET['page']:1;

\$odakle=\$poStrani*(\$page-1);

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from jelo LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>".$red->idJelo."</td><td>".$red->naziv. "</td><td><img  
width='75px' height='60px' src='". $red->
```

```
>slika."/></td>". "<td>".$red-  
>idObrok."</td>". "<td>".$red-  
>idCenaJela."</td>". "</td><td><button data-id='".$red-  
>idJelo.'" class='jeloBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```
<div class="row mt-5">
  <div class="col text-center">
    <div class="block-27">
      <ul>
        <?php for($i=0;$i<$links;$i++):?>
          <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
        <?php endfor;?>
      </ul>
    </div>
  </div>
</div>
```



```

<section class="ftco-section">

  <div id="prijem" class="container">

    <div class="row no-gutters justify-content-center mb-5 pb-5">

      <div class="col-md-7 text-center heading-section ftco-animate">

        <h2 id="pomerra">Insert Dish</h2>

      </div>

    </div>

    <div class="row d-flex">

      <div class="col-md-8 ftco-animate makereservation p-5 bg-light">

        <form action="modules/insertDish.php"
          enctype="multipart/form-data" method="post">

          <div class="row">

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Name</label>
        <input type="text" name="jelon"
id="jelon" class="form-control" placeholder="Dish
Name">
    </div>
    <p id="erorspn"></p>
</div>

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Picture</label>
        <input type="file" name="slikaj"
id="slikaj" class="form-control">
    </div>
    <p id="erorpics"></p>
</div>

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Price</label>
        <input type="text" name="jeloc"
class="form-control" id="jeloc" placeholder="Dish
Price">
    </div>
    <p id="erordes"></p>
</div>

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Ingredients</label>
        <input type="text" name="jelosas"
class="form-control" id="jelosas" placeholder="Type
ingredients">
    </div>
    <p id="errorpri"></p>

```

</div>

<div class="col-md-12 mt-3">

<div class="form-group">

<button type="submit"
name="sendjelo" id="buton1000" value="Make a
Reservation" class="btn btn-primary py-3 px-
5">Insert</button>

</div>

</div>

</div>

</form>

<div id="poruka4553"></div>

</div>

</div>

</div>

</section>

```
<h3 class="naslov228">Upravljanje desertima</h3>
```

```
<table id="dataTable">
```

```
  <thead>
```

```
    <tr>
```

```
      <td>Id deserta</td>
```

```
      <td>Naziv deserta</td>
```

```
      <td>Slika</td>
```

```
      <td>Id obroka</td>
```

```
      <td>Id cene deserta</td>
```

</tr>

</thead>

<?php

\$upit="select COUNT(*) as br from desert;";

\$obj=\$konekcija->query(\$upit)->fetch();

\$poStrani=2;

\$links=ceil(\$obj->br/\$poStrani);

\$page=isset(\$_GET['page'])? \$_GET['page']:1;

\$odakle=\$poStrani*(\$page-1);

```
$rez=$konekcija->query($upit)->fetchAll();
```

```
$upit="select * from desert LIMIT  
$odakle,$poStrani;";
```

```
$priprema=$konekcija->query($upit)->fetchAll();
```

```
if($priprema){
```

```
    echo "<tbody>";
```

```
    foreach($priprema as $red){
```

```
        echo "<tr  
xmlns=\"http://www.w3.org/1999/html\"><td>".$red->idDesert."</td><td>".$red->naziv. "</td><td><img  
width='75px' height='60px' src='". $red->
```

```
>slika.""/></td>". "<td>".$red-  
>idObrok."</td>". "<td>".$red-  
>idCenaDes."</td>". "<td><button data-id='".$red-  
>idDesert.'" class='desBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```



```
<div class="row mt-5">
  <div class="col text-center">
    <div class="block-27">
      <ul>
        <?php for($i=0;$i<$links;$i++):?>
          <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
        <?php endfor;?>
      </ul>
    </div>
  </div>
</div>
```

```

<section class="ftco-section">

  <div id="prijem" class="container">

    <div class="row no-gutters justify-content-center mb-5 pb-5">

      <div class="col-md-7 text-center heading-section ftco-animate">

        <h2 id="pomerra">Insert Dessert</h2>

      </div>

    </div>

    <div class="row d-flex">

      <div class="col-md-8 ftco-animate makereservation p-5 bg-light">

        <form action="modules/insertDessert.php"
        enctype="multipart/form-data" method="post">

          <div class="row">

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Name</label>
        <input type="text" name="desn"
id="desn" class="form-control" placeholder="Dessert
Name">
    </div>
    <p id="erorspn"></p>
</div>

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Picture</label>
        <input type="file"
name="slikadess" id="slikadess" class="form-control">
    </div>
    <p id="erorpics"></p>
</div>

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Price</label>
        <input type="text" name="dessc"
class="form-control" id="dessc" placeholder="Dessert
Price">
    </div>
    <p id="erordes"></p>
</div>

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Ingredients</label>
        <input type="text"
name="desssas" class="form-control" id="desssas"
placeholder="Type ingredients">
    </div>
    <p id="errorpri"></p>

```

</div>

<div class="col-md-12 mt-3">

<div class="form-group">

<button type="submit"
name="senddesert" id="buton3320" value="Make a
Reservation" class="btn btn-primary py-3 px-
5">Insert</button>

</div>

</div>

</div>

</form>

<div id="poruka4553"></div>

</div>

</div>

</div>

</section>

```
<h3 class="naslov228">Upravljanje picima</h3>
```

```
<table id="dataTable">
```

```
  <thead>
```

```
    <tr>
```

```
      <td>Id pica</td>
```

```
      <td>Naziv pica</td>
```

```
      <td>Slika</td>
```

```
      <td>Id obroka</td>
```

```
      <td>Id cene pica</td>
```

```
    </tr>
```

```
  </thead>
```

```
<?php
```

```
$upit="select COUNT(*) as br from pice;";
```

```
$obj=$konekcija->query($upit)->fetch();
```

```
$poStrani=2;
```

```
$links=ceil($obj->br/$poStrani);
```

```
$page=isset($_GET['page'])? $_GET['page']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit)->fetchAll();
```

```

$upit="select * from pice LIMIT
$odakle,$poStrani;";

$priprema=$konekcija->query($upit)->fetchAll();

if($priprema){

    echo "<tbody>";

    foreach($priprema as $red){

        echo "<tr
xmlns=\"http://www.w3.org/1999/html\"><td>".$red-
>idPice."</td><td>".$red->naziv. "</td><td><img
width='75px' height='60px' src='".$red-
>slika."'/></td>".$red-
>idObrok."</td>".$red-

```



```
>idCenaPica."</td>". "<td><button data-id='".$red-  
>idPice.'" class='piceBrisi'>Obriši</button></td></tr>";
```

```
}
```

```
echo "</tbody>";
```

```
}
```

```
?>
```

```
</table>
```

```

<div class="row mt-5">
    <div class="col text-center">
        <div class="block-27">
            <ul>
                <?php for($i=0;$i<$links;$i++):?>
                    <li><a href="admin.php?page=<?= $i+1
?>"><?= $i+1 ?></a></li>
                <?php endfor;?>
            </ul>
        </div>
    </div>
</div>
</div>

```

```

<section class="ftco-section">
    <div id="prijem" class="container">

```

```
<div class="row no-gutters justify-content-center mb-5 pb-5">
```

```
<div class="col-md-7 text-center heading-section ftco-animate">
```

```
<h2 id="pomerra">Insert Drink</h2>
```

```
</div>
```

```
</div>
```

```
<div class="row d-flex">
```

```
<div class="col-md-8 ftco-animate  
makesreservation p-5 bg-light">
```

```
<form action="modules/insertDrink.php"  
enctype="multipart/form-data" method="post">
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="form-group">
```

```
<label for="">Name</label>
```

```
        <input type="text" name="drn"
id="drn" class="form-control" placeholder="Drink
Name">
```

```
    </div>
```

```
    <p id="erorspn"></p>
```

```
</div>
```

```
<div class="col-md-12">
```

```
    <div class="form-group">
```

```
        <label for="">Picture</label>
```

```
        <input type="file"
name="slikapice" id="slikapice" class="form-control">
```

```
    </div>
```

```
    <p id="erorpics"></p>
```

```
</div>
```

```
<div class="col-md-12">
```

```
    <div class="form-group">
```

```
        <label for="">Price</label>
```

```
        <input type="text" name="picec"
class="form-control" id="picec" placeholder="Drink
Price">
```

```
    </div>
```

```
    <p id="erordes"></p>
```

```
</div>
```

```
<div class="col-md-12">
```

```
    <div class="form-group">
```

```
        <label for="">Ingredients</label>
```

```
        <input type="text" name="picesas"
class="form-control" id="picesas" placeholder="Type
ingredients">
```

```
    </div>
```

```
    <p id="errorpri"></p>
```

```
</div>
```

```

<div class="col-md-12 mt-3">
    <div class="form-group">
        <button type="submit"
name="sendpice" id="buton1330" value="Make a
Reservation" class="btn btn-primary py-3 px-
5">Insert</button>
    </div>
</div>
</div>
</div>
</form>
<div id="poruka4553"></div>
</div>
</div>
</div>
</section>

```

```
<?php
```

```
else:
```

```
    header("Location: index.php");
```

```
endif;
```

```
else:
```

```
    header("Location: index.php");
```

```
endif;
```

```
?>
```

```
<?php
```

```
include "views/photos.php";
```

```
include "views/footer.php";
```

```
?>
```

3.1.3 updateAnk.php

```
<?php

include "views/head.php";
include "views/nav.php";
include "views/slider.php";
include "modules/konekcija.php";


if(isset($_GET['id'])){
    $id = $_GET['id'];
    $upit = "SELECT * FROM anketa WHERE id = :id";
    $prepare = $konekcija->prepare($upit);
    $prepare->bindParam(":id", $id);
    try{
        $prepare->execute();
        $rezultat = $prepare->fetch();
    }catch(PDOException $e){
```



```

        echo $e->getMessage();
    }

}

?>

<section class="ftco-section">
    <div id="prijem" class="container">
        <div class="row no-gutters justify-content-center
mb-5 pb-5">
            <div class="col-md-7 text-center heading-section
ftco-animate">
                <h2 id="pomerra">Update Poll</h2>
            </div>

```

</div>

<div class="row d-flex">

<div class="col-md-8 ftco-animate
makersreservation p-5 bg-light">

<form action="modules/editAnk.php"
method="post">

<div class="row">

<div class="col-md-12">

<div class="form-group">

<label for="">Question</label>

<input type="text" name="ankpi"
value="<?=\$rezultat->pitanje?" id="nlink" class="form-
control" placeholder="Question">

</div>

<p id="error19"></p>

</div>

```
<input type="hidden" name="skrivenoank"
value="<?= $rezultat->id ?>"/>
```

```
<div class="col-md-12 mt-3">
  <div class="form-group">
    <button type="submit"
name="izmenianketu" value="Make a Reservation"
class="btn btn-primary py-3 px-5">Update</button>
  </div>
</div>
</div>
</form>
<div id="poruka45"></div>
</div>
</div>
</div>
</section>
```

```
<?php
```

```
include "views/photos.php";
```

```
include "views/footer.php";
```

```
?>
```

3.1.4 updateLink.php

```
<?php
```

```
include "views/head.php";
```

```
include "views/nav.php";
```

```
include "views/slider.php";
```

```
include "modules/konekcija.php";
```

```
if(isset($_GET['id'])){  
    $id = $_GET['id'];  
    $upit = "SELECT * FROM linkovi WHERE idLink = :id";  
    $prepare = $konekcija->prepare($upit);  
    $prepare->bindParam(":id", $id);  
    try{  
        $prepare->execute();  
        $rezultat = $prepare->fetch();  
    }catch(PDOException $e){  
        echo $e->getMessage();  
    }  
}
```

?>

```
<section class="ftco-section">
```

```
  <div id="prijem" class="container">
```

```
    <div class="row no-gutters justify-content-center  
mb-5 pb-5">
```

```
      <div class="col-md-7 text-center heading-section  
ftco-animate">
```

```
        <h2 id="pomerra">Update Link</h2>
```

```
      </div>
```

```
    </div>
```

```
  <div class="row d-flex">
```

```
    <div class="col-md-8 ftco-animate  
makesreservation p-5 bg-light">
```

```

        <form action="modules/editLink.php"
method="post">

        <div class="row">

            <div class="col-md-12">

                <div class="form-group">

                    <label for="">Link Name</label>

                    <input type="text" name="imelink"
value="<?=$rezultat->imeLinka?>" id="nlink"
class="form-control" placeholder="Link Name">

                </div>

                <p id="eror19"></p>

            </div>

            <div class="col-md-12">

                <div class="form-group">

                    <label for="">Link Href</label>

                    <input type="text" name="hreflink"
value="<?=$rezultat->putanja?>" id="hlink" class="form-
control" placeholder="Href">

```

</div>

<p id="errorDI"></p>

</div>

<input type="hidden" name="skrivenod"
value="<?= \$rezultat->idLink ?>"/>

<div class="col-md-12 mt-3">

<div class="form-group">

<button type="submit"
name="izmenilink" value="Make a Reservation"
class="btn btn-primary py-3 px-5">Update</button>

</div>

</div>

</div>

</form>

<div id="poruka45"></div>

</div>

</div>

</div>

</section>

<?php

include "views/photos.php";

include "views/footer.php";

?>

3.1.5 updateObrok.php

<?php

```
include "views/head.php";  
include "views/nav.php";  
include "views/slider.php";  
include "modules/konekcija.php";
```

```
if(isset($_GET['id'])){  
    $id = $_GET['id'];  
    $upit = "SELECT * FROM obrok WHERE idObrok = :id";  
    $prepare = $konekcija->prepare($upit);  
    $prepare->bindParam(":id", $id);  
    try{  
        $prepare->execute();  
        $rezultat = $prepare->fetch();  
    }catch(PDOException $e){  
        echo $e->getMessage();  
    }  
}
```

}

?>

```
<section class="ftco-section">
  <div id="prijem" class="container">
    <div class="row no-gutters justify-content-center
mb-5 pb-5">
      <div class="col-md-7 text-center heading-
section ftco-animate">
        <h2 id="pomerra">Update Meal</h2>
      </div>
    </div>
  </div>
```

```

<div class="row d-flex">

    <div class="col-md-8 ftco-animate
    makereservation p-5 bg-light">

        <form action="modules/editObrok.php"
        method="post">

            <div class="row">

                <div class="col-md-12">

                    <div class="form-group">

                        <label for="">Meal Name</label>

                        <input type="text" name="meal"
                        value="<?=$rezultat->naziv?" id="meal" class="form-
                        control" placeholder="Meal Name">

                    </div>

                    <p id="errorDl1"></p>

                </div>

            </div>

```

```
<input type="hidden" name="skrivenob"
value="<?= $rezultat->idObrok ?>"/>
```

```
<div class="col-md-12 mt-3">
  <div class="form-group">
    <button type="submit"
name="izmeniobrok" value="Make a Reservation"
class="btn btn-primary py-3 px-5">Update</button>
  </div>
</div>
</form>
<div id="poruka454"></div>
</div>
</div>
</div>
</section>
```

```
<?php
```

```
include "views/photos.php";
```

```
include "views/footer.php";
```

```
?>
```

3.1.6 updateRez.php

```
<?php
```

```
include "views/head.php";
```

```
include "views/nav.php";
```

```
include "views/slider.php";
```

```
include "modules/konekcija.php";
```

```
if(isset($_GET['id'])){\n    $id = $_GET['id'];\n    $upit = "SELECT * FROM rezervacija_stola WHERE\nidRez = :id";\n\n    $prepare = $konekcija->prepare($upit);\n    $prepare->bindParam(":id", $id);\n\n    try{\n        $prepare->execute();\n        $rezultat = $prepare->fetch();\n    }catch(PDOException $e){\n        echo $e->getMessage();\n    }\n}
```

?>

```
<section class="ftco-section">
  <div class="container">
    <div class="row no-gutters justify-content-center
mb-5 pb-5">
      <div class="col-md-7 text-center heading-section
ftco-animate">
        <h2 id="pomerr">Update reservation</h2>
      </div>
    </div>
    <div class="row d-flex">
      <div class="col-md-4 ftco-animate img"
style="background-image: url(images/bg_1.jpg);"></div>
```



```
<div class="col-md-8 ftco-animate  
makesreservation p-5 bg-light">
```

```
<form action="modules/editRez.php"  
method="post">
```

```
<div class="row">
```

```
<!-- <div class="col-md-6">
```

```
<div class="form-group">
```

```
<label for="">Name</label>
```

```
<input type="text" name="imence"  
id="ime1" value="<?=$rezultat->ime?>" class="form-  
control" placeholder="Your Name">
```

```
</div>
```

```
<p id="error1"></p>
```

```
</div>
```

```
<div class="col-md-6">
```

```
<div class="form-group">
```

```
<label for="">Email</label>
```

```
<input type="email" name="email"
id="mail" value="<?=$rezultat->email?>" class="form-
control" placeholder="Your Email">
```

```
</div>
```

```
<p id="erorMail"></p>
```

```
</div>-->
```

```
<div class="col-md-6">
```

```
<div class="form-group">
```

```
<label for="">Date</label>
```

```
<input type="text" name="datums"
class="form-control" value="<?=$rezultat->datum?>"
id="book_date" placeholder="Date">
```

```
</div>
```

```
<p id="erorD"></p>
```

```
</div>
```

```
<div class="col-md-6">
```

```
<div class="form-group">
```

```

        <label for="">Time</label>

        <input type="text" name="times"
class="form-control" value="<?=$rezultat->vreme?>"
id="book_time" placeholder="Time">

    </div>

    <p id="erorV"></p>
</div>

<div class="col-md-6">

    <div class="form-group">

        <label for="">Guests</label>

        <div class="select-wrap one-third">

            <div class="icon"><span class="ion-
ios-arrow-down"></span></div>

            <select name="gosti" id="gosti"
value="<?=$rezultat->brGostiju?>" class="form-control">

                <option
value="0">Choose</option>

                <?php

```

```
include "modules/konekcija.php";  
$upit21="SELECT * FROM gosti;";  
$rezultati=$konekcija-  
>query($upit21)->fetchAll();
```

```
foreach ($rezultati as $red):?>  
    <option value="<?=$red-  
>idGost?>"><?=$red->brojGostiju?></option>
```

```
    <?php endforeach;?>  
</select>  
</div>  
</div>  
<p id="errorGS"></p>  
</div>
```

```
    <input type="hidden" name="skriveno"  
value="<?=$rezultat->idRez ?>"/>
```

```
<div class="col-md-12 mt-3">
  <div class="form-group">
    <button type="submit"
name="izmenires" value="Make a Reservation"
class="btn btn-primary py-3 px-5">Update</button>
  </div>
</div>
</div>
</div>
</form>
<div id="poruka4"></div>
</div>
</div>
</div>
</section>
```

```
<?php
```

```
include "views/photos.php";
```

```
include "views/footer.php";
```

?>

3.1.7 updateSpec.php

```
<?php

include "views/head.php";

include "views/nav.php";

include "views/slider.php";

include "modules/konekcija.php";


if(isset($_GET['id'])){

    $id = $_GET['id'];

    $upit = "SELECT * FROM specijaliteti WHERE idSpec =
:id";

    $prepare = $konekcija->prepare($upit);

    $prepare->bindParam(":id", $id);

    try{
```

```
$prepare->execute();  
$rezultat = $prepare->fetch();  
}catch(PDOException $e){  
    echo $e->getMessage();  
}  
  
}
```

```
?>
```

```
<section class="ftco-section">  
    <div id="prijem" class="container">  
        <div class="row no-gutters justify-content-center  
mb-5 pb-5">
```



```

        <div class="col-md-7 text-center heading-
section ftco-animate">

            <h2 id="pomerra">Update Speciality</h2>

        </div>

    </div>

    <div class="row d-flex">

        <div class="col-md-8 ftco-animate
makesreservation p-5 bg-light">

            <form action="modules/editSpec.php"
enctype="multipart/form-data" method="post">

                <div class="row">

                    <div class="col-md-12">

                        <div class="form-group">

                            <label for="">Name</label>

```

```
        <input type="text"
value="<?=$rezultat->naziv?" name="specn1"
id="specn" class="form-control" placeholder="Name">
```

```
    </div>
```

```
    <p id="erorspn"></p>
```

```
</div>
```

```
<div class="col-md-12">
```

```
    <div class="form-group">
```

```
        <label for="">Description</label>
```

```
        <input type="text"
value="<?=$rezultat->opis?" name="descr1"
class="form-control" id="descr"
placeholder="Description">
```

```
    </div>
```

```
    <p id="erordes"></p>
```

```
</div>
```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Picture</label>
        <input type="file" name="slikas1"
id="slikas" class="form-control"/><h5>Current picture:
<?=$rezultat->slika?></h5>

```

```

</div>
<p id="erorpics"></p>
</div>

```

```

<div class="col-md-12">
    <div class="form-group">
        <label for="">Price</label>
        <input type="text" name="price1"
value="<?=$rezultat->cena?>" class="form-control"
id="price" placeholder="Price">
    </div>

```

```
<p id="erorpri"></p>
</div>
```

```
<input type="hidden"
name="skrivenosp1" value="<?= $rezultat->idSpec ?>"/>
```

```
<div class="col-md-12 mt-3">
    <div class="form-group">
        <button type="submit"
name="sendi1" id="buton335" value="Make a
Reservation" class="btn btn-primary py-3 px-
5">Update</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<div id="poruka4553"></div>
```

```
</div>
```

```
</div>
</div>
</section>
```

```
<?php
```

```
include "views/photos.php";
include "views/footer.php";
```

```
?>
```

3.1.8 updateUser.php

```
<?php
include "views/head.php";
include "views/nav.php";
```

```
include "views/slider.php";  
include "modules/konekcija.php";
```

```
if(isset($_GET['id'])){  
    $id = $_GET['id'];  
  
    $upit = "SELECT k.*,u.id as ulogaID,u.naziv FROM  
korisnik k INNER JOIN uloga u ON k.uloga_id = u.id  
WHERE k.id = $id";  
  
    $prepare = $konekcija->prepare($upit);  
    $prepare->bindParam(":id", $id);  
    try{  
        $prepare->execute();  
        $rezultat = $prepare->fetch();  
    }catch(PDOException $e){  
        echo $e->getMessage();  
    }  
}
```

}

?>

```
<section class="site-section">
```

```
  <div class="container1">
```

```
    <div class="row">
```

```
      <div class="col-md-6">
```

```
        <h2 id="naslov" class="mb-5">Update  
User</h2>
```

```
        <form action="modules/edited.php"  
method="POST">
```

```
          <div class="row">
```

```
            <div class="col-md-12 form-group">
```

```
              <label for="name">First Name</label>
```

```
        <input type="text" name="firstName"
value="<?=$rezultat->ime?" id="ime33" class="form-
control ">
```

```
    </div>
```

```
</div>
```

```
<div class="row">
```

```
    <div class="col-md-12 form-group">
```

```
        <label for="phone">Last Name</label>
```

```
        <input type="text" name="lastName"
value="<?=$rezultat->prezime?" id="prezime"
class="form-control ">
```

```
    </div>
```

```
</div>
```

```
<div class="row">
```

```
    <div class="col-md-12 form-group">
```

```
        <label for="email">Email</label>
```



```
        <input type="email" name="email"
value="<?=$rezultat->email?>" id="email33"
class="form-control ">

        </div>
```

```
</div>
```

```
<div class="row">

    <div class="col-md-12 form-group">

        <label for="user">Username</label>

        <input type="text" name="username"
value="<?=$rezultat->korisnicko_ime?>" id="username"
class="form-control ">

        </div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-12 form-group">
    <label for="password">Role</label>
    <input type="text" name="uloga"
value="<?=$rezultat->uloga_id?" id="password333"
class="form-control ">
    </div>
```

```
</div>
```

```
<div class="row">
    <div class="col-md-12 form-group">
        <label for="password">Active
Yes/No</label>
        <input type="text" name="aktivan"
value="aktivan" id="aktivan" class="form-control"/>
    </div>
```

</div>

<input type="hidden" name="skriveno"
value="<?= \$rezultat->id ?>"/>

<div class="row">

<div class="col-md-6 form-group">

<button type="submit" name="izmeni"
value="Register" id="dugme" class="btn btn-
primary">Update</button>

</div>

</div>

</form>

```
<div id="poruka1"></div>

</div>

<div class="col-md-1"></div>


</div>

</div>

</section>

<!-- END section -->


<?php
```

```
include "views/photos.php";

include "views/footer.php";

?>
```

3.2 Views

3.2.1 about.php

```
<?php
```

```
if(isset($_SESSION['korisnik'])):
```

```
?>
```

```
<section class="ftco-section-2">
```

```
  <div class="container d-flex">
```

```
    <div class="section-2-blocks-wrapper row">
```

```
      <div class="img col-sm-12 col-lg-6"
style="background-image: url('images/about-2.jpg');">
```

```
    </div>
```

```
    <div class="text col-lg-6 ftco-animate">
```

```
      <div class="text-inner align-self-start">
```

```
        <span class="subheading">About  
Tasty</span>
```

```
        <h3 class="heading">Our chef cooks the most  
delicious food for you</h3>
```

```
        <p>This is Thomas Smith and he is our Head  
Chef. He is the leader among the chefs in the kitchen.  
</p>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<div class="ftco-section">
```

```
    <div class="container">
```

```
        <div class="row justify-content-center mb-5 pb-5">
```

```
            <div class="col-md-7 text-center heading-section  
ftco-animate">
```

```

        <h2>Our Staff</h2>

    </div>

</div>

<div class="row">

    <?php

        include "modules/konekcija.php";

        $upit="SELECT * FROM osoblje;";

        $rezultat=$konekcija->query($upit);

        foreach ($rezultat as $red):?>

            <div class="col-md-4 ftco-animate">

                <div class="block-10">

                    <div class="person-info">

                        <span class="name"><?= $red-
>naslov?></span>

```

```
<span class="position"><?=$red-  
>tekst?></span>
```

```
</div>
```

```
<div class="chef-img" style="background-  
image: url(<?=$red->slika?>)">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php endforeach;?>
```

```
</div>
```

```
</div>
```

```
</div>
```



```
<div id="row">
```

```
<?php
```

```
include "modules/konekcija.php";
```

```
$upit1 = "SELECT * FROM anketa";
```

```
$item = $konekcija->query($upit1)->fetchAll();
```

```
$upit2 = "SELECT * FROM odgovor";
```

```
$odg = $konekcija->query($upit2)->fetchAll();
```

```
?>
```

```
<?php foreach($item as $i):?>
```

```

        <h3 class="joj"><?=$i->pitanje?></h3>

    <div class="rate-holder">

        <form action="modules/anketa.php"
method="post">


        <?php foreach ($odg as $o):?>

            <?php if($i->id == $o->idAnkete):?>

                <div class="comment">

                    <input type="radio" name="radio<?=$i->id?>"

                        id="radio1" value="<?=$o->id?>">

                    <label class="radio1" for="radio1"><?=$o-
>odgovor?></label>

```

</div>

<?php endif;?>

<?php endforeach;?>

<input type="submit" name="anketa" data-
id="<?=\$i->id?>" id="vote"
value="Vote" class="btn btn-primary"/>

</form>

<div class="probaj" id="poruka<?=\$i-
>id?>"></div>

</div>

```

<div id="rezultanketa">

    <table id="tabela">

        <tr><th colspan="2">Poll Results</th></tr>

        <tr><th class="kidam1">Answer</th><th
class="kidam">Votes</th></tr>

        <?php
            include "modules/konekcija.php";
            $upit="SELECT * FROM odgovor;";
            $rez=$konekcija->query($upit);
            $rez1=$rez->fetchAll();

            foreach ($rez1 as $red):

```

?>

```
<tr><td><?=$red-  
>odgovor?></td><td><?=$red->brGlasova?>  
votes</td></tr>
```

```
<?php endforeach;?>
```

```
</table>
```

```
</div>
```

```
<?php endforeach;?>
```

</div>

<?php endif;?>

3.2.2 author.php

<div id="autor">

<p class="pasus">

Hello, my name is Nikola Kalinčević and I'm 21.

I live in Obrenovac, small town near Belgrade.

I'm studying web programming at ICT College.

This website is project for subject about PHP
programming language...

I wish to become a specialist in IT technologies!

</p>

</div>

3.2.3 **blog.php**

<?php

```
if(isset($_SESSION['korisnik'])):
```

```
?>
```

```
<section class="ftco-section bg-light">
```

```
  <div class="container">
```

```
    <h2 class="ajde"> Our Restaurant News</h2>
```

```
  <div class="row">
```

```
    <?php
```

```
    include "modules/konekcija.php";
```

```
    // $upit="SELECT * FROM vesti";
```

```
    //$rezultat=$konekcija->query($upit);
```



```
$upit2="SELECT COUNT(*) as br FROM vesti;"
```

```
$obj=$konekcija->query($upit2)->fetch();
```

```
$poStrani=3;
```

```
$links=ceil($obj->br/$poStrani);
```

```
//echo $links;
```

```
$page=isset($_GET['str'])? $_GET['str']:1;
```

```
$odakle=$poStrani*($page-1);
```

```
$rez=$konekcija->query($upit2)->fetchAll();
```

```
$upit3="select * from vesti LIMIT  
$odakle,$poStrani;"
```

```
$priprema=$konekcija->query($upit3)->fetchAll();
```

```
//$upit4="select * from vesti v inner join  
komentar k on v.idVest=k.idVest;";
```

```
//$priprema=$konekcija->query($upit4)-  
>fetchAll();
```

```
if($priprema):?>
```

```
<?php foreach ($priprema as $red):?>
```

```
<div class="col-md-6 col-lg-4 ftco-animate">
```

```

<div class="blog-entry">

    <a href="<?=$red->slikaVest?>" data-
lightbox="gallery" class="block-20" style="background-
image: url(<?=$red->slikaVest?>);">

        </a>

    <div class="text p-4">

        <div class="meta">

            <div><h5>Date: <?=$red-
>datum?></h5></div>

        </div>

        <h3 class="heading"><?=$red-
>naslovVest?></h3>

        <p class="clearfix">

            <a id="link" data-id="<?=$red->idVest?>"
href="index.php?page=news&id=<?=$red->idVest?>"
class="float-left read">Read more</a>

```

</p>

</div>

</div>

</div>

<?php endforeach;?>

<?php endif;?>

</div>

<div class="row mt-5">

<div class="col text-center">

<div class="block-27">

```
<ul>

    <?php for($i=0;$i<$links;$i++):?>

        <li><a href="index.php?page=blog&str=<?=
$i+1 ?>"><?= $i+1 ?></a></li>

    <?php endfor;?>

</ul>

</div>

</div>

</div>

</div>

</section>

<?php endif;?>
```

3.2.4 contact.php

```

<section class="ftco-section contact-section">
  <div class="container">
    <div class="row block-9 mb-4">
      <h1 class="pom">Contact our Administrator</h1>
      <div class="col-md-12">
        <form method="post">
          <div class="form-group">
            <input type="text" id="firstName"
name="ime" class="form-control" placeholder="Your
Name">
          </div>
          <p id="error1"></p>
          <div class="form-group">
            <input type="text" id="email"
name="email" class="form-control" placeholder="Your
Email">
          </div>
        </form>
      </div>
    </div>
  </div>
</section>

```

```

<p id="erorMail"></p>

<div class="form-group">

    <input type="password" id="password"
name="password" class="form-control"
placeholder="Your Password">

</div>

<p id="erorS"></p>

<div class="form-group">

    <textarea name="comment" id="comment"
cols="30" rows="7" class="form-control"
placeholder="Message"></textarea>

</div>

<p id="erorC"></p>

<div class="form-group">

    <button type="button" onclick="contact();"
name="potvrdi" id="potvrdi" value="Send Message"
class="btn btn-primary">Send message</button>

</div>

```

```

        </form>

        <div id="poruka2"></div>

    </div>

</div>

<div class="row mt-5">

    <div class="mapouter"><div
class="gmap_canvas"><iframe width="950" height="670"
id="gmap_canvas"
src="https://maps.google.com/maps?q=new%20york&t=
&z=13&ie=UTF8&iwloc=&output=embed"
frameborder="0" scrolling="no" marginheight="0"
marginwidth="0"></iframe><a
href="https://www.embedgooglemap.net">embedgoogl
emap.net</a></div><style>.mapouter{text-
align:right;height:700px;width:1300px;}.gmap_canvas
{overflow:hidden;background:none!important;height:70
0px;width:1200px;}</style></div>

    </div>

</div>

</section>

```


3.2.5 footer.php

```
<footer class="ftco-footer ftco-bg-dark ftco-section">
  <div class="container">
    <div class="row mb-5">
      <div class="col-md">
        <div class="ftco-footer-widget mb-4">
          <h2 class="ftco-heading-2">Tasty</h2>
          <p>Follow us on Social Networks</p>
          <ul class="ftco-footer-social list-unstyled
float-md-left float-lft">
            <li class="ftco-animate"><a
href="www.twitter.com"><span class="icon-
twitter"></span></a></li>
            <li class="ftco-animate"><a
href="www.facebook.com"><span class="icon-
facebook"></span></a></li>
```

```
<li class="ftco-animate"><a
href="www.instagram.com"><span class="icon-
instagram"></span></a></li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
<div class="col-md">
```

```
<div class="ftco-footer-widget mb-4">
```

```
<h2 class="ftco-heading-2">Opening
Hours</h2>
```

```
<ul class="list-unstyled">
```

```
<li><p>Monday: 12:00 AM - 11:30
PM</p></li>
```

```
<li><p>Tuesday: 12:00 AM - 11:30
PM</p></li>
```

```
<li><p>Wednesday: 12:00 AM - 11:30
PM</p></li>
```

```
<li><p>Thursday: 12:00 AM - 11:30
PM</p></li>
```

<p>Friday: 12:00 AM - 11:30
PM</p>

<p>Saturday: 12:00 AM - 11:30
PM</p>

<p>Sunday: 12:00 AM - 11:30
PM</p>

</div>

</div>

<div class="col-md">

<div class="ftco-footer-widget mb-4">

<h2 class="ftco-heading-2">Contact
Information</h2>

<ul class="list-unstyled">

<p>198 West 21th Street, Suite 721
New York NY 10016</p>

<p>+ 1235 2355 98</p>

</div>

</div>

<div class="col-md">

<div class="ftco-footer-widget mb-4">

<h2 class="ftco-heading-2">Useful Links</h2>

<ul class="list-unstyled">

<a href="index.php?page=autor"
class="py-2 d-block">Author

<a href="dokumentacija.pdf" class="py-
2 d-block">Documentation

</div>

</div>

</div>

<div class="row">

<div class="col-md-12 text-center">

<p><!-- Link back to Colorlib can't be removed.
Template is licensed under CC BY 3.0. -->

Copyright ©<script>document.write(new
Date().getFullYear());</script> Nikola Kalin?evi? 40/16 All
rights reserved | This template is made with <i
class="icon-heart" aria-hidden="true"></i> by Colorlib

<!-- Link back to Colorlib can't be removed.
Template is licensed under CC BY 3.0. --></p>

</div>

</div>

</div>

</footer>

<!-- loader -->

```
<div id="ftco-loader" class="show fullscreen"><svg  
class="circular" width="48px" height="48px"><circle  
class="path-bg" cx="24" cy="24" r="22" fill="none"  
stroke-width="4" stroke="#eeeeee"/><circle class="path"  
cx="24" cy="24" r="22" fill="none" stroke-width="4"  
stroke-miterlimit="10" stroke="#F96D00"/></svg></div>
```

<script src="js/jquery.min.js"></script>

<script src="js/jquery-3.2.1.min.js"></script>

```
<script src="js/jquery-migrate-3.0.1.min.js"></script>
<script src="js/script.js"></script>
<script src="js/popper.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.easing.1.3.js"></script>
<script src="js/jquery.waypoints.min.js"></script>
<script src="js/jquery.stellar.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/aos.js"></script>
<script src="js/jquery.animateNumber.min.js"></script>
<script src="js/bootstrap-datepicker.js"></script>
<script src="js/jquery.timepicker.min.js"></script>
<script
src="https://maps.googleapis.com/maps/api/js?key=Alza
SyBVWaKrjvy3MaE7SQ74_uJiULgl1JY0H2s&sensor=false"
></script>
<!--<script src="js/google-map.js"></script>-->
```

```
<script src="js/main.js"></script>
<script src="js/deleteParam.js"></script>
<script src="js/lightbox.js"></script>

</body>
</html>
```

3.2.6 head.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Tasty Restaurant</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
    <link rel="shortcut icon" href="images/g.ico"/>
```



```
<link  
href="https://fonts.googleapis.com/css?family=Muli:300,  
400,600,700" rel="stylesheet">
```

```
<link  
href="https://fonts.googleapis.com/css?family=Indie+Flo  
wer" rel="stylesheet">
```

```
<link rel="stylesheet" href="css/open-iconic-  
bootstrap.min.css">
```

```
<link rel="stylesheet" href="css/animate.css">
```

```
<link rel="stylesheet" href="css/owl.carousel.min.css">
```

```
<link rel="stylesheet"  
href="css/owl.theme.default.min.css">
```

```
<link rel="stylesheet" href="css/magnific-popup.css">
```

```
<link rel="stylesheet" href="css/aos.css">
```

```
<link rel="stylesheet" href="css/ionicons.min.css">
```

```
<link rel="stylesheet" href="css/bootstrap-  
datepicker.css">
```

```
<link rel="stylesheet"  
href="css/jquery.timepicker.css">
```

```
<link rel="stylesheet" href="css/flaticon.css">
```

```
<link rel="stylesheet" href="css/icomoon.css">
```

```
<link rel="stylesheet" href="css/style.css">
```

```
<link rel="stylesheet" href="css/lightbox.css">
```

```
</head>
```

3.2.7 login.php

```
<section class="site-section">
```

```
<div class="container1">
```

```
<div class="row">
```

```
  <div id="kolona" class="col-md-6">
```

```
    <h2 id="naslov" class="mb-5">Login Form</h2>
```

```
    <form method="post">
```

```
      <div class="row">
```

```
        <div class="col-md-12 form-group">
```

```
          <label for="email">Email</label>
```

```
          <input type="text" id="email"
name="email" class="form-control ">
```

```
        </div>
```

```
        <p id="errorMail"></p>
```

```
      </div>
```

```
    <div class="row">
```

```
      <div class="col-md-12 form-group">
```

```
        <label for="password">Password</label>
```

```
        <input type="password" id="password"
name="password" class="form-control ">
```

```
    </div>
```

```
    <p id="errorS"></p>
```

```
</div>
```

```
<div class="row">
```

```
    <div class="col-md-6 form-group">
```

```
        <button type="button"
onclick="loginProvera();" value="Log in" name="login"
id="dugmee" class="btn btn-primary">Log in</button>
```

```
    </div>
```

```
</div>
```

```
</form>
```

```
<div id="poruka1"></div>
```

```
        </div>
    </div>
</section>
```

3.2.8 menu.php

```
<?php
if(isset($_SESSION['korisnik'])):
?>
<section class="ftco-section bg-light">
    <div class="container">
        <div class="row justify-content-center mb-5 pb-5">
            <div class="col-md-7 text-center heading-section
ftco-animate">
                <span class="subheading">Our Menu</span>
                <h2 id="naslov">Click On The Links Below And
Discover Our Exclusive Menu</h2>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-12 dish-menu">
```

```
<div class="nav nav-pills justify-content-center  
ftco-animate" id="v-pills-tab" role="tablist" aria-  
orientation="vertical">
```

```
<a class="nav-link py-3 px-4" id="v-pills-home-  
tab" data-toggle="pill" href="#v-pills-home" role="tab"  
aria-controls="v-pills-home" aria-selected="true"><span  
class="flaticon-meat"></span> Breakfast</a>
```

```
<a class="nav-link py-3 px-4" id="v-pills-  
profile-tab" data-toggle="pill" href="#v-pills-profile"  
role="tab" aria-controls="v-pills-profile" aria-  
selected="false"><span class="flaticon-cutlery"></span>  
Dessert</a>
```

```
<a class="nav-link py-3 px-4" id="v-pills-  
messages-tab" data-toggle="pill" href="#v-pills-  
messages" role="tab" aria-controls="v-pills-messages"
```

```
aria-selected="false"><span class="flaticon-  
cheers"></span> Drinks</a>
```

```
</div>
```

```
<div class="tab-content py-5" id="v-pills-  
tabContent">
```

```
<div class="tab-pane fade" id="v-pills-home"  
role="tabpanel" aria-labelledby="v-pills-profile-tab">
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<?php
```

```
include "modules/konekcija.php";

$upit1="SELECT * FROM jelo j INNER
JOIN jelo_sastojci js on j.idJelo=js.idJelo INNER JOIN
sastojci_za_jelo szj on js.idSastojak=szj.idSastojak INNER
JOIN cena_jela cj on j.idCenaJela=cj.idCenaJela";
```

```
$rezultat1=$konekcija->query($upit1);
$konacno1=$rezultat1->fetchAll();
foreach ($konacno1 as $red1):
```

```
?>
```

```
<div class="menus d-flex ftco-
animate">
```



```
<div class="menu-img"
style="background-image: url(<?=$red1-
>slika?>);"></div>
```

```
<div class="text d-flex">
    <div class="one-half">
        <h3><?=$red1->naziv?></h3>
        <p><span>Ingredients:
<?=$red1->nazivSa?></span></p>
    </div>
    <div class="one-forth">
        <span class="price">Price:
<?=$red1->vrednost?>$</span>
    </div>
</div>
</div>
```

```
<?php endforeach; ?>
```

</div>

</div>

</div><!-- END -->

<div class="tab-pane fade" id="v-pills-profile"
role="tabpanel" aria-labelledby="v-pills-profile-tab">

<div class="row">

<div class="col-lg-12">

<?php

include "modules/konekcija.php";

```
$upit1="SELECT * FROM desert d  
INNER JOIN desert_sastojci ds on d.idDesert=ds.idDesert  
INNER JOIN sastojci_za_desert szd on  
ds.idSasDe=szd.idSasDe INNER JOIN cena_deserta cds on  
d.idCenaDes=cds.idCenaDes";
```

```
$rezultat2=$konekcija->query($upit1);  
$konacno2=$rezultat2->fetchAll();  
foreach ($konacno2 as $red2):
```

```
?>
```

```
<div class="menus d-flex ftco-  
animate">
```

```
<div class="menu-img"
style="background-image: url(<?=$red2-
>slika?>);"></div>
```

```
<div class="text d-flex">
```

```
<div class="one-half">
```

```
<h3><?=$red2->naziv?></h3>
```

```
<p><span>Ingredients:
<?=$red2->nazivSD?></span></p>
```

```
</div>
```

```
<div class="one-forth">
```

```
<span class="price">Price:
<?=$red2->vrednost?>$</span>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php endforeach; ?>
```

</div>

</div>

</div><!-- END -->

<div class="tab-pane fade" id="v-pills-messages" role="tabpanel" aria-labelledby="v-pills-profile-tab">

<div class="row">

<div class="col-lg-12">

```
<?php

include "modules/konekcija.php";

$upit="SELECT * FROM pice p INNER
JOIN pice_sastojci ps on p.idPice=ps.idPice INNER JOIN
sastojci_za_pice szp on ps.idSasPice=szp.idSasPice INNER
JOIN cena_pica cp on p.idCenaPica=cp.idCenaPica";


$resultat=$konekcija->query($upit);
$konacno=$resultat->fetchAll();
foreach ($konacno as $red):


?>
```

```

<div class="menus d-flex ftco-
animate">

    <div class="menu-img"
style="background-image: url(<?=$red->slika?>);"></div>

    <div class="text d-flex">

        <div class="one-half">

            <h3><?=$red->naziv?></h3>

            <p><span>Ingredients:
<?=$red->nazivS?></span></p>

        </div>

        <div class="one-forth">

            <span class="price">Price:
<?=$red->vrednost?>$</span>

        </div>

    </div>

</div>

<?php endforeach; ?>

```

</div>

</div>

</div><!-- END -->

</div>


```
        </div>
    </div>
</div>
</div>
</section>

<?php endif; ?>
```

3.2.9 nav.php

```
<body>

<nav class="navbar navbar-expand-lg navbar-dark
ftco_navbar bg-dark ftco-navbar-light" id="ftco-navbar">
    <div class="container">
```

```
<a class="navbar-brand" href="index.php">Tasty  
Restaurant</a>
```

```
<button class="navbar-toggler" type="button" data-  
toggle="collapse" data-target="#ftco-nav" aria-  
controls="ftco-nav" aria-expanded="false" aria-  
label="Toggle navigation">
```

```
<span class="oi oi-menu"></span> Menu  
</button>
```

```
<div class="collapse navbar-collapse" id="ftco-nav">
```

```
<ul class="navbar-nav ml-auto">
```

```
<?php
```

```
include "modules/konekcija.php";
```

```
$upit="SELECT * FROM linkovi;";
```

```
$rezultat=$konekcija->query($upit)->fetchAll();
```

```
if(!isset($_SESSION['korisnik'])):?>
```

```
    <li class="nav-item"><a href="<?=$rezultat[0]->putanja ?>" class="nav-link"> <?=$rezultat[0]->imeLinka ?> </a></li>
```

```
    <li class="nav-item"><a href="<?=$rezultat[6]->putanja ?>" class="nav-link"> <?=$rezultat[6]->imeLinka ?> </a></li>
```

```
    <li class="nav-item"><a href="<?=$rezultat[7]->putanja ?>" class="nav-link"> <?=$rezultat[7]->imeLinka ?> </a></li>
```

```
<?php endif;?>
```

```
<?php
```

```
if(isset($_SESSION['korisnik'])):
```

```
    foreach ($rezultat as $red):?>
```

```
<li class="nav-item"><a href="<?= $red-  
>putanja ?>" class="nav-link"> <?= $red->imeLinka ?>  
</a></li>
```

```
<?php endforeach;?>
```

```
<?php endif;?>
```

```
<?php
```

```
if(isset($_SESSION['korisnik'])){\
```

```
    echo '<li class="nav-item"><a  
href="modules/logout.php" class="nav-  
link">Logout</a></li>';
```

```
}
```

```
else{\
```

```
        echo '<li class="nav-item"><a
href="index.php?page=login" class="nav-
link">Login</a></li>';

    }

    ?>

</ul>

</div>

</div>

</nav>

<!-- END nav -->
```

3.2.10 news.php

```
<?php
```

```
if(isset($_SESSION['korisnik'])):
```

?>

<?php

include "modules/konekcija.php";

if(isset(\$_GET['id'])):

 \$idVesti=\$_GET['id'];

 \$upit="SELECT slikaVest,naslovVest,tekst,datum FROM
vesti WHERE idVest=\$idVesti;";

 \$red=\$konekcija->query(\$upit)->fetch();

?>

```
<?php if($red):?>
```

```
<section class="ftco-section bg-light">
```

```
  <div class="container">
```

```
<div id="tamo" class="col-md-6 col-lg-6">
```

```
  <div class="blog-entry">
```

```
    <a href="<?=$red->slikaVest?>" data-  
lightbox="gallery" class="block-20" style="background-  
image: url(<?=$red->slikaVest?>);">
```

```
  </a>
```

```
  <div class="text p-4">
```

```
    <h3 class="heading"><a href="#"><?=$red-  
>naslovVest?></a></h3>
```

```
    <p class="clearfix"><?=$red->tekst?></p>
```

```
<h5>By: Admin &nbsp;|&nbsp;<?=$red-  
>datum?></h5>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<?php endif;?>
```

```
<?php endif;?>
```

```
<div id="nensi" class="col-md-6">
```

```
<h2 id="naslov" class="mb-5">Leave a Comment</h2>
```

```
<form>
```



```

<div class="row">

  <div class="col-md-8 form-group">

    <label for="">Date</label>

    <input type="date" name="datumjoj" id="jojdat"
class="form-control" placeholder="Date">

  </div>

</div>

<p id="erordatum"></p>

<div class="row">

  <div class="col-md-8 form-group">

    <label for="name">Comment</label>

    <textarea name="comment1" id="comment1"
cols="30" rows="7" class="form-control" ></textarea>

  </div>

```

</div>

<p id="errorC"></p>

<div class="row">

<div class="col-md-8 form-group">

<button type="button" data-id="<?=\$idVesti?>"
value="Comment" id="dugme225" class="btn btn-
primary">Add Comment</button>

</div>

</div>

</form>

```
<div id="poruka5"></div>
</div>
```

```
<div id="prikaz">
    <h2 id="naslov8889" class="mb-5">Last Comments
    To This News</h2>
    <div id="row1">
```

```
<?php
include "modules/konekcija.php";

if(isset($_GET['id'])):

    $idVesti=$_GET['id'];

    $upit56="SELECT * FROM vesti v INNER join
    komentari k on v.idVest=k.idVest WHERE
    k.idVest=$idVesti ORDER BY datumKom DESC";

    $rezultat=$konekcija->query($upit56)->fetchAll();
```

```
foreach ($rezultat as $red) :?>
```

```
    <h3 class="pozadi">By: <?=$red-  
>imeKorisnika ?> | <?=$red->datumKom ?> | <span  
class="icon-chat"></span></h3>
```

```
    <div class="komentic">
```

```
        <textarea id="oblast" rows="3" cols="76"  
disabled="true"><?=$red->komentar?></textarea>
```

```
    </div>
```

```
<?php endforeach; ?>
```

```
<?php endif;?>
```

```
</div>
```

</div>

<?php endif;?>

3.2.11 photos.php

<section class="instagram">

<div class="container-fluid">

<div class="row no-gutters justify-content-center pb-5">

<div class="col-md-7 text-center heading-section ftco-animate">

<h2>Instagram photos</h2>

</div>

</div>

<div class="row no-gutters">

```

<div class="col-sm-12 col-md ftco-animate">

    <a href="images/insta-1.jpg" class="insta-img
image-popup" style="background-image:
url(images/insta-1.jpg);">

        <div class="icon d-flex justify-content-
center">

            <span class="icon-instagram align-self-
center"></span>

        </div>

    </a>

</div>

<div class="col-sm-12 col-md ftco-animate">

    <a href="images/insta-2.jpg" class="insta-img
image-popup" style="background-image:
url(images/insta-2.jpg);">

        <div class="icon d-flex justify-content-
center">

            <span class="icon-instagram align-self-
center"></span>

```

```

        </div>

    </a>

</div>

<div class="col-sm-12 col-md ftco-animate">

    <a href="images/insta-3.jpg" class="insta-img
image-popup" style="background-image:
url(images/insta-3.jpg);">

        <div class="icon d-flex justify-content-
center">

            <span class="icon-instagram align-self-
center"></span>

        </div>

    </a>

</div>

<div class="col-sm-12 col-md ftco-animate">

    <a href="images/insta-4.jpg" class="insta-img
image-popup" style="background-image:
url(images/insta-4.jpg);">

```

```

        <div class="icon d-flex justify-content-
center">

            <span class="icon-instagram align-self-
center"></span>

        </div>

    </a>

</div>

<div class="col-sm-12 col-md ftco-animate">

    <a href="images/insta-5.jpg" class="insta-img
image-popup" style="background-image:
url(images/insta-5.jpg);">

        <div class="icon d-flex justify-content-
center">

            <span class="icon-instagram align-self-
center"></span>

        </div>

    </a>

</div>

```



```
</div>  
</div>  
</section>
```

3.2.12 pocetna.php

```
<section class="ftco-section-2">  
  <div class="container d-flex">  
    <div class="section-2-blocks-wrapper row">  
      <div class="img col-sm-12 col-lg-6"  
style="background-image: url('images/res.jpg');">  
    </div>  
    <div class="text col-lg-6 ftco-animate">  
      <div class="text-inner align-self-start">  
        <span class="subheading">About Our  
Restaurant</span>  
        <h3 class="heading">This is how our story  
begins</h3>
```

<p>Far far away, behind the word mountains,
far from the countries Vokalia and Consonantia, there
live the blind texts. Separated they live in
Bookmarksgrove right at the coast of the Semantics, a
large language ocean.</p>

<p>A small river named Duden flows by their
place and supplies it with the necessary regelialia. It is a
paradisematic country, in which roasted parts of
sentences fly into your mouth.</p>

</div>

</div>

</div>

</div>

</section>

3.2.13 register.php

```
<section class="site-section">
  <div class="container1">
    <div class="row">
      <div class="col-md-6">
        <h2 id="naslov" class="mb-5">Registration
Form</h2>
        <form>
          <div class="row">
            <div class="col-md-12 form-group">
              <label for="name">First Name</label>
              <input type="text" name="firstName"
id="ime" class="form-control ">
            </div>
            <p id="error1"></p>
          </div>
        </form>
      </div>
    </div>
  </div>
```

```
<div class="row">
  <div class="col-md-12 form-group">
    <label for="phone">Last Name</label>
    <input type="text" name="lastName"
id="prezime" class="form-control ">
  </div>
  <p id="error2"></p>
</div>
<div class="row">
  <div class="col-md-12 form-group">
    <label for="email">Email</label>
    <input type="email" name="email"
id="email" class="form-control ">
  </div>
  <p id="errorMail"></p>
</div>
```

```
<div class="row">
  <div class="col-md-12 form-group">
    <label for="user">Username</label>
    <input type="text" name="username"
id="username" class="form-control ">
  </div>
  <p id="erorUser"></p>
</div>
```

```
<div class="row">
  <div class="col-md-12 form-group">
    <label for="password">Password</label>
    <input type="password"
name="password" id="password" class="form-control ">
  </div>
  <p id="erorS"></p>
</div>
```

```

        <div class="row">
            <div class="col-md-6 form-group">
                <button type="button"
onclick="provera();" value="Register" id="dugme"
class="btn btn-primary">Register</button>
            </div>
        </div>
    </form>

    <div id="poruka1"></div>
</div>

<div class="col-md-1"></div>

</div>

</div>

</section>

<!-- END section -->

```

3.2.14 reservations.php

```
<?php
```

```
if(isset($_SESSION['korisnik'])):
```

```
?>
```

```
<section class="ftco-section">
```

```
  <div class="container">
```

```
    <div class="row no-gutters justify-content-center  
mb-5 pb-5">
```

```
      <div class="col-md-7 text-center heading-section  
ftco-animate">
```

```
        <h2 id="pomerr">Reserve a table</h2>
```

```
      </div>
```

```
    </div>
```

```

<div class="row d-flex">
    <div class="col-md-4 ftco-animate img"
style="background-image: url(images/bg_1.jpg);"></div>
    <div class="col-md-8 ftco-animate
makersreservation p-5 bg-light">
        <form action="#">
            <div class="row">
                <!--<div class="col-md-6">
                    <div class="form-group">
                        <label for="">Name</label>
                        <input type="text" id="ime1"
class="form-control" placeholder="Your Name">
                    </div>
                    <p id="error1"></p>
                </div>
                <div class="col-md-6">
                    <div class="form-group">
                        <label for="">Email</label>

```



```
        <input type="email" id="mail"
class="form-control" placeholder="Your Email">
```

```
    </div>
```

```
    <p id="erorMail"></p>
```

```
</div>-->
```

```
<div class="col-md-6">
```

```
    <div class="form-group">
```

```
        <label for="">Date</label>
```

```
        <input type="text" class="form-
control" id="book_date" placeholder="Date">
```

```
    </div>
```

```
    <p id="erorD"></p>
```

```
</div>
```

```
<div class="col-md-6">
```

```
    <div class="form-group">
```

```
        <label for="">Time</label>
```

```
<input type="text" class="form-  
control" id="book_time" placeholder="Time">
```

```
</div>
```

```
<p id="erorV"></p>
```

```
</div>
```

```
<div class="col-md-6">
```

```
<div class="form-group">
```

```
<label for="">Guests</label>
```

```
<div class="select-wrap one-third">
```

```
<div class="icon"><span class="ion-  
ios-arrow-down"></span></div>
```

```
<select name="gosti" id="gosti"  
class="form-control">
```

```
<option  
value="0">Choose</option>
```

```
<?php
```

```
include "modules/konekcija.php";
```

```
$upit21="SELECT * FROM gosti;";
```

```
$rezultati=$konekcija-  
>query($upit21)->fetchAll();
```

```
foreach ($rezultati as $red):?>  
    <option value="<?=$red-  
>idGost?>"><?=$red->brojGostiju?></option>
```

```
<?php endforeach;?>
```

```
</select>
```

```
</div>
```

```
</div>
```

```
<p id="errorGS"></p>
```

```
</div>
```

```
<div class="col-md-12 mt-3">
```

```
<div class="form-group">
```

```
<button type="button" id="but"  
value="Make a Reservation" class="btn btn-primary py-3  
px-5">Reserve</button>
```

```
        </div>
    </div>
</div>
</form>
<div id="poruka4"></div>
</div>
</div>
</div>
</section>

<?php endif;?>
```

3.2.15 slider.php

```
<section class="home-slider owl-carousel">
    <div class="slider-item" style="background-image:
url('images/bg_1.jpg');">
```

```
<div class="overlay"></div>
```

```
<div class="container">
```

```
  <div class="row slider-text align-items-center  
  justify-content-center text-center">
```

```
    <div class="col-md-10 col-sm-12 ftco-animate">
```

```
      <h1 class="mb-3">We are here for you</h1>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
<div class="slider-item" style="background-image:  
url('images/bg_2.jpg');">
```

```
  <div class="overlay"></div>
```

```
  <div class="container">
```

```
    <div class="row slider-text align-items-center  
    justify-content-center text-center">
```

```
<div class="col-md-10 col-sm-12 ftco-animate">
  <h1 class="mb-3">Tasty & Delicous
Food</h1>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="slider-item" style="background-image:
url('images/bg_3.jpg');">
```

```
<div class="overlay"></div>
```

```
<div class="container">
```

```
<div class="row slider-text align-items-center
justify-content-center text-center">
```

```
<div class="col-md-10 col-sm-12 ftco-animate">
```

```
<h1 class="mb-3">Book a table for yourself at
a time convenient for you</h1>
```

</div>

</div>

</div>

</div>

</section>

<!-- END slider -->

3.2.16 specialities.php

<?php

```
if(isset($_SESSION['korisnik'])):
```

?>

```
<section class="ftco-section bg-light">
```

```
  <div class="container">
```

```
    <div class="row no-gutters justify-content-center  
mb-5 pb-5">
```

```
      <div class="col-md-7 text-center heading-section  
ftco-animate">
```

```
        <h2>Our Specialities</h2>
```

```
      </div>
```

```
    </div>
```

```
  <div class="row d-flex no-gutters">
```

```
    <?php
```

```
      include "modules/konekcija.php";
```

```
      $upit="SELECT * FROM specijaliteti;";
```

```
      $rezultat=$konekcija->query($upit);
```


foreach (\$rezultat as \$red):

?>

<div class="col-lg-12">

<div class="block-3 d-md-flex ftco-animate">

<div class="image order-last"
style="background-image: url(<?=\$red->slika?>);">

</div>

<div class="text text-center order-first">

<h2 class="heading"><?=\$red->naziv
?></h2>

<p><?=\$red->opis ?></p>

Price: <?=\$red->cena
?>\$

</div>

</div>

</div>

<?php endforeach;?>

</div>

</div>

</section>

<?php endif;?>

3.3 Modules

3.3.1 anketa.php

<?php

```

session_start();

header("Content-type: application/json");

$id_korisnika = $_SESSION["korisnik"]->id;

require "konekcija.php";

if (isset($_POST["anketa"])) {

    $idOdgovora = $_POST["odgovor"];

    $idAnkete = $_POST["id"];

    $upit = "SELECT odgovor,brGlasova FROM odgovor o
INNER JOIN anketa_korisnik ak ON o.id = ak.idOdgovor
WHERE odgovoreno = 1 AND idAnkete=:idA AND
idKorisnik = :idK";

    $prepare = $konekcija->prepare($upit);

    $prepare->bindParam(":idK", $id_korisnika);

    $prepare->bindParam(":idA", $idAnkete);

    $prepare->execute();

    $rez = $prepare->fetch();

    if ($rez) {

        http_response_code(409);
    }
}

```

```

        echo json_encode(["odg"=>"vec ste odgovarali na
ovu anketu"]);
    }

    else {

        $upit = "INSERT INTO anketa_korisnik (idKorisnik,
idOdgovor, odgovoreno) VALUES ($id_korisnika,
$idOdgovora,1);";

        $upit2= "UPDATE odgovor SET brGlasova =
brGlasova+1 WHERE id=$idOdgovora;";

        try {

            $rez2=$konekcija->exec($upit2);

            $rez = $konekcija->exec($upit);

            if ($rez) {

                http_response_code(201);

                echo json_encode(["odg" => "Thank you for
your cooperation"]);

            }

        } catch (PDOException $e) {

```

```
        echo $e->getMessage();  
    }  
}  
}  
else{  
    http_response_code(404);  
    echo json_encode(["odg"=>"error 404"]);  
}
```

3.3.2 deleteDesert.php

```
<?php  
session_start();  
header("Content-type: application/json");  
  
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX  
zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){
```

```
$id = $_POST['id'];  
include "konekcija.php";
```

```
$upit4 = $konekcija->prepare("DELETE FROM  
cena_deserta where idCenaDes=:id");  
$upit4->bindParam(':id', $id);
```

```
$upit5 = $konekcija->prepare("DELETE FROM  
sastojci_za_desert WHERE idSasDe=:id");  
$upit5->bindParam(':id', $id);
```

```
$upit3 = $konekcija->prepare("DELETE FROM desert  
WHERE idDesert = :id;");  
$upit3->bindParam(':id', $id);
```

```
$upit2 = $konekcija->prepare("DELETE FROM  
desert_sastojci WHERE idDesert = :id;");
```

```
$upit2->bindParam(':id', $id);
```

```
try{
```

```
    $rezultat4 = $upit4->execute();
```

```
    $rezultat5 = $upit5->execute();
```

```
    $rezultat3 = $upit3->execute();
```

```
    $rezultat2 = $upit2->execute();
```

```
    if($rezultat2 && $rezultat3 && $rezultat4 &&  
    $rezultat5){
```



```
        $statusCode = 204;
    } else {
        $statusCode = 500;
    }
}
catch(PDOException $e){
    $statusCode = 500;
}
}

// Vracanje statusnog koda ka klijentu (JS)
http_response_code($statusCode);
```

3.3.3 deleteJelo.php

```
<?php
```

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX  
zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){
```

```
    echo "Ne mozete pristupiti ovoj stranici!";
```

```
}
```

```
if(isset($_POST['id'])){\
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit4 = $konekcija->prepare("DELETE FROM  
cena_jela where idCenaJela=:id");
```

```
    $upit4->bindParam(':id', $id);
```

```
    $upit5 = $konekcija->prepare("DELETE FROM  
sastojci_za_jelo
```

```
WHERE idSastojak=:id");
```

```
    $upit5->bindParam(':id', $id);
```

```
$upit3 = $konekcija->prepare("DELETE FROM jelo  
WHERE idJelo = :id;");
```

```
$upit3->bindParam(':id', $id);
```

```
$upit2 = $konekcija->prepare("DELETE FROM  
jelo_sastojci WHERE idJelo = :id;");
```

```
$upit2->bindParam(':id', $id);
```

```
try{
```

```
$rezultat4=$upit4->execute();
```

```
$rezultat5=$upit5->execute();
```

```
$rezultat3 = $upit3->execute();
```

```
$rezultat2 = $upit2->execute();
```

```
        if($rezultat4 && $rezultat5 && $rezultat3 &&
$rezultat2){
```

```
            $statusCode = 204;
```

```
        } else {
```

```
            $statusCode = 500;
```

```
        }
```

```
    }
```

```
    catch(PDOException $e){
```

```
        $statusCode = 500;
```

```
    }
```

```
}
```

```
// Vracanje statusnog koda ka klijentu (JS)
```

```
http_response_code($statusCode);
```

[3.3.4 deleteKom.php](#)

```
<?php
```

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX  
zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){
```

```
    echo "Ne mozete pristupiti ovoj stranici!";
```

```
}
```

```
if(isset($_POST['id'])){\
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit = $konekcija->prepare("DELETE FROM komentari  
WHERE idKomentar = :id;");
```

```
    $upit->bindParam(':id', $id);
```

```
    try{\
```

```
        $rezultat = $upit->execute();
```

```
        if($rezultat){
```

```
        $statusCode = 204;
    } else {
        $statusCode = 500;
    }
}
catch(PDOException $e){
    $statusCode = 500;
}
}

// Vracanje statusnog koda ka klijentu (JS)
http_response_code($statusCode);
```

3.3.5 deleteLink.php


```
<?php
session_start();
header("Content-type: application/json");

//brisanje korisnika iz baze


// Statusni kod za vraćanje klijentu kao rezultat AJAX
zahteva
$statusCode = 404;


// Ukoliko nije POST zahtev


if($_SERVER['REQUEST_METHOD'] != "POST"){
```

```
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){\
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit = $konekcija->prepare("DELETE FROM linkovi  
WHERE idLink = :id;");
```

```
    $upit->bindParam(':id', $id);
```

```
    try{
```

```
        $rezultat = $upit->execute();
```

```
if($rezultat){  
  
    $statusCode = 204;  
} else {  
    $statusCode = 500;  
}  
}  
catch(PDOException $e){  
    $statusCode = 500;  
}  
}  
  
// Vracanje statusnog koda ka klijentu (JS)  
http_response_code($statusCode);
```

3.3.6 deleteNews.php

<?php

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX
// zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){\
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit88=$konekcija->prepare("DELETE FROM  
komentari where idVest=:id");
```

```
    $upit88->bindParam(':id', $id);
```

```
    $upit = $konekcija->prepare("DELETE FROM vesti  
WHERE idVest = :id;");
```

```
    $upit->bindParam(':id', $id);
```

```

try{

    $rezultat = $upit->execute();

    $rezultat44 = $upit88->execute();

    if($rezultat && $rezultat44){

        $statusCode = 204;

    } else {

        $statusCode = 500;

    }

}

catch(PDOException $e){

    $statusCode = 500;

}

}

// Vracanje statusnog koda ka klijentu (JS)

```

```
http_response_code($statusCode);
```

3.3.7 deleteObrok.php

```
<?php
```

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX  
zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit = $konekcija->prepare("DELETE FROM obrok  
WHERE idObrok = :id;");
```

```
    $upit->bindParam(':id', $id);
```



```
try{  
    $rezultat = $upit->execute();  
  
    if($rezultat){  
  
        $statusCode = 204;  
    } else {  
        $statusCode = 500;  
    }  
}  
catch(PDOException $e){  
    $statusCode = 500;  
}  
}  
  
// Vracanje statusnog koda ka klijentu (JS)  
http_response_code($statusCode);
```

3.3.8 deleteOdg.php

<?php

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX
// zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){\
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit51=$konekcija->prepare("DELETE FROM  
anketa_korisnik WHERE idOdgovor=:id");
```

```
    $upit51->bindParam(':id', $id);
```

```
    $upit = $konekcija->prepare("DELETE FROM odgovor  
WHERE id = :id;");
```

```
    $upit->bindParam(':id', $id);
```

```

try{

    $rezultat = $upit->execute();

    $rez2=$upit51->execute();

    if($rezultat && $rez2){

        $statusCode = 204;

    } else {

        $statusCode = 500;

    }

}

catch(PDOException $e){

    $statusCode = 500;

}

}

// Vracanje statusnog koda ka klijentu (JS)

```

```
http_response_code($statusCode);
```

3.3.9 deleteOsoblje.php

```
<?php
```

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX  
zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit = $konekcija->prepare("DELETE FROM osoblje  
WHERE idOsoblje = :id;");
```

```
    $upit->bindParam(':id', $id);
```

```
try{  
    $rezultat = $upit->execute();  
  
    if($rezultat){  
  
        $statusCode = 204;  
    } else {  
        $statusCode = 500;  
    }  
}  
catch(PDOException $e){  
    $statusCode = 500;  
}  
}  
  
// Vracanje statusnog koda ka klijentu (JS)  
http_response_code($statusCode);
```

3.3.10 deletePice.php

<?php

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX
// zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```



```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){\
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit4 = $konekcija->prepare("DELETE FROM  
cena_pica where idCenaPica=:id");
```

```
    $upit4->bindParam(':id', $id);
```

```
$upit5 = $konekcija->prepare("DELETE FROM  
sastojci_za_pice WHERE idSasPice=:id");
```

```
$upit5->bindParam(':id', $id);
```

```
$upit3 = $konekcija->prepare("DELETE FROM pice  
WHERE idPice = :id;");
```

```
$upit3->bindParam(':id', $id);
```

```
$upit2 = $konekcija->prepare("DELETE FROM  
pice_sastojci WHERE idPice = :id;");
```

```
$upit2->bindParam(':id', $id);
```

```
try{
```

```
$rezultat4 = $upit4->execute();
```

```
$rezultat5 = $upit5->execute();
```

```
$rezultat3 = $upit3->execute();
```

```
$rezultat2 = $upit2->execute();
```

```
if($rezultat2 && $rezultat3 && $rezultat4 &&  
$rezultat5){
```

```
    $statusCode = 204;
```

```
    } else {
```

```
        $statusCode = 500;
```

```
    }
```

```
}
```

```
catch(PDOException $e){
```

```
    $statusCode = 500;
```

```
}
```

```
}
```

```
// Vracanje statusnog koda ka klijentu (JS)
```

```
http_response_code($statusCode);
```

3.3.11 deleteQue.php

```
<?php
```

```
session_start();
```

```
header("Content-type: application/json");
```

```
// Statusni kod za vracanje klijentu kao rezultat AJAX  
zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

// Dohvatanje ID korisnika, prosledjenog putem AJAX-a

```
if(isset($_POST['id'])){\
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit31 = $konekcija->prepare("DELETE FROM odgovor  
WHERE idAnkete = :id;");
```

```
    $upit31->bindParam(':id', $id);
```

```
$upit = $konekcija->prepare("DELETE FROM anketa  
WHERE id = :id;");
```

```
$upit->bindParam(':id', $id);
```

```
try{
```

```
    $rezultat = $upit->execute();
```

```
    $rezultat1 = $upit31->execute();
```

```
    if($rezultat && $rezultat1){
```

```
        $statusCode = 204;
```

```
    } else {
```

```
        $statusCode = 500;
```

```
    }
```

```
}
```

```
catch(PDOException $e){
```

```
    $statusCode = 500;
```

```
}  
}
```

```
// Vracanje statusnog koda ka klijentu (JS)
```

```
http_response_code($statusCode);
```

[3.3.12 deleteRez.php](#)

```
<?php
```

```
session_start();
```

```
header("Content-type: application/json");
```

```
// Statusni kod za vracanje klijentu kao rezultat AJAX  
zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

// Dohvatanje ID korisnika, prosledjenog putem AJAX-a

```
if(isset($_POST['id'])){
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit = $konekcija->prepare("DELETE FROM  
rezervacija_stola WHERE idRez = :id;");
```

```
    $upit->bindParam(':id', $id);
```



```
try{  
    $rezultat = $upit->execute();  
  
    if($rezultat){  
  
        $statusCode = 204;  
    } else {  
        $statusCode = 500;  
    }  
}  
catch(PDOException $e){  
    $statusCode = 500;  
}  
}  
  
// Vracanje statusnog koda ka klijentu (JS)  
http_response_code($statusCode);
```

3.3.13 deleteSpec.php

<?php

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX
// zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
if(isset($_POST['id'])){
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit = $konekcija->prepare("DELETE FROM  
specijaliteti WHERE idSpec = :id;");
```

```
    $upit->bindParam(':id', $id);
```

```
    try{
```

```
$rezultat = $upit->execute();

if($rezultat){

    $statusCode = 204;

} else {

    $statusCode = 500;

}

}

catch(PDOException $e){

    $statusCode = 500;

}

}

// Vracanje statusnog koda ka klijentu (JS)
http_response_code($statusCode);
```

3.3.14 deleteUser.php

<?php

```
session_start();
```

```
header("Content-type: application/json");
```

```
//brisanje korisnika iz baze
```

```
// Statusni kod za vraćanje klijentu kao rezultat AJAX
// zahteva
```

```
$statusCode = 404;
```

```
// Ukoliko nije POST zahtev
```

```
if($_SERVER['REQUEST_METHOD'] != "POST"){  
    echo "Ne mozete pristupiti ovoj stranici!";  
}
```

```
// Dohvatanje ID korisnika, prosledjenog putem AJAX-a
```

```
if(isset($_POST['id'])){
```

```
    $id = $_POST['id'];
```

```
    include "konekcija.php";
```

```
    $upit = $konekcija->prepare("DELETE FROM korisnik  
WHERE id = :id;");
```

```
    $upit->bindParam(':id', $id);
```

```
    $upit2 = $konekcija->prepare("DELETE FROM  
anketa_korisnik WHERE idKorisnik = :id;");
```

```
$upit2->bindParam(':id', $id);
```

```
try{
```

```
    $rezultat = $upit->execute();
```

```
    $rezultat1 = $upit2->execute();
```

```
    if($rezultat && $rezultat1){
```

```
        $statusCode = 204;
```

```
    } else {
```

```
        $statusCode = 500;
```

```
    }
```

```
}
```

```
catch(PDOException $e){
```

```
    $statusCode = 500;
```

```
}  
  
}  
  
// Vracanje statusnog koda ka klijentu (JS)  
http_response_code($statusCode);
```

3.3.15 editAnk.php

```
<?php  
  
if(isset($_POST['izmenianketu'])) {  
    include "konekcija.php";  
    $id = $_POST['skrivenoank'];  
    $pitanje=$_POST['ankpi'];  
  
    $errors=[];
```



```
if (strlen($pitanje) == 0) {  
    $errors[] = "Morate uneti pitanje";  
}
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
}
```

```
else{  
    try{
```

```

        $upit = "UPDATE anketa SET pitanje=:pitanje
WHERE id=:id";

        $prepare=$konekcija->prepare($upit);
        $prepare->bindParam(":pitanje", $pitanje);
        $prepare->bindParam(":id", $id);


        $uspesno=$prepare->execute();

        header("Location: ../index.php?page=about");

    }

    catch(PDOException $e){
        echo $e->getMessage();
    }

}

```

```
}
```

```
echo json_encode($data);
```

3.3.16 edited.php

```
<?php
```

```
if(isset($_POST['izmeni'])){  
    include "konekcija.php";  
    $id = $_POST['skriveno'];  
    $username = $_POST['username'];  
    $firstName = $_POST['firstName'];  
    $lastName = $_POST['lastName'];  
    $email = $_POST['email'];
```

```
//if(isset($_POST['aktivan'])){

    $aktivan=$_POST['aktivan'];

    //}

    $akt = settype($aktivan,'int');

    $reEmail = "/^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-z]{2,5}){1,3}$/";

    $reUsername = "/^[a-z0-9\_]{4,15}$/";

    $reFirstName = "/^[A-Z][a-z]{2,9}$/";

    $reLastName = "/^[A-Z][a-z]{2,14}$/";


    $uloga = $_POST['uloga'];


    $errors = [];

    $reuloga = "/^[12]$/";
```

```
if(!$firstName) {  
    array_push($errors, "Polje za ime je obavezno.");  
} elseif(!preg_match($reFirstName, $firstName)) {  
    array_push($errors, "Polje za ime nije dobrog  
formata.");  
}  
  
if(!$lastName) {  
    array_push($errors, "Polje za prezime je  
obavezno.");  
} elseif(!preg_match($reLastName, $lastName)) {  
    array_push($errors, "Polje za prezime nije dobrog  
formata.");  
}  
  
if(!$username) {  
    array_push($errors, "Polje za korisnicko ime je  
obavezno.");  
}
```

```
    } elseif(!preg_match($reUsername, $username)) {  
        array_push($errors, "Polje za korisnicko ime nije  
dobrog formata.");  
    }
```

```
if(!$email) {  
    array_push($errors, "Polje za email je obavezno.");  
} elseif(!preg_match($reEmail, $email)) {  
    array_push($errors, "Polje za email nije dobrog  
formata.");  
}
```

```
if(!$reuloga) {
```

```

        array_push($errors, "Polje za ulogu je obavezno.");
    } elseif(!preg_match($reuloga, $uloga)) {
        array_push($errors, "Polje za ulogu nije dobrog
formata.");
    }

    /*
    if(!$aktivan) {
        array_push($errors, "Polje za aktivan je obavezno.");
    }
    elseif(!preg_match($reakt, $aktivan)) {
        array_push($errors, "Polje za aktivan nije dobrog
formata.");
    }

    */

    if(count($errors)) {

```

```
$code = 422;

$data = $errors;

}

else{

    try{

        $upit = "UPDATE korisnik SET ime=:ime,
prezime=:prezime,
email=:email,aktivan=:aktivan,uloga_id=:uloga,korisnicko
_ime=:username WHERE id=:id";

        $prepare=$konekcija->prepare($upit);

        $prepare->bindParam(":ime", $firstName);

        $prepare->bindParam(":prezime", $lastName);

        $prepare->bindParam(":email", $email);

        $prepare->bindParam(":aktivan", $aktivan);

        $prepare->bindParam(":username", $username);

        $prepare->bindParam(":uloga", $uloga);

        $prepare->bindParam(":id", $id);
```



```
$uspesno=$prepare->execute();  
echo "Uspesno";  
header("Location: ../admin.php");  
  
}  
catch(PDOException $e){  
    echo $e->getMessage();  
}  
  
}  
  
}  
  
echo json_encode($data);
```

3.3.17 editLink.php

```
<?php
```

```
if(isset($_POST['izmenilink'])){\
```

```
    include "konekcija.php";
```

```
    $id = $_POST['skrivenod'];
```

```
    $ime=$_POST['imelink'];
```

```
    $href=$_POST['hreflink'];
```

```
    $errors=[];
```

```
    $relme = "/^[A-Z][a-z0-9]+$/"
```

```
    if(!$ime) {\
```

```
        array_push($errors, "Polje za ime je obavezno.");
```

```
    } elseif(!preg_match($relme, $ime)) {\
```

```
        array_push($errors, "Polje za ime nije dobrog  
formata.");
```

```
}
```

```
if(!$href) {  
    array_push($errors, "Polje za putanju je obavezno.");  
} elseif(empty($href)) {  
    array_push($errors, "Polje za putanju je obavezno");  
}
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
}
```

```
else{
    try{

        $upit = "UPDATE linkovi SET
imeLinka=:ime,putanja=:putanja WHERE idLink=:id";

        $prepare=$konekcija->prepare($upit);
        $prepare->bindParam(":ime", $ime);
        $prepare->bindParam(":putanja", $href);
        $prepare->bindParam(":id", $id);

        $uspesno=$prepare->execute();

        header("Location: ../admin.php");

    }

    catch(PDOException $e){
```

```
        echo $e->getMessage();  
    }  
  
}  
  
}
```

3.3.18 editNews.php

```
<?php  
// $data=null;  
if(isset($_POST['sending'])) {  
    include "konekcija.php";  
    $id = $_POST['skrivenove'];  
    $datum=$_POST['datumv'];  
    $naslov=$_POST['naslovv'];  
    $errors=[];
```

```
$tekst=$_POST['tekstv'];  
$pic=$_FILES["slikav"];  
$tmp = $pic["tmp_name"];  
$picName = $pic["name"];  
$picSize = $pic["size"];  
$picType = $pic["type"];  
$formati = array("image/jpg", "image/jpeg",  
"image/png", "image/gif");  
if(!in_array($picType, $formati)){  
    $errors[] = "Tip fajla nije ok.";  
}  
if($picSize > 3000000){  
    $errors[] = "Fajl mora biti manji od 3MB.";  
}
```

```
if(!$datum) {  
    array_push($errors, "Polje za datum je obavezno.");  
} elseif(empty($datum)) {  
    array_push($errors, "Morate uneti datum objave  
vesti");  
}
```

```
if(!$naslov) {  
    array_push($errors, "Polje za naslov je obavezno.");  
} elseif(empty($naslov)) {  
    array_push($errors, "Morate uneti naslov vesti");  
}
```

```
if(!$tekst) {  
    array_push($errors, "Polje za opis vesti je  
obavezno.");
```

```
} elseif(empty($tekst)) {  
    array_push($errors, "Morate uneti opis vesti");  
}
```

```
//$code=204;
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
}
```

```
else{
```

```
    try {
```

```
        $fileName = time() . $picName;
```



```
//var_dump($tmp);

$path = "images/" . $fileName;

if (move_uploaded_file($tmp, "../" . $path)) {

    $upit = "UPDATE vesti SET
slikaVest=:slika,datum=:dat,naslovVest=:naslov,tekst=:txt
WHERE idVest=:id";

    $prepare = $konekcija->prepare($upit);
    $prepare->bindParam(":dat", $datum);
    $prepare->bindParam(":naslov", $naslov);
    $prepare->bindParam(":slika", $path);
    $prepare->bindParam(":txt", $tekst);
    $prepare->bindParam(":id", $id);

    //$code=201;

    $uspesno = $prepare->execute();
```

```
        header("Location: ../index.php?page=blog");

    }

}

catch(PDOException $e){
    echo $e->getMessage();
}

}

}

//http_response_code($code);
echo json_encode($data);
```

3.3.19 editObrok.php

```
<?php
```

```
if(isset($_POST['izmeniobrok'])){\
```

```
    include "konekcija.php";
```

```
    $id = $_POST['skrivenob'];
```

```
    $ime=$_POST['meal'];
```

```
    $errors=[];
```

```
    $relme = "/^[A-Z][a-z]{2,9}$/";
```

```
    if(!$ime) {\
```

```
        array_push($errors, "Polje za ime je obavezno.");
```

```
    } elseif(!preg_match($relme, $ime)) {\
```

```
        array_push($errors, "Polje za ime nije dobrog  
formata.");
```

```
    }
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
}
```

```
else{  
    try{
```

```
        $upit = "UPDATE obrok SET naziv=:ime WHERE  
idObrok=:id";
```

```
        $prepare=$konekcija->prepare($upit);
```

```
        $prepare->bindParam(":ime", $ime);
```

```
        $prepare->bindParam(":id", $id);
```

```
$uspesno=$prepare->execute();

header("Location: ../admin.php");

}

catch(PDOException $e){
    echo $e->getMessage();
}

}

}
```

3.3.20 editRez.php

```
<?php
```

```
if(isset($_POST['izmenires'])){
```

```

include "konekcija.php";

$id = $_POST['skriveno'];


$time=$_POST['imence'];
$email=$_POST['emaili'];
$datum=$_POST['datums'];
$vreme=$_POST['times'];
$gosti=$_POST['gosti'];


$reEmail = "/^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-z]{2,5}){1,3}$/";

$errors=[];


$relme = "/^[A-Z][a-z]{2,9}$/";


if(!$datum) {

```

```
    array_push($errors, "Polje za datum dolaska je obavezno.");
```

```
    } elseif(empty($datum)) {
```

```
        array_push($errors, "Polje za datum dolaska je obavezno");
```

```
    }
```

```
    if(!$vreme) {
```

```
        array_push($errors, "Polje za vreme dolaska je obavezno.");
```

```
    } elseif(empty($vreme)) {
```

```
        array_push($errors, "Polje za vreme dolaska je obavezno");
```

```
    }
```

```
    if(!$ime) {
```

```
        array_push($errors, "Polje za ime je obavezno.");
```

```
} elseif(!preg_match($relme, $ime)) {  
    array_push($errors, "Polje za ime nije dobrog  
formata.");  
}
```

```
if(!$email) {  
    array_push($errors, "Polje za email je obavezno.");  
} elseif(!preg_match($reEmail, $email)) {  
    array_push($errors, "Polje za email nije dobrog  
formata.");  
}
```

```
if(isset($_POST['gosti']) && $_POST['gosti'] == '0') {
```



```
    array_push($errors, "Izaberite broj gostiju");  
}
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
}
```

```
else{  
    try{
```

```
        $upit = "UPDATE rezervacija_stola SET  
ime=:ime,email=:email,datum=:datum,vreme=:vreme,br  
Gostiju=:guests WHERE idRez=:id";
```

```
        $prepare=$konekcija->prepare($upit);
```

```
        $prepare->bindParam(":ime", $ime);
```

```
        $prepare->bindParam(":email", $email);
```

```
$prepare->bindParam(":datum", $datum);
$prepare->bindParam(":vreme", $vreme);
$prepare->bindParam(":guests", $gosti);
$prepare->bindParam(":id", $id);

$uspesno=$prepare->execute();

header("Location: ../admin.php");

}

catch(PDOException $e){
    echo $e->getMessage();
}

}

}
```

```
}
```

3.3.21 editSpec.php

```
<?php  
  
// $data=null;  
  
if(isset($_POST['sendi1'])){  
    include "konekcija.php";  
  
    $id = $_POST['skrivenosp1'];  
  
    $ime=$_POST['specn1'];  
  
    $opis=$_POST['descr1'];  
  
    $errors=[];  
  
    $relme="/^[A-z]+(\s[a-z][0-9])*$/";  
  
    $reCena="/^[0-9]{1,5}$/";  
  
    $cena=$_POST['price1'];  
  
    $pic=$_FILES["slikas1"];  
  
    $tmp = $pic["tmp_name"];  
  
    $picName = $pic["name"];
```

```

$picSize = $pic["size"];
$picType = $pic["type"];
$formati = array("image/jpg", "image/jpeg",
"image/png", "image/gif");
if(!in_array($picType, $formati)){
    $errors[] = "Tip fajla nije ok.";
}
if($picSize > 3000000){
    $errors[] = "Fajl mora biti manji od 3MB.";
}

if(!$ime) {
    array_push($errors, "Polje za ime je obavezno.");
} elseif(!preg_match($relme, $ime)) {
    array_push($errors, "Los format za ime.");
}

```

```
if(!$opis) {  
    array_push($errors, "Polje za opis je obavezno.");  
} elseif(empty($opis)) {  
    array_push($errors, "Morate uneti opis");  
}
```

```
if(!$cena) {  
    array_push($errors, "Polje za cenu je obavezno.");  
} elseif(!preg_match($reCena,$cena)) {  
    array_push($errors, "Morate uneti cenu kao broj");  
}
```

```
// $code=204;
```

```
if(count($errors)) {
```

```
    $code = 422;
```

```
    $data = $errors;
```

```
}
```

```
else{
```

```
    try {
```

```
        $fileName = time() . $picName;
```

```
        //var_dump($tmp);
```

```
        $path = "images/" . $fileName;
```

```
        if (move_uploaded_file($tmp, "../" . $path)) {
```

```
            $upit = "UPDATE specijaliteti SET  
naziv=:ime,opis=:opis,slika=:slika,cena=:cena WHERE  
idSpec=:id";
```

```
            $prepare = $konekcija->prepare($upit);
```

```
$prepare->bindParam(":ime", $ime);  
$prepare->bindParam(":opis", $opis);  
$prepare->bindParam(":slika", $path);  
$prepare->bindParam(":cena", $cena);  
$prepare->bindParam(":id", $id);
```

```
//$code=201;
```

```
$uspesno = $prepare->execute();
```

```
header("Location:  
../index.php?page=specialities");
```

```
}
```

```
}
```

```
catch(PDOException $e){  
    echo $e->getMessage();
```

```
    }  
  
}  
  
}  
  
//http_response_code($code);  
echo json_encode($data);
```

3.3.22 insertAnswer.php

```
<?php  
session_start();  
header("Content-type: application/json");  
include("konekcija.php");  
  
if(isset($_POST['send'])) {
```



```
$odgovor = $_POST['odgovor'];  
$pitanje = $_POST['pitanje'];  
$reOdg="/^[A-Z][\s0-9a-z]+$/" ;  
$errors=[];  
  
if(isset($_POST['pitanje']) && $_POST['pitanje'] == "") {  
    array_push($errors, "Izaberite pitanje");  
}  
  
if(!$odgovor) {  
    array_push($errors, "Polje za odgovor je  
obavezno.");  
} elseif(!preg_match($reOdg, $odgovor)) {  
    array_push($errors, "Polje za odgovor nije dobrog  
formata.");  
}
```

```
if(count($errors)){  
    //$data=$errors;  
    http_response_code(422);  
}
```

```
else {
```

```
    try {  
        $upit = "INSERT INTO odgovor (odgovor,idAnkete)  
VALUES (:odgovor,:id_ankete)";  
        $prepare = $konekcija->prepare($upit);  
        $prepare->bindParam(":odgovor", $odgovor);  
        $prepare->bindParam(":id_ankete", $pitanje);
```

```
$rez = $prepare->execute();  
http_response_code(201);  
echo json_encode(["Answer"=>"Super"]);  
  
} catch (PDOException $e) {  
    echo $e->getMessage();  
}  
}  
}  
else{  
    http_response_code(404);  
    echo json_encode(["Error"=>"Page not found"]);  
}
```

3.3.23 insertDessert.php

```
<?php
session_start();
ob_start();
require "konekcija.php";
if (isset($_POST["senddesert"])) {
    $ime = $_POST["desn"];
    $sastojci = $_POST["desssas"];
    $cena=$_POST["dessc"];
    $errors=[];
    $reCena="/^[0-9]{1,5}$/";
    $pic=$_FILES["slikadess"];
    $tmp = $pic["tmp_name"];
    $picName = $pic["name"];
    $picSize = $pic["size"];
    $picType = $pic["type"];
    $formati = array("image/jpg", "image/jpeg",
"image/png", "image/gif");
```

```
if(!in_array($picType, $formati)){  
    $errors[] = "Tip fajla nije ok.";  
}  
  
if($picSize > 3000000){  
    $errors[] = "Fajl mora biti manji od 3MB.";  
}  
  
if(!$ime) {  
    array_push($errors, "Polje za ime deserta je  
obavezno.");  
} elseif(empty($ime)) {  
    array_push($errors, "Polje za ime deserta nije  
dobrog formata.");  
}  
  
if(!$sastojci) {  
    array_push($errors, "Polje za sastojke deserta je  
obavezno.");  
}
```

```
} elseif(empty($sastojci)) {  
    array_push($errors, "Polje za sastojke deserta nije  
dobrog formata.");  
}
```

```
if(!$cena) {  
    array_push($errors, "Polje za cenu deserta je  
obavezno.");  
} elseif(!preg_match($reCena,$cena)) {  
    array_push($errors, "Polje za cenu deserta je  
obavezno");  
}
```

```
if (count($errors)) {  
    //http_response_code(422);  
  
    echo json_encode(["Error"=>"You must fill form  
data! Go back and try again!"]);  
}  
  
else {  
  
    try{  
        $fileName = time().$picName;  
        //var_dump($tmp);  
        $path = "images/".$fileName;  
        if(move_uploaded_file($tmp, "../".$path)) {
```

```
$upit56 = "INSERT INTO cena_deserta(vrednost)
VALUES (:vrednost)";
```

```
$priprema1 = $konekcija->prepare($upit56);
```

```
$priprema1->bindParam(":vrednost", $cena);
```

```
$rez44=$priprema1->execute();
```

```
if($rez44){
```

```
    $idcene=$konekcija->lastInsertId();
```

```
}
```

```
$upit57 = "INSERT INTO
sastojci_za_desert(nazivSD) VALUES (:naziv)";
```

```
$priprema2 = $konekcija->prepare($upit57);
```

```
$priprema2->bindParam(":naziv", $sastojci);
```



```
$rez66=$priprema2->execute();
```

```
if($rez66){
```

```
    $idSas=$konekcija->lastInsertId();
```

```
}
```

```
    $upit55 = "INSERT INTO  
desert(naziv,slika,idObrok,idCenaDes) VALUES  
(:naziv,:slika,2,$idcene)";
```

```
    $priprema = $konekcija->prepare($upit55);
```

```
    $priprema->bindParam(":slika", $path);
```

```
    $priprema->bindParam(":naziv", $ime);
```

```
    $rez33 = $priprema->execute();
```

```
if($rez33){
```

```
    $iddes=$konekcija->lastInsertId();
```

```
}
```

```
$upit58 = "INSERT INTO  
desert_sastojci(idDesert,idSasDe) VALUES  
($iddes,$idSas)";
```

```
$priprema3 = $konekcija->prepare($upit58);
```

```
$rez77=$priprema3->execute();
```

```
http_response_code(204);
```

```
//http_response_code(201);
```

```
header("Location: ../index.php?page=menu");
```

```

    }

    } catch (PDOException $e) {
        echo $e->getMessage();
    }

}

}

else{
    //http_response_code(404);
    echo json_encode(["Error"=>"Page not found"]);
}

```

3.3.24 insertDish.php

```
<?php
```

```
session_start();  
ob_start();  
require "konekcija.php";  
if (isset($_POST["sendjelo"])) {  
    $ime = $_POST["jelon"];  
    $sastojci = $_POST["jelosas"];  
    $cena=$_POST["jeloc"];  
    $errors=[];  
    $reCena="/^[0-9]{1,5}$/";  
    $pic=$_FILES["slikaj"];  
    $tmp = $pic["tmp_name"];  
    $picName = $pic["name"];  
    $picSize = $pic["size"];  
    $picType = $pic["type"];  
    $formati = array("image/jpg", "image/jpeg",  
"image/png", "image/gif");  
    if(!in_array($picType, $formati)){
```

```

    $errors[] = "Tip fajla nije ok.";
}

if($picSize > 3000000){
    $errors[] = "Fajl mora biti manji od 3MB.";
}

if(!$ime) {
    array_push($errors, "Polje za ime jela je
obavezno.");
} elseif(empty($ime)) {
    array_push($errors, "Polje za ime jela nije dobrog
formata.");
}

if(!$sastojci) {
    array_push($errors, "Polje za sastojke jela je
obavezno.");
} elseif(empty($sastojci)) {

```

```
        array_push($errors, "Polje za sastojke jela nije  
dobrog formata.");  
    }
```

```
    if(!$cena) {  
        array_push($errors, "Polje za cenu jela je  
obavezno.");  
    } elseif(!preg_match($reCena,$cena)) {  
        array_push($errors, "Polje za cenu jela je  
obavezno");  
    }
```

```
if (count($errors)) {
```

```
//http_response_code(422);

    echo json_encode(["Error"=>"You must fill form
data! Go back and try again!"]);
}

else {

    try{
        $fileName = time().$picName;
        //var_dump($tmp);
        $path ="images/".$fileName;
        if(move_uploaded_file($tmp, "../".$path)) {
```

```
$upit56 = "INSERT INTO cena_jela(vrednost)
VALUES (:vrednost)";

$priprema1 = $konekcija->prepare($upit56);
$priprema1->bindParam(":vrednost", $cena);
$rez44=$priprema1->execute();

if($rez44){
    $idcene=$konekcija->lastInsertId();
}
```

```
$upit57 = "INSERT INTO
sastojci_za_jelo(nazivSa) VALUES (:naziv)";

$priprema2 = $konekcija->prepare($upit57);
$priprema2->bindParam(":naziv", $sastojci);
$rez66=$priprema2->execute();
```



```
if($rez66){  
    $idSas=$konekcija->lastInsertId();  
}
```

```
$upit55 = "INSERT INTO  
jelo(naziv,slika,idObrok,idCenaJela) VALUES  
(:naziv,:slika,1,$idcene)";
```

```
$priprema = $konekcija->prepare($upit55);  
$priprema->bindParam(":slika", $path);  
$priprema->bindParam(":naziv", $ime);  
$rez33 = $priprema->execute();
```

```
if($rez33){  
    $idJela=$konekcija->lastInsertId();  
}
```

```
$upit58 = "INSERT INTO
jelo_sastojci(idJelo,idSastojak) VALUES ($idJela,$idSas)";

$priprema3 = $konekcija->prepare($upit58);
$rez77=$priprema3->execute();

http_response_code(204);

//http_response_code(201);
header("Location: ../index.php?page=menu");

}
```

```

        } catch (PDOException $e) {
            echo $e->getMessage();
        }

    }
}

else{
    //http_response_code(404);
    echo json_encode(["Error"=>"Page not found"]);
}

```

3.3.25 insertDrink.php

```

<?php
session_start();
ob_start();
require "konekcija.php";

```

```
if (isset($_POST["sendpice"])) {  
    $ime = $_POST["drn"];  
    $sastojci = $_POST["picesas"];  
    $cena=$_POST["picec"];  
    $errors=[];  
    $reCena="/^[0-9]{1,5}$"/;  
    $pic=$_FILES["slikapice"];  
    $tmp = $pic["tmp_name"];  
    $picName = $pic["name"];  
    $picSize = $pic["size"];  
    $picType = $pic["type"];  
    $formati = array("image/jpg", "image/jpeg",  
"image/png", "image/gif");  
    if(!in_array($picType, $formati)){  
        $errors[] = "Tip fajla nije ok.";  
    }  
    if($picSize > 3000000){
```

```
    $errors[] = "Fajl mora biti manji od 3MB.";
}
```

```
if(!$ime) {
    array_push($errors, "Polje za ime pica je
obavezno.");
} elseif(empty($ime)) {
    array_push($errors, "Polje za ime pica nije dobrog
formata.");
}
```

```
if(!$sastojci) {
    array_push($errors, "Polje za sastojke pica je
obavezno.");
} elseif(empty($sastojci)) {
    array_push($errors, "Polje za sastojke pica nije
dobrog formata.");
}
```

```
if(!$cena) {  
    array_push($errors, "Polje za cenu pica je  
obavezno.");  
} elseif(!preg_match($reCena,$cena)) {  
    array_push($errors, "Polje za cenu pica je  
obavezno");  
}
```

```
if (count($errors)) {  
    //http_response_code(422);
```

```
        echo json_encode(["Error"=>"You must fill form  
data! Go back and try again!"]);  
    }
```

```
else {
```

```
    try{  
        $fileName = time().$picName;  
        //var_dump($tmp);  
        $path = "images/".$fileName;  
        if(move_uploaded_file($tmp, "../".$path)) {
```

```
$upit56 = "INSERT INTO cena_pica(vrednost)
VALUES (:vrednost)";
```

```
$priprema1 = $konekcija->prepare($upit56);
```

```
$priprema1->bindParam(":vrednost", $cena);
```

```
$rez44=$priprema1->execute();
```

```
if($rez44){
```

```
    $idcenep=$konekcija->lastInsertId();
```

```
}
```

```
$upit57 = "INSERT INTO sastojci_za_pice(nazivS)
VALUES (:naziv)";
```

```
$priprema2 = $konekcija->prepare($upit57);
```

```
$priprema2->bindParam(":naziv", $sastojci);
```

```
$rez66=$priprema2->execute();
```



```
if($rez66){  
    $idSas=$konekcija->lastInsertId();  
}
```

```
$upit55 = "INSERT INTO  
pice(naziv,slika,idObrok,idCenaPica) VALUES  
(:naziv,:slika,3,$idcenep)";
```

```
$priprema = $konekcija->prepare($upit55);  
$priprema->bindParam(":slika", $path);  
$priprema->bindParam(":naziv", $ime);  
$rez33 = $priprema->execute();
```

```
if($rez33){  
    $idpice=$konekcija->lastInsertId();  
}
```

```
$upit58 = "INSERT INTO  
pice_sastojci(idPice,idSasPice) VALUES ($idpice,$idSas)";
```

```
$priprema3 = $konekcija->prepare($upit58);
```

```
$rez77=$priprema3->execute();
```

```
http_response_code(204);
```

```
//http_response_code(201);
```

```
header("Location: ../index.php?page=menu");
```

```
}
```

```
} catch (PDOException $e) {
```

```

        echo $e->getMessage();
    }

}

}
else{
    //http_response_code(404);
    echo json_encode(["Error"=>"Page not found"]);
}

```

3.3.26 insertKom.php

```

<?php
session_start();
header("Content-type: application/json");
require "konekcija.php";
if (isset($_POST["send"])) {
    $komentar = $_POST["comment"];

```

```
$idVesti = $_POST["id"];
$datum=$_POST['datum'];
$imeKorisnika = $_SESSION["korisnik"]->ime;
http_response_code(204);
//var_dump($_POST);
$errors=[];

if (strlen($komentar) == 0) {
    $errors[] = "morate uneti komentar";
}

if(!$datum) {
    array_push($errors, "Polje za datum objave je obavezno.");
} elseif(empty($datum)) {
    array_push($errors, "Polje za datum objave je obavezno");
}
```

```
}
```

```
if (count($errors)) {  
    http_response_code(422);  
}
```

```
else {
```

```
    try {  
        $upit55 = "INSERT INTO  
komentar(idKomentar,imeKorisnika,komentar,datumKo  
m,idVest) VALUES (null,:ime,:komentar,:dat,:idVesti)";  
        $priprema = $konekcija->prepare($upit55);  
        $priprema->bindParam(":ime", $imeKorisnika);  
        $priprema->bindParam(":komentar", $komentar);  
        $priprema->bindParam(":dat", $datum);  
        $priprema->bindParam(":idVesti", $idVesti);
```

```
$rez33 = $priprema->execute();  
  
http_response_code(201);  
  
echo json_encode(["odg" => "You inserted a  
comment"]);  
  
} catch (PDOException $e) {  
    echo $e->getMessage();  
}  
  
}  
}  
else{  
    http_response_code(404);  
    echo json_encode(["odg"=>"error 404"]);  
}
```

3.3.27 insertLink.php

```
<?php  
  
header("Content-type: application/json");  
  
include "konekcija.php";  
  
$code = 404;  
  
$data = null;  
  
if(isset($_POST['send'])) {  
  
    $putanja = $_POST['putanja'];  
    $ime = $_POST['ime'];  
    $errors = [];  
    $relme = "/^[A-Z][a-z0-9]+$/"
```

```
if(!$putanja) {  
    array_push($errors, "Polje za putanju je obavezno.");  
} elseif(empty($putanja)) {  
    array_push($errors, "Polje za putanju je obavezno");  
}
```

```
if(!$ime) {  
    array_push($errors, "Polje za ime je obavezno.");  
} elseif(!preg_match($relme, $ime)) {  
    array_push($errors, "Polje za ime nije dobrog  
formata.");  
}
```



```

if(count($errors)) {
    $code = 422;
    $data = $errors;
} else {
    try{

        $upit = "INSERT into linkovi
(imeLinka,putanja,roditelj)

values (:ime,:putanja,0)";

        $statement = $konekcija->prepare($upit);
        $statement->bindParam(":ime", $ime);
        $statement->bindParam(":putanja", $putanja);
        //$statement->bindParam(":roditelj", $broj);

```

```
$rez=$statement->execute();

// insert u bazu

$code =201;


} catch(PDOException $e) {

    $code = 409;

    $data = $e->getMessage();

}

}

http_response_code($code);

echo json_encode($data);
```

3.3.28 insertMeal.php

```
<?php  
  
header("Content-type: application/json");  
  
include "konekcija.php";  
  
$code = 404;  
  
$data = null;  
  
if(isset($_POST['send'])) {  
  
    $ime = $_POST['ime'];  
  
    $errors = [];  
  
    $relme = "/^[A-Z][a-z]{2,9}$/";
```

```
if(!$ime) {  
    array_push($errors, "Polje za ime je obavezno.");  
} elseif(!preg_match($relme, $ime)) {  
    array_push($errors, "Polje za ime nije dobrog  
formata.");  
}
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
} else {  
    try{
```

```

    $upit = "INSERT into obrok (naziv)
values (:ime)";

    $statement = $konekcija->prepare($upit);
    $statement->bindParam(":ime", $ime);

    $rez=$statement->execute();

    // insert u bazu

    $code =201;

} catch(PDOException $e) {

    $code = 409;

    $data = $e->getMessage();

}

}

```

```
}  
  
http_response_code($code);  
  
echo json_encode($data);
```

3.3.29 insertNews.php

```
<?php  
  
session_start();  
  
ob_start();  
  
require "konekcija.php";  
  
if (isset($_POST["sending"])) {  
    $datum = $_POST["datumv"];  
    $naslov = $_POST["naslovv"];  
    $tekst=$_POST["tekstv"];  
    $errors=[];
```

```

//$relme="/^[a-z]+(\s[a-z][0-9])*$/";

$pic=$_FILES["slikav"];

$tmp = $pic["tmp_name"];

$picName = $pic["name"];

$picSize = $pic["size"];

$picType = $pic["type"];

$formati = array("image/jpg", "image/jpeg",
"image/png", "image/gif");

if(!in_array($picType, $formati)){

    $errors[] = "Tip fajla nije ok.";

}

if($picSize > 3000000){

    $errors[] = "Fajl mora biti manji od 3MB.";

}

if(!$datum) {

```

```
        array_push($errors, "Polje za datum objave je  
obavezno.");  
  
    } elseif(empty($datum)) {  
  
        array_push($errors, "Polje za datum objave je  
obavezno");  
  
    }  
  
    if(!$naslov) {  
  
        array_push($errors, "Polje za naslov je obavezno.");  
    } elseif(empty($naslov)) {  
  
        array_push($errors, "Polje za naslov je obavezno");  
  
    }  
  
  
  
  
  
  
  
  
  
    if(!$tekst) {  
  
        array_push($errors, "Polje za opis vesti je  
obavezno.");  
  
    } elseif(empty($tekst)) {
```



```
    array_push($errors, "Polje za opis vesti je  
obavezno");  
}
```

```
if (count($errors)) {  
    //http_response_code(422);  
    //$data=$errors;  
    echo json_encode(["Error"=>"You must fill form  
data! Go back and try again!"]);  
}
```

```
else {
```

```
    try{
```

```
$fileName = time().$picName;  
//var_dump($tmp);  
$path = "images/".$fileName;  
if(move_uploaded_file($tmp, "../".$path)) {
```

```
    $upit55 = "INSERT INTO  
vesti(slikaVest,datum,naslovVest,tekst,idRestoran)  
VALUES (:slika,:datum,:naslov,:tekst,1)";  
  
    $priprema = $konekcija->prepare($upit55);  
    $priprema->bindParam(":slika", $path);  
    $priprema->bindParam(":datum", $datum);  
    $priprema->bindParam(":naslov", $naslov);  
    $priprema->bindParam(":tekst", $tekst);  
  
    $rez33 = $priprema->execute();  
    //http_response_code(201);
```

```
        header("Location: ../index.php?page=blog");

    }

    } catch (PDOException $e) {
        echo $e->getMessage();
    }

}

}

else{
    //http_response_code(404);
    echo json_encode(["Error"=>"Page not found"]);
}
```

3.3.30 insertPoll.php

```
<?php

session_start();

header("Content-type: application/json");


require "konekcija.php";

if (isset($_POST["send"])) {

    $pitanje = $_POST["pitanje"];

    $rePit="/^[A-Z][a-z\s0-9]+$"/;

    http_response_code(204);

    //var_dump($_POST);

    $errors=[];

    if (!$pitanje) {

        $errors[] = "Morate uneti pitanje";

    }elseif(!preg_match($rePit,$pitanje)){
```

```
$errors[] = "Morate uneti pitanje";  
}
```

```
if (count($errors)) {  
    http_response_code(422);  
    $data=$errors;  
}
```

```
else {
```

```
    try {  
        $upit55 = "INSERT INTO anketa(pitanje) VALUES  
(:pitanje)";  
        $priprema = $konekcija->prepare($upit55);  
        $priprema->bindParam(":pitanje", $pitanje);  
  
        $rez33 = $priprema->execute();
```

```
//http_response_code(201);

//header("Location: ../admin.php");

echo json_encode(["odg" => "You inserted a
question"]);

} catch (PDOException $e) {
    echo $e->getMessage();
}

}

}

else{
    http_response_code(404);
    echo json_encode(["Error"=>"Page not found"]);
}
```

```
echo json_encode($data);
```

3.3.31 insertSpec.php

```
<?php  
  
session_start();  
  
ob_start();  
  
require "konekcija.php";  
  
if (isset($_POST["sendi"])) {  
    $ime = $_POST["specn"];  
    $opis = $_POST["descr"];  
    $cena=$_POST["price"];  
    $errors=[];  
    $relme="/^[A-z]+(\s[a-z][0-9))*$/";  
    $reCena="/^[0-9]{1,5}$/";  
    $pic=$_FILES["slikas"];  
    $tmp = $pic["tmp_name"];
```

```

$picName = $pic["name"];
$picSize = $pic["size"];
$picType = $pic["type"];
$formati = array("image/jpg", "image/jpeg",
"image/png", "image/gif");
if(!in_array($picType, $formati)){
    $errors[] = "Tip fajla nije ok.";
}
if($picSize > 3000000){
    $errors[] = "Fajl mora biti manji od 3MB.";
}

if(!$ime) {
    array_push($errors, "Polje za ime je obavezno.");
} elseif(!preg_match($relme, $ime)) {
    array_push($errors, "Polje za ime nije dobrog
formata.");
}

```



```
}
```

```
if(!$opis) {
```

```
    array_push($errors, "Polje za opis je obavezno.");
```

```
} elseif(empty($opis)) {
```

```
    array_push($errors, "Polje za opis je obavezno");
```

```
}
```

```
if(!$cena) {
```

```
    array_push($errors, "Polje za cenu je obavezno.");
```

```
} elseif(!preg_match($reCena,$cena)) {
```

```
    array_push($errors, "Polje za cenu je obavezno");
```

```
}
```

```
if (count($errors)) {  
    //http_response_code(422);  
    $data=$errors;  
    echo json_encode(["Error"=>"You must fill form  
data! Go back and try again!"]);  
}  
  
else {  
  
    try{  
        $fileName = time().$picName;  
        //var_dump($tmp);  
        $path ="images/".$fileName;  
        if(move_uploaded_file($tmp, "../".$path)) {
```

```
$upit55 = "INSERT INTO  
specijaliteti(naziv,opis,slika,cena,idRestoran) VALUES  
(:naziv,:opis,:slika,:cena,1)";
```

```
$priprema = $konekcija->prepare($upit55);
```

```
$priprema->bindParam(":slika", $path);
```

```
$priprema->bindParam(":naziv", $ime);
```

```
$priprema->bindParam(":opis", $opis);
```

```
$priprema->bindParam(":cena", $cena);
```

```
$rez33 = $priprema->execute();
```

```
//http_response_code(201);
```

```
header("Location:  
../index.php?page=specialities");
```

```
}
```

```
} catch (PDOException $e) {
```

```
        echo $e->getMessage();  
    }  
  
    }  
}  
else{  
    //http_response_code(404);  
    echo json_encode(["Error"=>"Page not found"]);  
}  
echo json_encode($data);
```

3.3.32 insertStaff.php

```
<?php  
session_start();  
ob_start();  
require "konekcija.php";
```

```

if (isset($_POST["send"])) {
    $podaci = $_POST["podaci"];
    $zanimanje = $_POST["zanimanje"];
    $errors=[];
    $rePodaci="/^[A-Z][a-z]{2,9}(\s[A-Z][a-z]{2,9})+$/";
    $reZan="/^[A-Z][a-z]{2,9}$/";
    $pic=$_FILES["slika"];
    $tmp = $pic["tmp_name"];
    $picName = $pic["name"];
    $picSize = $pic["size"];
    $picType = $pic["type"];
    $formati = array("image/jpg", "image/jpeg",
"image/png", "image/gif");
    if(!in_array($picType, $formati)){
        $errors[] = "Tip fajla nije ok.";
    }
    if($picSize > 3000000){

```

```
$errors[] = "Fajl mora biti manji od 3MB.";
}
```

```
if(!$zanimanje) {
    array_push($errors, "Polje za zanimanje je
obavezno.");
} elseif(!preg_match($reZan, $zanimanje)) {
    array_push($errors, "Polje za zanimanje nije dobrog
formata.");
}
```

```
if(!$podaci) {
    array_push($errors, "Polje za zanimanje je
obavezno.");
} elseif(!preg_match($rePodaci, $podaci)) {
    array_push($errors, "Polje za zanimanje nije dobrog
formata.");
}
```

```
if (count($errors)) {  
    //http_response_code(422);  
    //$data=$errors;  
    echo json_encode(["Error"=>"You must fill form  
data! Go back and try again!"]);  
}  
  
else {  
  
    try{  
        $fileName = time().$picName;  
        //var_dump($tmp);
```

```
$path ="images/".$fileName;  
if(move_uploaded_file($tmp, "../".$path)) {
```

```
    $upit55 = "INSERT INTO  
osoblje(slika,tekst,naslov,idRestoran) VALUES  
(:slika,:tekst,:naslov,1)";
```

```
    $priprema = $konekcija->prepare($upit55);  
    $priprema->bindParam(":slika", $path);  
    $priprema->bindParam(":tekst", $zanimanje);  
    $priprema->bindParam(":naslov", $podaci);
```

```
    $rez33 = $priprema->execute();  
    //http_response_code(201);  
    header("Location: ../index.php?page=about");
```



```

    }

    } catch (PDOException $e) {
        echo $e->getMessage();
    }

}

}

else{
    //http_response_code(404);
    echo json_encode(["Error"=>"Page not found"]);
}

```

3.3.33 insertUser.php

```

<?php

header("Content-type: application/json");

```

```
include "konekcija.php";
```

```
$code = 404;
```

```
$data = null;
```

```
if(isset($_POST['send'])) {
```

```
    $password = md5($_POST['sifra']);
```

```
    $firstName = $_POST['firstName'];
```

```
    $lastName = $_POST['lastName'];
```

```
    $email = $_POST['email'];
```

```
    $username = $_POST['username'];
```

```
    $errors = [];
```

```
$reEmail = "/^[a-z][A-z\\.\\-0-9]{4,35}\\@[a-z]{2,5}(\\.[a-z]{2,5}){1,3}$/";
```

```
$reUsername = "/^[a-z0-9\\_]{4,15}$/";
```

```
$reFirstName = "/^[A-Z][a-z]{2,9}$/";
```

```
$reLastName = "/^[A-Z][a-z]{2,14}$/";
```

```
$rePassword = "/^([A-Za-z\\d]){8,}$/";
```

```
if(!$firstName) {
```

```
    array_push($errors, "Polje za ime je obavezno.");
```

```
} elseif(!preg_match($reFirstName, $firstName)) {
```

```
    array_push($errors, "Polje za ime nije dobrog  
formata.");
```

```
}
```

```
if(!$lastName) {
```

```
    array_push($errors, "Polje za prezime je  
obavezno.");
```

```
} elseif(!preg_match($reLastName, $lastName)) {
```

```
    array_push($errors, "Polje za prezime nije dobrog  
formata.");  
}
```

```
if(!$username) {  
    array_push($errors, "Polje za korisnicko ime je  
obavezno.");  
} elseif(!preg_match($reUsername, $username)) {  
    array_push($errors, "Polje za korisnicko ime nije  
dobrog formata.");  
}
```

```
if(!$email) {  
    array_push($errors, "Polje za email je obavezno.");  
} elseif(!preg_match($reEmail, $email)) {  
    array_push($errors, "Polje za email nije dobrog  
formata.");  
}
```

```
}
```

```
if(!$ _POST['sifra']) {  
    array_push($errors, "Polje za lozinku je obavezno.");  
} elseif(!preg_match($rePassword, $ _POST['sifra'])) {  
    array_push($errors, "Polje za password nije dobrog  
formata.");  
}
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
} else {
```

```
$upit = "INSERT into korisnik (ime, prezime,  
email,lozinka,uloga_id,korisnicko_ime)  
  
values (:ime, :prezime,  
:email,:lozinka,2,:korisnicko_ime)";  
  
$statement = $konekcija->prepare($upit);  
$statement->bindParam(":ime", $firstName);  
$statement->bindParam(":prezime", $lastName);  
$statement->bindParam(":email", $email);  
$statement->bindParam(":lozinka", $password);  
$statement->bindParam(":korisnicko_ime",  
$username);
```

```
try {  
  
    // insert u bazu  
  
    $code = $statement->execute() ? 201 : 500;  
  
    echo "Uneli ste korisnika u bazu";  
}
```

```
    } catch(PDOException $e) {  
        $code = 409;  
        $data = $e->getMessage();  
    }  
}  
  
}
```

```
http_response_code($code);
```

```
echo json_encode($data);
```

3.3.34 [konekcija.php](#)

```
<?php

$serverBaze = "localhost";

$username = "id8746269_kalinari";

$password = "kalinari97";

$bazaPodataka = "id8746269_restoransajt";

try {

    $konekcija = new
PDO("mysql:host=$serverBaze;dbname=$bazaPodataka;"
, $username, $password);

    // set the PDO error mode to exception

    $konekcija->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);

    //echo "Uspesna konekcija!";

    $konekcija-
>setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,
PDO::FETCH_OBJ);
```



```
}  
  
catch(PDOException $e)  
{  
    //echo "Greska sa konekcijom: " . $e->getMessage();  
}  
  
?>
```

3.3.35 kontakt.php

```
<?php  
  
//header("Content-type: application/json");  
  
use PHPMailer\PHPMailer\PHPMailer;  
use PHPMailer\PHPMailer\Exception;  
require 'phpmailer/src/Exception.php';  
require 'phpmailer/src/PHPMailer.php';  
require 'phpmailer/src/SMTP.php';
```

```

$code=404;

$data=null;

if (isset($_POST["send"]) &&
$_SERVER['REQUEST_METHOD']=="POST") {

    require_once "konekcija.php";

    $firstName = $_POST['firstName'];

    $email = $_POST['email'];

    $password=$_POST['password'];

    $rePass="/^([A-Za-z\d]){8,}$/" ;

    $comment = $_POST['comment'];

    $reName = "/^[A-Z][a-z]{2,14}$/";

    $errors = [];

    if (!preg_match($reName, $firstName)) {

        $errors[] = "greska kod imena";

    }


    if (!preg_match($rePass, $password)) {

```

```
$errors[] = "greska kod lozinke";  
}  
  
if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {  
    $errors[] = "greska email";  
}  
  
if (strlen($comment) == 0) {  
    $errors[] = "morate uneti komentar";  
}  
  
if (count($errors)) {  
    $code=422;  
    $data=$errors;  
    //echo json_encode(["error" => "422"]);  
    //http_response_code(422);  
}
```

```
} else {  
  
    $code=201;  
    //http_response_code(200);  
    //}  
  
//if($code == 200){  
    //$mail = new PHPMailer(true);  
    try{  
  
        $mail = new PHPMailer(true);  
        //$mail->SMTPDebug = 3;  
        $mail->isSMTP();  
        $mail->Host = 'smtp.gmail.com';  
        $mail->SMTPAuth = true;  
        $mail->Username = $email;
```

```
$mail->Password = $password;
```

```
$mail->SMTPSecure = 'tls';
```

```
$mail->Port = 587;
```

```
$mail->SMTPOptions = array( 'ssl' => array(  
'verify_peer' => false, 'verify_peer_name' => false,  
'allow_self_signed' => true ) );
```

```
$mail-  
>setFrom('nikola.kalincevic.40.16@ict.edu.rs','Contact  
form');
```

```
$mail-  
>addAddress('kalincevicnikola8@gmail.com','nikola97');
```

```
$mail->isHTML(true);
```

```
$mail->Subject = 'Message from ' . $firstName;
```

```
$mail->Body = $comment . " message from " .  
$email;
```

```

/*if(!$mail->send()) {
    echo json_encode(["odg"=>"Greska"]);
}
else {
    $code=201;
    echo json_encode(["odg"=>"Usoeh"]);
}
*/

$mail->send();

//$code=201;

    //echo json_encode(["odg" => "uspesno"]);
    //http_response_code(201);

}

catch (Exception $e){
    $code=500;

```

```
        echo 'Message could not be sent. Mailer Error: ',  
$mail->ErrorInfo;  
    }  
}  
}  
  
echo json_encode($data);  
http_response_code($code);
```

3.3.36 login.php(serverska stranica)

```
<?php  
  
session_start();  
  
ob_start();  
  
header("Content-type: application/json");  
  
include "konekcija.php";
```

```

if(isset($_POST['send'])) {

    $email = $_POST['email'];

    $password = md5($_POST['password']);

    $regMail = "/^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-z]{2,5}){1,3}$/";

    $regLozinka = "/^([A-Za-z\d]){8,}$/";

    $errors = [];

    if (!preg_match($regMail, $email)) {

        $errors[] = "Email is not ok";

    }

    if (!preg_match($regLozinka, $password)) {

        $errors[] = "Password is not ok";

    }

```



```
if (count($errors) > 0) {  
    http_response_code(422);  
    echo json_encode(["error"=>"422"]);  
  
}  
else {
```

```
    // upit ka bazi
```

```
    $upit = "SELECT k.*, u.naziv FROM korisnik k INNER  
JOIN uloga u ON k.uloga_id = u.id WHERE email = :email  
AND lozinka= :password AND aktivan = 1";
```

```
$priprema = $konekcija->prepare($upit);
```

```
$priprema->bindParam(":email", $email);
```

```
$priprema->bindParam(":password", $password);
```

```
try {  
    $priprema->execute();  
  
    if ($priprema->rowCount() == 1) {  
        //echo "<h2>Postoji korisnik u bazi !</h2>";  
  
        $korisnik = $priprema->fetch(); // tacno 1 red  
  
        $_SESSION['korisnik'] = $korisnik;  
  
        if (isset($_SESSION['korisnik'])) {  
            if ($_SESSION['korisnik']->naziv == "admin") {  
                //var_dump($korisnik);  
                //var_dump($_SESSION['korisnik']);  
                http_response_code(201);  
            }  
        }  
    }  
}
```

```
        echo
        json_encode(["lokacija"=>"admin.php"]);

    } else {

        http_response_code(201);

        echo
        json_encode(["lokacija"=>"index.php?page=menu"]);

    }

} else {

    http_response_code(422);

    echo
    json_encode(["lokacija"=>"index.php?page=home"]);

}
```

```

    } else {
        http_response_code(422);

        echo json_encode(["error"=>"422"]);
    }
}

catch (PDOException $x) {
    echo $x->getMessage();
}

}

}

else{

    echo json_encode(["error"=>"404"]);

```

```
    http_response_code(404);  
}
```

3.3.37 logout.php

```
<?php
```

```
session_start();
```

```
if(isset($_SESSION['korisnik'])){\
```

```
    unset($_SESSION['korisnik']);
```

```
    session_destroy();
```

```
    header("Location: ../index.php");
```

```
}
```

```
else
```

```
{  
  
    header("Location: ../index.php");  
}
```

3.3.38 register.php

```
<?php  
  
header("Content-type: application/json");  
  
use PHPMailer\PHPMailer\PHPMailer;  
use PHPMailer\PHPMailer\Exception;  
  
require 'phpmailer/src/Exception.php';  
require 'phpmailer/src/PHPMailer.php';  
require 'phpmailer/src/SMTP.php';  
  
include "konekcija.php";
```

```
$code = 404;
```

```
$data = null;
```

```
if(isset($_POST['send'])) {
```

```
    $password = md5($_POST['sifra']);
```

```
    $firstName = $_POST['firstName'];
```

```
    $lastName = $_POST['lastName'];
```

```
    $email = $_POST['email'];
```

```
    $username = $_POST['username'];
```

```
    $errors = [];
```

```
    $reEmail = "/^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-z]{2,5}){1,3}$/";
```

```
    $reUsername = "/^[a-z0-9\_]{4,15}$/";
```

```
    $reFirstName = "/^[A-Z][a-z]{2,9}$/";
```

```
    $reLastName = "/^[A-Z][a-z]{2,14}$/";
```

```
$rePassword = "/^([A-Za-z\d]){8,}$/"
```

```
if(!$firstName) {  
    array_push($errors, "Polje za ime je obavezno.");  
} elseif(!preg_match($reFirstName, $firstName)) {  
    array_push($errors, "Polje za ime nije dobrog  
formata.");  
}
```

```
if(!$lastName) {  
    array_push($errors, "Polje za prezime je  
obavezno.");  
} elseif(!preg_match($reLastName, $lastName)) {  
    array_push($errors, "Polje za prezime nije dobrog  
formata.");  
}
```

```
if(!$username) {
```



```
        array_push($errors, "Polje za korisnicko ime je  
obavezno.");  
    } elseif(!preg_match($reUsername, $username)) {  
        array_push($errors, "Polje za korisnicko ime nije  
dobrog formata.");  
    }
```

```
if(!$email) {  
    array_push($errors, "Polje za email je obavezno.");  
} elseif(!preg_match($reEmail, $email)) {  
    array_push($errors, "Polje za email nije dobrog  
formata.");  
}
```

```
if(!$POST['sifra']) {
```

```
        array_push($errors, "Polje za lozinku je obavezno.");  
    } elseif(!preg_match($rePassword, $_POST['sifra'])) {  
        array_push($errors, "Polje za password nije dobrog  
formata.");  
    }
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;  
} else {  
    $upit = "INSERT into korisnik (ime, prezime,  
email,lozinka,uloga_id,korisnicko_ime,token)  
    values (:ime, :prezime,  
:email,:lozinka,2,:korisnicko_ime,:token)";  
    $statement = $konekcija->prepare($upit);  
    $statement->bindParam(":ime", $firstName);
```

```
$statement->bindParam(":prezime", $lastName);  
$statement->bindParam(":email", $email);  
$statement->bindParam(":lozinka", $password);  
$statement->bindParam(":korisnicko_ime",  
$username);
```

```
$token = sha1(md5(time() . $email));
```

```
$statement->bindParam(":token", $token);
```

```
try {
```

```
    // insert u bazu
```

```
    $code = $statement->execute() ? 201 : 500;
```

```
    // slanje maila
```

```
$mail = new PHPMailer(true);

try {

    $mail->SMTPOptions = array(
        'ssl' => array(
            'verify_peer' => false,
            'verify_peer_name' => false,
            'allow_self_signed' => true
        )
    );

    $mail->isSMTP();

    $mail->Host = 'smtp.gmail.com';

    $mail->SMTPAuth = true;

    $mail->Username =
'auditorne.php@gmail.com';

    $mail->Password = 'Sifra123';
```

```
$mail->SMTPSecure = 'tls';
```

```
$mail->Port = 587;
```

```
$mail->setFrom('kalincevicnikola8@gmail.com',  
'Mail');
```

```
$mail->addAddress($email, 'Nevena Kalincevic');
```

```
//Sadrzaj mail-a
```

```
$mail->isHTML(true);
```

```
$mail->Subject = 'Registracija';
```

```
$mail->Body = 'Verifikacija mejla: <a  
href="http://localhost/SajtPHP2019/modules/verifikacija  
Email.php?token='.$token.'">LINK VERIFIKACIJE</a>';
```

```
$mail->send();
```

```
        $code = 200;
    } catch (Exception $e) {
        $code = 500;
    }

} catch(PDOException $e) {
    $code = 409;
    $data = $e->getMessage();
}

}

http_response_code($code);
```

```
echo json_encode($data);
```

3.3.39 registerRez.php

```
<?php
```

```
header("Content-type: application/json");
```

```
include "konekcija.php";
```

```
$code = 404;
```

```
$data = null;
```

```
if(isset($_POST['send'])) {
```

```
    $datum = $_POST['datum'];
```

```
    $email = $_SESSION['korisnik']->email;
```

```
    $ime = $_SESSION['korisnik']->ime;
```

```

$errors = [];

//$relme = "/^[A-Z][a-z]{2,9}$/" ;

//$reEmail = "/^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-z]{2,5}){1,3}$/" ;

$vreme= $_POST['vreme'];

$gosti=$_POST['gosti'];

if(!$datum) {

    array_push($errors, "Polje za datum dolaska je obavezno.");

} elseif(empty($datum)) {

    array_push($errors, "Polje za datum dolaska je obavezno");

}

if(!$vreme) {

```



```
        array_push($errors, "Polje za vreme dolaska je  
obavezno.");  
    } elseif(empty($vreme)) {  
        array_push($errors, "Polje za vreme dolaska je  
obavezno");  
    }  
  
/*  
    if(!$ime) {  
        array_push($errors, "Polje za ime je obavezno.");  
    } elseif(!preg_match($relme, $ime)) {  
        array_push($errors, "Polje za ime nije dobrog  
formata.");  
    }
```

```
if(!$email) {  
    array_push($errors, "Polje za email je obavezno.");  
} elseif(!preg_match($reEmail, $email)) {  
    array_push($errors, "Polje za email nije dobrog  
formata.");  
}  
*/
```

```
if(isset($_POST['gosti']) && $_POST['gosti'] == '0') {  
    array_push($errors, "Izaberite broj gostiju");  
}
```

```
if(count($errors)) {  
    $code = 422;  
    $data = $errors;
```

```
} else {  
    try{  
  
        $upit = "INSERT into rezervacija_stola  
(ime,email,datum,vreme,brGostiju)  
        values (:ime,:email,:datum,:vreme,:brGost)";  
        $statement = $konekcija->prepare($upit);  
        $statement->bindParam(":ime", $ime);  
        $statement->bindParam(":email", $email);  
        $statement->bindParam(":datum", $datum);  
        $statement->bindParam(":vreme", $vreme);  
        $statement->bindParam(":brGost", $gosti);  
  
        $rez=$statement->execute();  
  
        // insert u bazu
```

```

$code =201;

} catch(PDOException $e) {
    $code = 409;
    $data = $e->getMessage();
}
}

}

http_response_code($code);

echo json_encode($data);

```

3.3.40 verifikacijaEmail.php

```
<?php
```

```
if(isset($_GET['token'])){\
```

```
    $token = $_GET['token'];
```

```
    // upit ka bazi
```

```
    include "konekcija.php";
```

```
    $upit = "SELECT * FROM korisnik WHERE token =  
:token";
```

```
    $priprema_upit = $konekcija->prepare($upit);
```

```
    $priprema_upit->bindParam(":token", $token);
```

```
    try {
```

```
$rezultat = $priprema_upit->execute();  
if($rezultat){  
    $korisnik = $priprema_upit->fetch();  
    if(empty($korisnik)){  
        echo "Niste registrovani!";  
    } else {  
  
        // ako postoji korisnik  
  
        // UPDATE aktivan  
  
        $upit = "UPDATE korisnik SET aktivan = 1  
                WHERE token = :token";  
  
        $priprema = $konekcija->prepare($upit);  
  
        $priprema->bindParam(":token", $token);
```

```
$rez = $pripredma->execute();

if($rez){

    header("Location:
https://tastyrestaurant.000webhostapp.com/index.php")
;

} else {

    echo "Izvinite, greska!";

}

}

} else {
```

```
        echo "Upit nije ok.";
    }
}

catch(PDOException $ex){
    echo $ex->getMessage();
}
}
```

3.4 JavaScript kodovi

3.4.1 script.js

```
//alert();

//funkcija za back to top dugme
$("#dugmence").click(function(e) {
    e.preventDefault();
    $('html, body').animate({
        scrollTop: 0
    }, 500);
});
```



```
    }, 800);  
});
```

//klijentska validacija

```
function provera()
```

```
{
```

```
    var
```

```
ime,relme,prezime,rePrezime,usrname,reUser,email,  
reEmail,sifra,reSira,nizGreske;
```

```
ime= document.getElementById("ime");
```

```
usrname= document.getElementById("username");
```

```
prezime= document.getElementById("prezime");
```

```
email = document.getElementById("email");
```

```
relme= /^[A-Z][a-z]{2,9}$/;
```

```
rePrezime= /^[A-Z][a-z]{2,14}$/;
```

```
reEmail = /^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-z]{2,5}){1,3}$/;
```

```
sifra=document.getElementById("password");
```

```
reSifra=/^([A-Za-z\d]){8,}$/;
```

```
nizGreske=[];
```

```
reUser=/^[a-z0-9\_]{4,15}$/;
```

```
if(!reIme.test(ime.value))
```

```
{
```

```
ime.style.border="2px solid red";
```

```
ime.style.borderRadius = "5px";
```

```
nizGreske.push("Name is not ok");
```

```
document.getElementById('error1').innerHTML =  
"Name is not correct! Try again!";
```

```
}
```

```
else
```

```
{
```

```
ime.style.border = "2px solid #00ff00";  
ime.style.borderRadius = "5px";  
document.getElementById('error1').innerHTML = "";  
}
```

```
if(!rePrezime.test(prezime.value))  
{  
    prezime.style.border= "2px solid red";  
    prezime.style.borderRadius = "5px";  
    nizGreske.push("Surname is not ok");  
    document.getElementById('error2').innerHTML =  
"Surname is not correct! Try again!!";  
}  
else  
{  
    prezime.style.border = "2px solid #00ff00";  
    prezime.style.borderRadius = "5px";
```

```
document.getElementById('error2').innerHTML = "";  
}
```

```
if(!reUser.test(username.value))  
{  
    username.style.border= "2px solid red";  
    username.style.borderRadius = "5px";  
    nizGreske.push("Username is not ok");  
    document.getElementById('errorUser').innerHTML =  
"Username is not correct! Try again!";  
}  
else  
{  
    username.style.border = "2px solid #00ff00";  
    username.style.borderRadius = "5px";
```

```
        document.getElementById('erorUser').innerHTML =  
        "";  
    }
```

```
    if(!reEmail.test(email.value))  
    {  
        email.style.border = "2px solid red";  
        email.style.borderRadius = "5px";  
        nizGreske.push("Email is not ok");  
        document.getElementById('erorMail').innerHTML =  
        "Email is not correct! Try again!";  
    }  
    else
```

```
{  
    email.style.border = "2px solid #00ff00";  
    email.style.borderRadius = "5px";  
    document.getElementById('erorMail').innerHTML =  
    "";  
}
```

```
if(!reSifra.test(sifra.value))  
{  
    sifra.style.border= "2px solid red";  
    sifra.style.borderRadius = "5px";  
    nizGreske.push("Password is not ok");  
    document.getElementById('erorS').innerHTML =  
    "Password is not correct! Try again!";  
}  
else
```

```
{  
    sifra.style.border = "2px solid #00ff00";  
    sifra.style.borderRadius = "5px";  
    document.getElementById('errorS').innerHTML = "";  
}
```

//slanje podataka serveru, nakon sto su dobro popunjena polja forme

```
if(nizGreske.length>0){  
  
    var ispis="<ol class='lista'>";  
    ispis += "<h3 class='pomeri'>Errors:</h3>";  
    for(var i=0;i<nizGreske.length;i++){  
        ispis += "<li>" + nizGreske[i] + "</li>";  
    }  
}
```

```
}
```

```
ispis += "</ol>";
```

```
document.querySelector("#poruka1").innerHTML=ispis;
```

```
}
```

```
else{
```

```
    const BASE_URL =
```

```
"https://tastyrestaurant.000webhostapp.com/";
```

```
    $("#dugme").click(function(){
```

```
        function getFormData() {
```

```
            var obj = {
```

```
                firstName : $("#ime").val(),
```

```
                lastName : $("#prezime").val(),
```

```
                email : $("#email").val(),
```



```
        username : $("#username").val(),  
        sifra: $("#password").val(),  
        send : true  
    };  
    console.log(obj);  
    return obj;  
}
```

```
function callAjax(obj) {  
    $.ajax({  
        url : BASE_URL + "modules/register.php",  
        type : "post",  
        data : obj,  
        success : function(data, xhr) {  
            //alert('You have successfully registered');  
            $("#poruka1").html("<h1 class='naslov'>You  
have successfully registered!</h1>");  
        }  
    });  
}
```

```
},  
  
error : function(xhr, status, error) {  
    var poruka = "Doslo je do greske.";   
    switch(xhr.status) {  
  
        case 404 :  
            poruka = "Page not found!";  
            break;  
  
        case 409:  
            poruka = "User already exists!";  
            break;  
  
        case 422:  
            poruka = "Invalid data!";  
  
            break;  
  
        case 500:  
            poruka = "Server error!";
```

```

        break;

        console.log(xhr);
    }

    $("#poruka1").html(poruka);
}

});

}

var formData = getFormData();

callAjax(formData);

});

}

}

```

```

////////////////////

```

```
//provera podataka za login
```

```
function loginProvera() {
```

```
    var email, sifra, regMail, regSifra, nizGreske;
```

```
    email = document.getElementById("email");
```

```
    sifra = document.getElementById("password");
```

```
    regMail = /^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-z]{2,5}){1,3}$/;
```

```
    regSifra = /^[A-Za-z\d]{8,}$/;
```

```
    nizGreske = [];
```

```
    if (!regMail.test(email.value)) {
```

```
        email.style.border = "2px solid red";
```

```
email.style.borderRadius = "5px";  
nizGreske.push("Email is not ok");  
document.getElementById('erorMail').innerHTML  
= "Email is not correct! Try again!";  
} else {  
    email.style.border = "2px solid #00ff00";  
    email.style.borderRadius = "5px";  
    document.getElementById('erorMail').innerHTML  
= "";  
}
```

```
if (!regSifra.test(sifra.value)) {  
    sifra.style.border = "2px solid red";  
    sifra.style.borderRadius = "5px";  
    nizGreske.push("Password is not ok");  
    document.getElementById('erorS').innerHTML =  
"Password is not correct! Try again!";  
}
```

```

    } else {
        sifra.style.border = "2px solid #00ff00";
        sifra.style.borderRadius = "5px";
        document.getElementById('errorS').innerHTML =
"";
    }

```

```

if (nizGreske.length > 0) {

    var ispis = "<ol class='lista'>";
    ispis += "<h3 class='pomeri'>Errors:</h3>";
    for (var i = 0; i < nizGreske.length; i++) {
        ispis += "<li>" + nizGreske[i] + "</li>";
    }

    ispis += "</ol>";

```

```
document.querySelector("#poruka1").innerHTML  
= ispis;
```

```
} else {
```

```
    //const BASE_URL =  
    "http://localhost/SajtPHP2019/";
```

```
    $("#dugmee").click(function () {
```

```
        /*function getFormData() {
```

```
            var obj = {
```

```
                email: $("#email").val(),
```

```
                password: $("#password").val(),
```

```
                send: true
```

```
            };
```

```
            console.log(obj);
```

```
            return obj;
```

```
        }
```

```
    */
```

```
// function callAjax(obj) {  
$.ajax({  
    url: "../modules/login.php",  
    type: "post",  
    dataType: "json",  
    data: {  
        email: $("#email").val(),  
        password: $("#password").val(),  
        send: true  
    },  
    success: function (podaci) {  
        //alert();  
        window.location.href = podaci['lokacija'];  
    },  
    error: function (xhr, status, errMsg) {  
        console.log(xhr.status);  
    }  
});  
}
```



```
var odgovor =
JSON.parse(xhr.responseText);

switch (odgovor['error']) {

    case '500':

        //window.location.href =
"views/login.php";

        $("#poruka1").html("<h3>Server
error!</h3>");

        break;

    case '422':

        //window.location.href =
"index.php?page=login";

        $("#poruka1").html("<h3>You must
first register!</h3>");

        break;

    case '409':

        //window.location.href =
"views/login.php";
```

```

        $("#poruka1").html("<h3>User already
exists!</h3>");

        break;

    case '404':

        //window.location.href =
"views/login.php";

        $("#poruka1").html("<h3>Page not
found!</h3>");

        break;

    }

}

});

// var formData = getFormData();

//callAjax(formData);

// }

//});

```

```
});
```

```
}
```

```
}
```

```
//deo za kontakt
```

```
function contact() {
```

```
    var email = document.getElementById("email");
```

```
    var firstName =  
document.getElementById("firstName");
```

```
    var comment =  
document.getElementById("comment");  
  
    var password =  
document.getElementById("password");  
  
    var reEmail = /^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-  
z]{2,5}){1,3}$/;  
  
    var reName = /^[A-Z][a-z]{2,9}$/;  
  
    var rePassword = /^[A-Za-z\d]{8,}$/;  
  
    var errors = [];  
  
    if (!reName.test(firstName.value)){  
        errors.push("Incorrect name");  
  
        document.getElementById('error1').innerHTML =  
"Name is not correct! Try again!";  
  
document.getElementById("firstName").style.border =  
"2px solid red";  
  
        firstName.style.borderRadius = "5px";
```

```

    }

    else {

        firstName.style.borderRadius = "5px";

document.getElementById("firstName").style.border =
"2px solid #00ff00";

        document.getElementById('error1').innerHTML = "";
    }


    if (!rePassword.test(password.value)){

        errors.push("Incorrect password");

        document.getElementById('error5').innerHTML =
"Password is not correct! Try again!";

        document.getElementById("password").style.border
= "2px solid red";

        password.style.borderRadius = "5px";

    }

```

```
else {  
    password.style.borderRadius = "5px";  
    document.getElementById("password").style.border  
= "2px solid #00ff00";  
    document.getElementById('erorS').innerHTML = "";  
}
```

```
if (!reEmail.test(email.value)){  
    errors.push("Incorrect email");  
    email.style.borderRadius = "5px";  
    document.getElementById('erorMail').innerHTML =  
"Email is not correct! Try again!";  
    document.getElementById("email").style.border =  
"2px solid red";  
}  
else {
```

```
document.getElementById('errorMail').innerHTML =  
"";
```

```
email.style.borderRadius = "5px";
```

```
document.getElementById("email").style.border =  
"2px solid #00ff00";
```

```
}
```

```
if(comment.value == ""){
```

```
comment.style.borderRadius = "5px";
```

```
document.getElementById('errorC').innerHTML =  
"You must type a comment!";
```

```
errors.push("Please type a comment");
```

```
document.getElementById("comment").style.border  
= "2px solid red";
```

```
}
```

```
else {
```

```
document.getElementById('errorC').innerHTML = "";
```

```
comment.style.borderRadius = "5px";
```

```
        document.getElementById("comment").style.border  
= "2px solid #00ff00";  
    }  
    if (errors.length > 0) {
```

```
        var ispis = "<ol class='lista'>";  
        ispis += "<h3 class='pomeri'>Errors:</h3>";  
        for (var i = 0; i < errors.length; i++) {  
            ispis += "<li>" + errors[i] + "</li>";  
        }
```

```
        ispis += "</ol>";
```

```
        document.querySelector("#poruka2").innerHTML =  
ispis;  
    }
```



```
else{  
    $('#potvrdi').click(function () {  
  
        $.ajax({  
            url:"../modules/kontakt.php",  
            type:"post",  
            //dataType:"json",  
            data:{  
                firstName:$('#firstName').val(),  
                email:$('#email').val(),  
                password:$('#password').val(),  
                comment:$('#comment').val(),  
                send:true  
            },  
            success:function (data) {  
  
                // alert('Uspesno');
```

```
//window.location.href=podaci['odg'];

$("#poruka2").html("<h3>You sent an
email to the admin!</h3>");

},

error:function (xhr,status,errMsg) {

    console.log(xhr.responseText);

    $("#poruka2").html("<h3>Some errors
occured!</h3>");

    //alert('Greska');

}

});
```

```
});  
}  
}
```

//validacija za rezervacije

```
$('#but').click(function () {
```

```
var  
ime,email,datum,vreme,reEmail,relme,brojGostiju,nizGre  
ske;
```

```
ime= document.getElementById("ime1");  
email= document.getElementById("mail");  
datum = document.getElementById("book_date");  
vreme=document.getElementById("book_time");  
relme=/^[A-Z][a-z]{2,9}$/;  
reEmail = /^[a-z][A-z\.\-0-9]{4,35}\@[a-z]{2,5}(\.[a-  
z]{2,5}){1,3}$/;  
brojGostiju=document.getElementById("gosti");  
nizGreske=[];
```

```
if(datum.value == ""){  
    datum.style.border = "2px solid red";  
    datum.style.borderRadius = "5px";  
    nizGreske.push("Choose a date");
```

```
        document.getElementById('errorD').innerHTML =  
"You must choose a date!";
```

```
    }
```

```
    else{
```

```
        datum.style.border = "2px solid #00ff00";
```

```
        datum.style.borderRadius = "5px";
```

```
        document.getElementById('errorD').innerHTML = "";
```

```
    }
```

```
/*
```

```
if (!relme.test(ime.value)){
```

```
    nizGreske.push("Incorrect name");
```

```

        document.getElementById('error1').innerHTML =
"Name is not correct! Try again!";

        document.getElementById("ime1").style.border =
"2px solid red";

        ime.style.borderRadius = "5px";

    }

    else {

        ime.style.borderRadius = "5px";

        document.getElementById("ime1").style.border =
"2px solid #00ff00";

        document.getElementById('error1').innerHTML = "";

    }

*/

```

```

if(vreme.value == ""){

```

```
vreme.style.border = "2px solid red";  
vreme.style.borderRadius = "5px";  
nizGreske.push("Choose a time");  
document.getElementById('errorV').innerHTML =  
"You must choose a time!";  
}  
else{  
  
vreme.style.border = "2px solid #00ff00";  
vreme.style.borderRadius = "5px";  
document.getElementById('errorV').innerHTML = "";  
  
}
```

```
if(brojGostiju.value == "0"){  
    brojGostiju.style.border = "2px solid red";  
    brojGostiju.style.borderRadius = "5px";  
    nizGreske.push("Choose number of guests");  
    document.getElementById('errorGS').innerHTML =  
"You must type number of guests!";  
}  
else{  
  
    brojGostiju.style.border = "2px solid #00ff00";  
    brojGostiju.style.borderRadius = "5px";  
    document.getElementById('errorGS').innerHTML = "";  
  
}
```



```
/*if(!reEmail.test(email.value))
{
    email.style.border = "2px solid red";
    email.style.borderRadius = "5px";
    nizGreske.push("Email is not ok");
    document.getElementById('errorMail').innerHTML =
"Email is not correct! Try again!";
}
else
{
    email.style.border = "2px solid #00ff00";
    email.style.borderRadius = "5px";
    document.getElementById('errorMail').innerHTML =
"";
}*/
```

//slanje podataka serveru, nakon sto su dobro popunjena polja forme

```
if(nizGreske.length>0){  
  
    var ispis="<ol class='lista'>";  
    ispis += "<h3 class='pomeri'>Errors:</h3>";  
    for(var i=0;i<nizGreske.length;i++){  
        ispis += "<li>" + nizGreske[i] + "</li>";  
    }  
  
    ispis += "</ol>";
```

```
document.querySelector("#poruka4").innerHTML=ispis;

}

else{
```

```
    //$("#but").click(function(e){
        //e.preventDefault();
        $.ajax({
            url : "../modules/registerRez.php",
            type : "post",
            dataType:"json",
            data : {
                //name : $("#ime1").val(),
                //email : $("#mail").val(),
                datum: $("#book_date").val(),
                vreme: $("#book_time").val(),
                gosti: $("#gosti").val(),
```

```

        send : true
    },
    success : function(data, xhr) {
        //alert('Uspešno ste uneli rezervaciju');
        $("#poruka4").html("<h1
class='naslov'>Successful reservation!</h1>");
    },
    error : function(xhr, status, error) {
        var poruka = "Something went wrong";
        switch(xhr.status) {

            case 404 :
                poruka = "Page not found!";
                break;

            case 409:
                poruka = "User already exists!";
                break;

```

```
case 422:
```

```
    poruka = "Invalid data!";
```

```
    break;
```

```
case 500:
```

```
    poruka = "Server Error!";
```

```
    break;
```

```
    console.log(xhr);
```

```
}
```

```
$("#poruka4").html(poruka);
```

```
}
```

```
});
```

```
// });
```

```
}
```

```
});
```

```
//anketa
```

```
$('#input:submit[name=anketa]').on('click',function (e) {  
    e.preventDefault();  
    var id = $(this).data("id");  
    var radio =  
document.getElementsByName("radio"+id);  
    for(var i=0;i<radio.length;i++){  
        if(radio[i].checked){  
            var odgovor=radio[i].value;  
        }  
    }  
}
```

```

$.ajax({
    url:"../modules/anketa.php",
    method:"post",
    dataType:"json",
    data:{ anketa:"ok",
        id:id,
        odgovor:odgovor
    },
    success:function (data) {
        //alert(data['odg']);

        $("#poruka"+id).html("<h3 id='naslov336'>Success
Vote!</h3>");

    },
    error:function (xhr,status,errMes) {

```

```
        $("#poruka"+id).html("<h3 id='naslov336'>You  
have already voted!</h3>");
```

```
    }
```

```
});
```

```
});
```

```
$('#link').on('click',function () {
```

```
    var id=$(this).attr("data-id");
```

```
    window.location.href=("index.php?page=news&id=" +  
id);
```

```
});
```



```
$('#dugme225').click(function (e) {  
  
    e.preventDefault();  
    var datum=document.getElementById("jojdat");  
    var comment =  
document.getElementById("comment1");  
    var errors=[];  
  
    if(comment.value == ""){  
        comment.style.borderRadius = "5px";
```

```
        document.getElementById('errorC').innerHTML =  
        "You must type a comment!";
```

```
        errors.push("Please type a comment");
```

```
document.getElementById("comment1").style.border =  
"2px solid red";
```

```
    }
```

```
    else {
```

```
        document.getElementById('errorC').innerHTML =  
        "";
```

```
        comment.style.borderRadius = "5px";
```

```
document.getElementById("comment1").style.border =  
"2px solid #00ff00";
```

```
    }
```

```
if(datum.value == ""){
```

```
        datum.style.border = "2px solid red";
        datum.style.borderRadius = "5px";
        errors.push("Choose a date");

document.getElementById('erordatum').innerHTML =
"You must choose a date!";
    }
    else{

        datum.style.border = "2px solid #00ff00";
        datum.style.borderRadius = "5px";

document.getElementById('erordatum').innerHTML = "";

    }
```

```
if(errors.length>0){  
  
    var ispis="<ol class='lista'>";  
    ispis += "<h3 class='pomeri'>Errors:</h3>";  
    for(var i=0;i<errors.length;i++){  
        ispis += "<li>" + errors[i] + "</li>";  
    }  
  
    ispis += "</ol>";
```

```
document.querySelector("#poruka5").innerHTML=ispis;  
    }
```

```
else{
```

```
    var id = $(this).attr("data-id");
```

```
    $.ajax({  
        url:"../modules/insertKom.php",  
        method:"post",  
        dataType:"json",  
        data:{  
            send:true,  
            datum:$("#jojdat").val(),
```

```
comment:$('#comment1').val(),  
id:id,  
},  
success:function (data) {
```

```
    $("#poruka5").html("<h2 id='naslov'>You  
commented on this news!</h2>");
```

```
    $("#row1").css("display","block");  
    $("#naslov8889").css("display","block");
```

```
},  
error:function (xhr,status,errMes) {  
    alert("Ni je stigao");  
}
```

```
});
```

```
}
```

```
});
```

```
//linkovi validacija
```

```
$('#buton').click(function () {
```

```
var ime,putanja,relme,nizGreske;

ime= document.getElementById("nlink");
putanja= document.getElementById("hlink");
//roditelj = document.getElementById("plink");
relme=/^[A-Z][a-z]{2,9}$/;
//reRoditelj = /^[0-9]{1}$/;
nizGreske=[];

if(putanja.value == ""){
    putanja.style.border = "2px solid red";
    putanja.style.borderRadius = "5px";
    nizGreske.push("Please type link href");
    document.getElementById('errorDI').innerHTML =
    "You must type link href!";
}
```



```
}
```

```
else{
```

```
    putanja.style.border = "2px solid #00ff00";
```

```
    putanja.style.borderRadius = "5px";
```

```
    document.getElementById('errorDI').innerHTML = "";
```

```
}
```

```
if (!relme.test(ime.value)){
```

```
    nizGreske.push("Incorrect name");
```

```
    document.getElementById('error19').innerHTML =  
"Name is not correct! Try again!";
```

```
    document.getElementById("nlink").style.border =  
"2px solid red";
```

```
    ime.style.borderRadius = "5px";
```

```
}  
else {  
    ime.style.borderRadius = "5px";  
    document.getElementById("nlink").style.border =  
"2px solid #00ff00";  
    document.getElementById('error19').innerHTML = "";  
}
```

//slanje podataka serveru, nakon sto su dobro popunjena
polja forme

```
if(nizGreske.length>0){
```

```
var ispis("<ol class='lista'>";  
ispis += "<h3 class='pomeri'>Errors:</h3>";  
for(var i=0;i<nizGreske.length;i++){  
    ispis += "<li>" + nizGreske[i] + "</li>";  
}
```

```
ispis += "</ol>";
```

```
document.querySelector("#poruka45").innerHTML=ispis;  
}  
else{
```

```
$.ajax({  
    url : "../modules/insertLink.php",
```

```

type : "post",
dataType:"json",
data : {
    ime : $("#nlink").val(),
    putanja : $("#hlink").val(),
    roditelj: $("#plink").val(),
    send : true
},
success : function(data, xhr) {
    //alert('Uspešno ste uneli rezervaciju');
    $("#poruka45").html("<h1 class='naslov'>You
inserted a link!</h1>");
},
error : function(xhr, status, error) {
    var poruka = "Something went wrong";
    switch(xhr.status) {

```

```
case 404 :  
    poruka = "Page not found!";  
    break;  
case 409:  
    poruka = "User already exists!";  
    break;  
case 422:  
    poruka = "Invalid data!";  
  
    break;  
case 500:  
    poruka = "Server Error!";  
    break;  
    console.log(xhr);  
}  
$("#poruka4").html(poruka);  
}
```

```
});
```

```
}
```

```
});
```

```
//obrok validacija
```

```
$('#buton11').click(function () {
```

```
var ime,nizGreske,relme;

relme=/^[A-Z][a-z]{2,9}$/;

ime= document.getElementById("meal");

nizGreske=[];


if (!relme.test(ime.value)){

    nizGreske.push("Incorrect name");

    document.getElementById('errorDl1').innerHTML =
    "Name is not correct! Try again!";

    document.getElementById("meal").style.border =
    "2px solid red";

    ime.style.borderRadius = "5px";

}

else{
```

```
ime.style.border = "2px solid #00ff00";  
ime.style.borderRadius = "5px";  
document.getElementById('errorDl1').innerHTML =  
"";  
  
}
```

//slanje podataka serveru, nakon sto su dobro popunjena polja forme

```
if(nizGreske.length>0){  
  
    var ispis="<ol class='lista'>";  
    ispis += "<h3 class='pomeri'>Errors:</h3>";
```



```
for(var i=0;i<nizGreske.length;i++){  
    ispis += "<li>" + nizGreske[i] + "</li>";  
}
```

```
ispis += "</ol>";
```

```
document.querySelector("#poruka454").innerHTML=ispis  
;  
}  
else{
```

```
$.ajax({  
    url : "../modules/insertMeal.php",  
    type : "post",  
    dataType:"json",
```

```

data : {
    ime : $("#meal").val(),
    send : true
},
success : function(data, xhr) {
    //alert('Uspešno ste uneli rezervaciju');
    $("#poruka454").html("<h1 class='naslov'>You
inserted a meal!</h1>");
},
error : function(xhr, status, error) {
    var poruka = "Something went wrong";
    switch(xhr.status) {

        case 404 :
            poruka = "Page not found!";
            break;

        case 409:

```

```
        poruka = "User already exists!";  
        break;  
    case 422:  
        poruka = "Invalid data!";  
  
        break;  
    case 500:  
        poruka = "Server Error!";  
        break;  
        console.log(xhr);  
    }  
    $("#poruka4").html(poruka);  
}  
  
});
```

```
}
```

```
});
```

```
//validacija za pitanja iz ankete
```

```
$('#butonque').click(function () {
```

```
var pitanje,nizGreske,rePit;
```

```
rePit=/^[A-Z][a-z0-9\s]+$/;
```

```
pitanje= document.getElementById("ankpitanje");
```

```
nizGreske=[];
```

```

if (!rePit.test(pitanje.value)){
    nizGreske.push("Incorrect format for question");
    document.getElementById('erorpoll').innerHTML =
"Question is not correct! Try again!";

document.getElementById("ankpitanje").style.border =
"2px solid red";

    pitanje.style.borderRadius = "5px";

}

else{

    pitanje.style.border = "2px solid #00ff00";
    pitanje.style.borderRadius = "5px";
    document.getElementById('erorpoll').innerHTML =
"";

```

```
}
```

//slanje podataka serveru, nakon sto su dobro popunjena polja forme

```
if(nizGreske.length>0){
```

```
    var ispis="<ol class='lista'>";
```

```
    ispis += "<h3 class='pomeri'>Errors:</h3>";
```

```
    for(var i=0;i<nizGreske.length;i++){
```

```
        ispis += "<li>" + nizGreske[i] + "</li>";
```

```
    }
```

```
    ispis += "</ol>";
```

```
document.querySelector("#poruka4545").innerHTML=isp  
is;
```

```
}
```

```
else{
```

```
$.ajax({
```

```
    url : "../modules/insertPoll.php",
```

```
    type : "post",
```

```
    dataType:"json",
```

```
    data : {
```

```
        pitanje : $("#ankpitanje").val(),
```

```
        send : true
```

```
    },
```

```
    success : function(data, xhr) {
```

```

        //alert('Uspešno ste uneli rezervaciju');

        $("#poruka4545").html("<h1 class='naslov'>You
inserted a Question!</h1>");

    },

    error : function(xhr, status, error) {

        var poruka = "Something went wrong";

        switch(xhr.status) {

            case 404 :

                poruka = "Page not found!";

                break;

            case 409:

                poruka = "User already exists!";

                break;

            case 422:

                poruka = "Invalid data!";

```



```

        break;
    case 500:
        poruka = "Server Error!";
        break;
        console.log(xhr);
    }
    $("#poruka4545").html(poruka);
}

});

}

});

```

```
//validacija za insert odgovora u anketu
```

```
$('#butonanswers').click(function () {
```

```
    var pitanje,odgovor,reOdg,nizGreske;
```

```
    odgovor=document.getElementById("anketaodgovor");
```

```
    pitanje= document.getElementById("anketapitanje");
```

```
    reOdg=/^[A-Z][a-z]+$/;
```

```
    nizGreske=[];
```

```
    if (pitanje.value==""){
```

```
        nizGreske.push("Please choose a question");
```

```
document.getElementById('erorua').innerHTML =  
"Question is not chosen! Try again!";
```

```
document.getElementById("anketapitanje").style.border  
= "2px solid red";
```

```
    pitanje.style.borderRadius = "5px";
```

```
}
```

```
else{
```

```
    pitanje.style.border = "2px solid #00ff00";
```

```
    pitanje.style.borderRadius = "5px";
```

```
    document.getElementById('erorua').innerHTML = "";
```

```
}
```

```
if (!reOdg.test(odgovor.value)){
```

```

        nizGreske.push("Incorrect format for answer");

        document.getElementById('erorans').innerHTML =
"Answer is not correct! Try again!";

document.getElementById("anketaodgovor").style.borde
r = "2px solid red";

        odgovor.style.borderRadius = "5px";

    }

    else{

        odgovor.style.border = "2px solid #00ff00";
        odgovor.style.borderRadius = "5px";
        document.getElementById('erorans').innerHTML =
"";

    }

```

//slanje podataka serveru, nakon sto su dobro popunjena polja forme

```
if(nizGreske.length>0){  
  
    var ispis="<ol class='lista'>";  
    ispis += "<h3 class='pomeri'>Errors:</h3>";  
    for(var i=0;i<nizGreske.length;i++){  
        ispis += "<li>" + nizGreske[i] + "</li>";  
    }  
  
    ispis += "</ol>";
```

```
document.querySelector("#poruka4554").innerHTML=ispis;
}
else{
```

```
$.ajax({
    url : "../modules/insertAnswer.php",
    type : "post",
    dataType:"json",
    data : {
        pitanje : $("#anketapitanje").val(),
        odgovor: $("#anketaodgovor").val(),
        send : true
    },
    success : function(data) {
```

```
//alert(data["Answer"]);

$("#poruka4554").html("<h1 class='naslov'>You
inserted an Answer!</h1>");

},

error : function(xhr, status, error) {

    console.log(xhr.responseText);

    var poruka = "Something went wrong";

    switch(xhr.status) {

        case 404 :

            poruka = "Page not found!";

            break;

        case 409:

            poruka = "User already exists!";

            break;

        case 422:

            poruka = "Invalid data!";
```

```
        break;
    case 500:
        poruka = "Server Error!";
        break;
        console.log(xhr);
    }
    $("#poruka4554").html(poruka);
}

});

}

});
```



```
window.setInterval("contact()",8000);  
//window.setInterval("validacijaRez()",8000);  
window.setInterval("provera()",8000);  
window.setInterval("loginProvera()",8000);
```

3.4.2 deleteParam.js

```
//za brisanje korisnika
```

```
$('.btnuser').click(function(){  
    var id = $(this).attr("data-id");
```

```
$.ajax({  
    url:'../modules/deleteUser.php',  
    type:'POST',  
    data:{  
        id:id  
    },  
    success:function(data){  
        console.log(data);  
        alert("User deleted!");  
    },  
    error:function(status,xhr,error){  
        console.log(status);  
    }  
});
```

```
});
```

```
//za brisanje rezervacija
```

```
$('.rezBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteRez.php',  
        type:'POST',  
        data:{  
            id:id  
        },  
        success:function(data){
```

```
        console.log(data);  
        alert("Reservation deleted");  
    },  
    error:function(status,xhr,error){  
        console.log(status);  
    }  
  
});  
  
});  
  
//za brisanje linkova
```

```
$('.linkBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteLink.php',  
        type:'POST',  
        data:{  
            id:id  
        },  
        success:function(data){  
            console.log(data);  
            alert("Link deleted");  
        },  
        error:function(status,xhr,error){  
            console.log(status);  
        }  
    })  
});
```

```
});
```

```
});
```

```
//za brisanje obroka
```

```
$('.obrokBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteObrok.php',  
        type:'POST',  
        data:{
```

```
        id:id
    },
    success:function(data){
        console.log(data);
        alert("Meal deleted");
    },
    error:function(status,xhr,error){
        console.log(status);
    }

});

});
```

```
//za brisanje osoblja
```

```
$('.osobljeBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteOsoblje.php',  
        type:'POST',  
        data:{  
            id:id  
        },  
        success:function(data){  
            console.log(data);  
            alert("Staff deleted");  
        },  
        error:function(status,xhr,error){
```



```
        console.log(status);  
    }  
  
});  
  
});
```

```
//za brisanje specijaliteta
```

```
$('.specBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url: '../modules/deleteSpec.php',
```

```
type:'POST',
data:{

    id:id
},
success:function(data){
    console.log(data);
    alert("Speciality deleted");
},
error:function(status,xhr,error){
    console.log(status);
}

});
```

```
});
```

```
//za brisanje vesti
```

```
$('.vestBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteNews.php',  
        type:'POST',  
        data:{  
            id:id  
        },  
        success:function(data){  
            console.log(data);  
        }  
    });  
});
```

```
        alert("News deleted");
    },
    error:function(status,xhr,error){
        console.log(status);
    }

});

});

//za brisanje vesti

$('.komBrisi').click(function(){
```

```
var id = $(this).attr('data-id');  
$.ajax({  
    url:'../modules/deleteKom.php',  
    type:'POST',  
    data:{  
  
        id:id  
    },  
    success:function(data){  
        console.log(data);  
        alert("Comment deleted");  
    },  
    error:function(status,xhr,error){  
        console.log(status);  
    }  
}
```

```
});
```

```
});
```

```
//za brisanje pitanja iz ankete
```

```
$('.ankBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteQue.php',  
        type:'POST',  
        data:{  
  
            id:id  
        },  
    },
```

```
    success:function(data){  
        console.log(data);  
        alert("Question deleted");  
    },  
    error:function(status,xhr,error){  
        console.log(status);  
    }  
  
    });  
  
});
```

//za brisanje odgovora iz ankete

```
$('.odgBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteOdg.php',  
        type:'POST',  
        data:{  
            id:id  
        },  
        success:function(data){  
            console.log(data);  
            alert("Answer deleted");  
        },  
        error:function(status,xhr,error){
```



```
        console.log(status);  
    }  
  
    });  
  
});  
  
//za brisanje jela  
  
$('.jeloBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({
```

```
url:'../modules/deleteJelo.php',
type:'POST',
data:{

    id:id
},
success:function(data){
    console.log(data);
    alert("Dish deleted");
},
error:function(status,xhr,error){
    console.log(status);
}

});
```

```
});
```

```
//za brisanje deserta
```

```
$('.desBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deleteDesert.php',  
        type:'POST',  
        data:{  
  
            id:id  
        },  
    },
```

```
    success:function(data){  
        console.log(data);  
        alert("Dessert deleted");  
    },  
    error:function(status,xhr,error){  
        console.log(status);  
    }  
  
    });  
  
});
```

```
//za brisanje pica
```

```
$('.piceBrisi').click(function(){  
    var id = $(this).attr('data-id');  
    $.ajax({  
        url:'../modules/deletePice.php',  
        type:'POST',  
        data:{  
            id:id  
        },  
        success:function(data){  
            console.log(data);  
            alert("Drink deleted");  
        },  
        error:function(status,xhr,error){  
            console.log(status);  
        }  
    });  
});
```

```
}
```

```
});
```

```
});
```

3.5 CSS kodovi

Korišćen je Bootstrap CSS koji je modifikovan za potrebe sajta. CSS je modifikovan u fajlu **style.css**

4 Dizajn baze podataka

